

Department of Consumer and Business Services

Oregon Occupational Safety & Health Division (OR-OSHA) 350 Winter Street NE, Room 430

> PO Box 14480 Salem, OR 97309-0405 Phone: 503-378-3272

Toll Free: 1-800-922-2689 Fax: 503-947-7461 www.orosha.org

February 22, 2013

Text of changes

Oregon OSHA – Adopted Changes To Personal Protective Equipment (PPE) in Construction, And Hole Openings/Skylights in General Industry

Personal Protective Equipment in Construction:

Oregon OSHA is revising the personal protective equipment (PPE) sections of its construction standards regarding requirements for eye and face protective devices, head protection, foot protection, extremities and torso to include protective clothing, respiratory devices, and protective shields and barriers.

Oregon OSHA updated the Division 2, subdivision I, Personal Protective Equipment references in its regulations on December 8, 2011. The update referenced more recent editions of applicable national consensus standards and removed requirements that employers prepare and maintain written training certification records. Oregon OSHA repealed all of Division 2/I rules with some exceptions and replaced them with a new Oregon initiated rule, 437-002-0134 Personal Protective Equipment, that includes sections covering the scope/application, hazard assessment, equipment, training, payment, fall protection, clothing, high visibility garments, and eye, head, foot, leg, hand and skin protection.

The change was mostly a format change that simplified the existing text while making little change to the overall rule requirements with a few exceptions. Oregon OSHA modified the hazard assessment requirement to clarify that employers must identify hazards to the entire body, including the torso and extremities, when performing the assessment. The assessment previously was limited to head, hands, eyes and face and foot protection.

We are removing the current PPE requirements in various locations of the construction standard and replacing them with the same requirements that are in General Industry standards of Division 2, Subdivision I. These requirements (with the exception of a written assessment certification) will be substantially similar allowing for greater consistency in construction and general Industry.

The design requirements for eye and face-protective devices, head protection, and foot protection are currently the same in Division 2 General Industry, Shipyard Employment, Marine Terminals, Longshoring, and Division 3 Construction. These revisions are a continuation of Oregon OSHA's effort to update consensus and industry standards.

Personal Protective Equipment in General Industry:

Oregon OSHA is also amending the general industry PPE rule 437-002-0134, to include ANSI Z89.1-2009, American National Standard for Industrial Head Protection, as another option of compliance, as published in the June 22, 2012 Federal Register. http://www.osha.gov/FedReg_osha_pdf/FED20120622A.pdf

Hole Openings (including skylights) in General Industry:

Oregon OSHA is also changing the hole covering requirements for holes in floors, roofs, and other walking/working surfaces (to include skylights and skylight screens). Currently employers in construction and general industry have different hole cover strength criteria. To eliminate the confusion and inconsistency, Oregon OSHA is changing the general industry requirements to be the same as the construction requirements as referenced in the Federal OSHA proposal for walking working surfaces and personal protective equipment (fall protection) found in the May 24. 2010 Federal Register http://www.osha.gov/FedReg_osha_pdf/FED20100524.pdf.

Oregon OSHA received no comments concerning this rulemaking during the comment period including three public hearings. These amendments are made in general industry and construction, and will have a <u>delayed effective date of April 1, 2013</u>.

This is Oregon OSHA Administrative Order 2-2013, adopted February 15, 2013, and **effective April 1, 2013**.

Please visit our web site <u>www.orosha.org</u> Click 'Rules' in the left vertical column and view our proposed, adopted, and final rules.

Oregon OSHA contact: Ron Haverkost, Central Office @ 503-947-7421; or e-mail at ronald.l.haverkost@state.or.us

Note: In compliance with the Americans with Disabilities Act (ADA), this publication is available in alternative formats by calling 503-378-3272.

Secretary of State Certificate and Order for Filing

PERMANENT ADMINISTRATIVE RULES

I certify that the attached copies* are true, full and correct copies of the PERMANENT Rule(s) adopted on February 15, 2013 by the Date prior to or same as filing date

Department of Consumer & Business Services/Oregon Occupational Safety & Health Division 437 Agency and Division

Administrative Rules Chapter Number

350 Winter Street NE. Salem OR 97301-3882 Sue Jove

503-947-7449

Rules Coordinator

Telephone

to become effective

April 1, 2013 as Oregon OSHA Administrative Order 2-2013.

Date upon filing or later

Rulemaking Notice was published in the __January 2013_

Oregon Bulletin.** Month and Year

RULE CAPTION

Adopt changes to personal protective equipment (PPE) in construction, and hole openings/skylights in general industry.

Not more than 15 words that reasonably identifies the subject matter of the agency's intended action.

RULEMAKING ACTION

ADOPT: OAR 437-002-0023, 437-003-0134

AMEND: OAR 437-002-0020, 437-002-0134, 437-003-0001

OAR 437-003-0128 REPEAL:

ORS 654.025(2), 656.726(4)

Stat. Auth.

ORS 654.001 through 654.295

Stats. Implemented

RULE SUMMARY

Personal Protective Equipment in Construction:

Oregon OSHA is revising the personal protective equipment (PPE) sections of its construction standards regarding requirements for eye and face protective devices, head protection, foot protection, extremities and torso to include protective clothing, respiratory devices, and protective shields and barriers.

Oregon OSHA updated the Division 2, subdivision I, Personal Protective Equipment references in its regulations on December 8, 2011. The update referenced more recent editions of applicable national consensus standards and removed requirements that employers prepare and maintain written training certification records. Oregon OSHA repealed all of Division 2/I rules with some exceptions and replaced them with a new Oregon initiated rule, 437-002-0134 Personal Protective Equipment, that includes sections covering the scope/application, hazard assessment, equipment, training, payment, fall protection, clothing, high visibility garments, and eye, head, foot, leg, hand and skin protection.

The change was mostly a format change that simplified the existing text while making little change to the overall rule requirements with a few exceptions. Oregon OSHA modified the hazard assessment requirement to clarify that employers must identify hazards to the entire body, including the torso and extremities, when performing the assessment. The assessment previously was limited to head, hands, eyes and face and foot protection.

We are removing the current PPE requirements in various locations of the construction standard and replacing them with the same requirements that are in General Industry standards of Division 2, Subdivision I. These requirements (with the exception of a written assessment certification) will be substantially similar allowing for greater consistency in construction and general Industry.

The design requirements for eye and face-protective devices, head protection, and foot protection are currently the same in Division 2 General Industry, Shipyard Employment, Marine Terminals, Longshoring, and Division 3 Construction. These revisions are a continuation of Oregon OSHA's effort to update consensus and industry standards.

Personal Protective Equipment in General Industry:

Oregon OSHA is also amending the general industry PPE rule 437-002-0134, to include ANSI Z89.1-2009, American National Standard for Industrial Head Protection, as another option of compliance, as published in the June 22, 2012 Federal Register. http://www.osha.gov/FedReg_osha_pdf/FED20120622A.pdf

Hole Openings (including skylights) in General Industry:

Oregon OSHA is also changing the hole covering requirements for holes in floors, roofs, and other walking/working surfaces (to include skylights and skylight screens). Currently employers in construction and general industry have different hole cover strength criteria. To eliminate the confusion and inconsistency, Oregon OSHA is changing the general industry requirements to be the same as the construction requirements as referenced in the Federal OSHA proposal for walking working surfaces and personal protective equipment (fall protection) found in the May 24. 2010 Federal Register http://www.osha.gov/FedReg_osha_pdf/FED20100524.pdf.

Oregon OSHA received no comments concerning this rulemaking during the comment period including three public hearings. These amendments are made in general industry and construction.

Please visit our web site www.orosha.org Click 'Rules' in the left vertical column and view our proposed, adopted, and final rules.

/s/Michael D. Wood	Michael D. Wood	2/14/2013
Authorized Signer	Printed name	Date

^{*}With this original, file one photocopy of certificate, one paper copy of rules listed in Rulemaking Actions, and electronic copy of rules.

^{**}The Oregon Bulletin is published on the 1st of each month and updates rules found in the OAR Compilation. For publication in Bulletin, rule and notice filings must be submitted by 5:00 pm on the 15th day of the preceding month unless this deadline falls on a weekend or legal holiday, when filings are accepted until 5:00 pm on the preceding workday.

ARC 930-2005