

Cranes and Derricks in Construction: Railroad Roadway Work

February 2021

Text removed is in [~~brackets with line through~~].

Text added is in **bold and underline**.

437-003-0001 Adoption by Reference In addition to, and not in lieu of, any other safety and health codes contained in OAR Chapter 437, the Department adopts by reference the following federal regulations printed as part of the Code of Federal Regulations, in the Federal Register:

(28) Subdivision CC – Cranes and Derricks in Construction.

- (a) 29 CFR 1926.1400 Scope, published 4/11/14, FR vol. 79, no. 70, p. 20316; amended with Oregon OSHA AO 3-2015, f. 10/9/15, ef. 1/1/16.
- (b) 29 CFR 1926.1401 Definitions, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (c) 29 CFR 1926.1402 Ground conditions, published 8/9/10, FR vol. 75, no. 152. Pp. 47906-48177.
- (d) 29 CFR 1926.1403 Assembly/Disassembly – selection of manufacturer or employer procedures, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (e) 29 CFR 1926.1404 Assembly/Disassembly – general requirements (applies to all assembly and disassembly operations), published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (f) 29 CFR 1926.1405 Disassembly – additional requirements for dismantling of booms and jibs (applies to both the use of manufacturer procedures and employer procedures), published 8/9/10, FR vol. 75, no. 152. Pp. 47906-48177.
- (g) 29 CFR 1926.1406 Assembly/Disassembly – employer procedures – general requirements, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (h) 29 CFR 1926.1407 Power line safety (up to 350 kV) – assembly and disassembly, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (i) 29 CFR 1926.1408 Power line safety (up to 350 kV) – equipment operations, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.

- (j) 29 CFR 1926.1409 Power line safety (over 35 kV), published 8/9/10, FR vol. 75, vol. 152, pp. 47906-48177.
- (k) 29 CFR 1926.1410 Power line safety (all voltages) – equipment operations closer than the Table A zone, published 4/11/14, FR vol. 79, no. 70, p. 20316.
- (l) 29 CFR 1926.1411 Power line safety – while traveling, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (m) 29 CFR 1926.1412 Inspections, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (n) 29 CFR 1926.1413 Wire rope – inspection, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (o) 29 CFR 1926.1414 Wire rope – selection and installation criteria, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (p) 29 CFR 1926.1415 Safety devices, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (q) 29 CFR 1926.1416 Operational aids, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (r) 29 CFR 1926.1417 Operation, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (s) 29 CFR 1926.1418 Authority to stop operation, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (t) 29 CFR 1926.1419 Signals – general requirements, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (u) 29 CFR 1926.1420 Signals – radio, telephone or other electronic transmission of signals, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (v) 29 CFR 1926.1421 Signals – voice signals – additional requirements, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (w) 29 CFR 1926.1422 Signals – hand signal chart, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (x) 29 CFR 1926.1423 Fall protection, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (y) 29 CFR 1926.1424 Work area control, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (z) 29 CFR 1926.1425 Keeping clear of the load, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (aa) 29 CFR 1926.1426 Free fall and controlled load lowering, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.

- (bb) 29 CFR 1926.1427 Operator qualification and certification, published 11/9/18, FR vol. 83, no. 218, p. 56198.
- (cc) 29 CFR 1926.1428 Signal person qualifications, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (dd) 29 CFR 1926.1429 Qualifications of maintenance & repair employees, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (ee) 29 CFR 1926.1430 Training, published 11/9/18, FR vol. 83, no. 218, p.56198.
- (ff) 29 CFR 1926.1431 Hoisting personnel, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (gg) 29 CFR 1926.1432 Multiple-crane/derrick lifts – supplemental requirements, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (hh) 29 CFR 1926.1433 Design, construction and testing, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (ii) 29 CFR 1926.1434 Equipment modifications, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (jj) 29 CFR 1926.1435 Tower cranes, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (kk) 29 CFR 1926.1436 Derricks, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (ll) 29 CFR 1926.1437 Floating cranes/derricks and land cranes/derricks on barges, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (mm) 29 CFR 1926.1438 Overhead & gantry cranes, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (nn) 29 CFR 1926.1439 Dedicated pile drivers, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (oo) 29 CFR 1926.1440 Sideboom cranes, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (pp) 29 CFR 1926.1441 Equipment with a rated hoisting/lifting capacity of 2,000 pounds or less, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- (qq) 29 CFR 1926.1442 Cranes and Derricks in Construction: Railroad Roadway Work, published 9/15/20, FR vol. 85, no. 179, pp 57109-57122.**
- ~~(qq)~~**(rr)** 29 CFR 1926.144~~[2]~~**3** Severability, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.
- ~~(rr)~~**(ss)** Appendix A to Subdivision CC of 1926 – Standard Hand Signals, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.

~~[(ss)]~~ **(tt)** Appendix B to Subdivision CC of 1926 – Assembly/Disassembly – Sample Procedures for Minimizing the Risk of Unintended Dangerous Boom Movement, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.

~~[(tt)]~~ **(uu)** Appendix C to Subdivision CC of 1926 – Operator Certification – Written Examination – Technical Knowledge Criteria, published 8/9/10, FR vol. 75, no. 152, pp. 47906-48177.

These standards are available at the Oregon Occupational Safety and Health Division, Oregon Department of Consumer and Business Services, and the United States Government Printing Office.

Stat. Auth.: ORS 654.025(2) and 656.726(4).

Stats. Implemented: ORS 654.001 through 654.295.

Hist:APD Admin. Order 5-1989, f. 3/31/89, ef. 5/1/89 (temp).

APD Admin. Order 8-1989, f. 7/7/89, ef. 7/7/89 (perm).

APD Admin. Order 14-1989, f. 7/20/89, ef. 8/1/89 (temp).

APD Admin. Order 15-1989, f. 9/13/89, ef. 9/13/89 (perm).

APD Admin. Order 16-1989 (temp), f. 9/13/89, ef. 9/13/89.

OR-OSHA Admin. Order 2-1989, f. 10/17/89, ef. 10/17/89.

OR-OSHA Admin. Order 3-1990, f. 1/19/90, ef. 1/19/90 (temp).

OR-OSHA Admin. Order 7-1990, f. 3/2/90, ef. 3/2/90 (perm).

OR-OSHA Admin. Order 8-1990, f. 3/30/90, ef. 3/30/90.

OR-OSHA Admin. Order 13-1990, f. 6/28/90, ef. 8/1/90 (temp).

OR-OSHA Admin. Order 19-1990, f. 8/31/90, ef. 8/31/90 (perm).

OR-OSHA Admin. Order 27-1990, f. 12/12/90, ef. 2/1/91.

OR-OSHA Admin. Order 6-1991, f. 3/18/91, ef. 4/15/91.

OR-OSHA Admin. Order 7-1991, f. 4/25/91, ef. 4/25/91.

OR-OSHA Admin. Order 15-1991, f. 12/13/91, ef. 12/13/91.

OR-OSHA Admin. Order 16-1991, f. 12/16/91, ef. 1/1/92.

OR-OSHA Admin. Order 6-1992, f. 5/18/92, ef. 5/18/92.

OR-OSHA Admin. Order 11-1992, f. 10/9/92, ef. 10/9/92.

OR-OSHA Admin. Order 1-1993, f. 1/22/93, ef. 1/22/93.

OR-OSHA Admin. Order 16-1993, f. 11/1/93, ef. 11/1/93 (Lead).

OR-OSHA Admin. Order 1-1994, f. 4/27/94, ef. 4/27/94.

OR-OSHA Admin. Order 4-1994, f. 8/4/94, ef. 8/4/94 (HazCom).

OR-OSHA Admin. Order 6-1994, f. 9/30/94, ef. 9/30/94.

OR-OSHA Admin. Order 1-1995, f. 1/19/95, ef. 1/19/95 (DOT markings, placards & labels).

OR-OSHA Admin. Order 3-1995, f. 2/22/95, ef. 2/22/95 (Haz Waste).

OR-OSHA Admin. Order 4-1995, f. 3/29/95, ef. 3/29/95 (Asbestos).

OR-OSHA Admin. Order 5-1995, f. 4/6/95, ef. 4/6/95 (HazCom).

OR-OSHA Admin. Order 6-1995, f. 4/18/95, ef. 6/1/95 (Fall Protection).

OR-OSHA Admin. Order 8-1995, f. 8/25/95, ef. 8/25/95 (Asbestos).

OR-OSHA Admin. Order 5-1996, f. 11/29/96, ef. 11/29/96.

OR-OSHA Admin. Order 6-1996, f. 11/29/96, ef. 11/29/96.

OR-OSHA Admin. Order 2-1997, f. 3/12/97, ef. 3/12/97.

OR-OSHA Admin. Order 4-1997, f. 4/2/97, ef. 4/2/97.

OR-OSHA Admin. Order 6-1997, f. 5/2/97, ef. 5/2/97.

OR-OSHA Admin. Order 7-1997, f. 9/15/97, ef. 9/15/97 (Fall Protection).

OR-OSHA Admin. Order 8-1997, f. 11/14/97, e. 11/14/97 (Methylene Chloride).
OR-OSHA Admin. Order 1-1998, f. 2/13/98, e. 2/13/98 (Methylene Chloride).
OR-OSHA Admin. Order 3-1998, f. 7/7/98, ef. 7/7/98 (Respiratory Protection).
OR-OSHA Admin. Order 6-1998, f. 10/15/98, ef. 10/15/98 (Slings 3/H).
OR-OSHA Admin. Order 7-1998, f. 12/28/98, ef. 12/28/98 (Asbestos).
OR-OSHA Admin. Order 1-1999, f. 3/22/99, e. 3/22/99 (Methylene Chloride).
OR-OSHA Admin. Order 4-1999, f. 4/30/99, ef. 4/30/99.
OR-OSHA Admin. Order 6-1999, f. 5/26/99, ef. 5/26/99.
OR-OSHA Admin. Order 3-2000, f. 2/8/00, ef. 2/8/00.
OR-OSHA Admin. Order 3-2001, f. 2/5/01, ef. 2/5/01 (Fall Protection/Oregon Exceptions).
OR-OSHA Admin. Order 3-2002, f. 4/15/02, ef. 4/18/02 (Steel Erection).
OR-OSHA Admin. Order 5-2002, f. 6/28/02, ef. 10/1/03 (GFCI 3/K).
OR-OSHA Admin. Order 6-2002, f. 7/19/02, ef. 7/19/02 (Fall Protection/Steel Erection).
OR-OSHA Admin. Order 1-2003, f. 1/30/03, ef. 4/30/03 (3/Q Masonry Wall Bracing).
OR-OSHA Admin. Order 2-2003, f. 1/30/03, ef. 1/30/03 (3/G).
OR-OSHA Admin. Order 7-2003, f. 12/5/03, ef. 12/5/03 (3/O).
OR-OSHA Admin. Order 8-2003, f. 12/30/03, ef. 1/1/04 (3/R).
OR-OSHA Admin. Order 1-2005, f. 4/12/05, ef. 4/12/05 (3/D and 3/Z).
OR-OSHA Admin. Order 2-2006, f. 4/28/06, ef. 4/28/06 (3/R).
OR-OSHA Admin. Order 4-2006, f. 7/24/06, ef. 7/24/06.
OR-OSHA Admin. Order 5-2006, f. 8/7/06, ef. 1/1/07.
OR-OSHA Admin. Order 6-2006, f. 8/30/06, ef. 8/30/06.
OR-OSHA Admin. Order 10-2006, f. 11/30/06, ef. 11/30/06.
OR-OSHA Admin. Order 6-2007, f. 9/26/07, ef. 9/26/07 (3/O).
OR-OSHA Admin. Order 5-2008, f. 5/1/08, ef. 5/15/08 (PPE).
OR-OSHA Admin. Order 5-2009, f. 5/29/09, ef. 5/29/09.
OR-OSHA Admin. Order 3-2010, f. 6/10/10, ef. 6/15/10.
OR-OSHA Admin. Order 1-2011, f. 2/9/11, ef. 2/9/11.
OR-OSHA Admin. Order 4-2011, f. 12/8/11, ef. 12/8/11.
OR-OSHA Admin. Order 5-2011, f. 12/8/11, ef. 7/1/12.
OR-OSHA Admin. Order 1-2012, f. 4/10/12, ef. 4/10/12.
OR-OSHA Admin. Order 5-2012, f. 9/25/12, ef. 9/25/12.
OR-OSHA Admin. Order 1-2013, f. 2/14/13, ef. 2/14/13.
OR-OSHA Admin. Order 2-2013, f. 2/15/13, ef. 4/1/13.
OR-OSHA Admin. Order 4-2013, f. 7/19/13, ef. 7/19/13.
OR-OSHA Admin. Order 5-2013, f. 9/13/13, ef. 9/13/13.
OR-OSHA Admin. Order 6-2013, f. 10/9/13, ef. 10/9/13.
OR-OSHA Admin. Order 7-2013, f. 12/12/13, ef. 12/12/13.
OR-OSHA Admin. Order 6-2014, f. 10/28/14, ef. 5/1/15.
OR-OSHA Admin. Order 7-2014, f. 11/7/14, ef. 11/9/14.
OR-OSHA Admin. Order 3-2015, f. 10/9/15, ef. 1/1/16.
OR-OSHA Admin. Order 1-2016, f. 3/1/16, ef. 1/1/17.
OR-OSHA Admin. Order 3-2016, f. 8/19/16, ef. 8/19/16.
OR-OSHA Admin. Order 4-2016, f. 9/7/16, ef. 9/7/16.
OR-OSHA Admin. Order 1-2019, f. 5/9/19, ef. 5/9/19.
OR-OSHA Admin. Order 3-2019, f. 10/29/19, ef. 5/29/19.
OR-OSHA Admin. Order X-XXXX, f. XX/XX/XX, ef. XX/XX/XX.

1926.1400 Scope

- (a) This standard applies to power-operated equipment, when used in construction, that can hoist, lower and horizontally move a suspended load. Such equipment includes, but is not limited to: articulating cranes (such as knuckle-boom cranes); crawler cranes; floating cranes; cranes on barges; locomotive cranes; mobile cranes (such as wheel-mounted, rough-terrain, all-terrain, commercial truck-mounted, and boom truck cranes); multi-purpose machines when configured to hoist and lower (by means of a winch or hook) and horizontally move a suspended load; industrial cranes (such as carry-deck cranes); dedicated pile drivers; service/ mechanic trucks with a hoisting device; a crane on a monorail; tower cranes (such as a fixed jib, i.e., “hammerhead boom”), luffing boom and self-erecting); pedestal cranes; portal cranes; overhead and gantry cranes; straddle cranes; sideboom cranes; derricks; and variations of such equipment. However, items listed in paragraph (c) of this section are excluded from the scope of this standard.
- (b) Attachments. This standard applies to equipment included in paragraph (a) of this section when used with attachments. Such attachments, whether crane-attached or suspended include, but are not limited to: hooks, magnets, grapples, clamshell buckets, orange peel buckets, concrete buckets, drag lines, personnel platforms, augers or drills and pile driving equipment.
- (c) Exclusions. This subpart does not cover:
- (1) Machinery included in paragraph (a) of this section while it has been converted or adapted for a non-hoisting/lifting use. Such conversions/adaptations include, but are not limited to, power shovels, excavators and concrete pumps.
 - (2) Power shovels, excavators, wheel loaders, backhoes, loader backhoes, track loaders. This machinery is also excluded when used with chains, slings or other rigging to lift suspended loads.
 - (3) Automotive wreckers and tow trucks when used to clear wrecks and haul vehicles.
 - (4) Digger derricks when used for augering holes for poles carrying electric or telecommunication lines, placing and removing the poles, and for handling associated materials for installation on, or removal from, the poles, or when used for any other work subject to subpart V of this part. To be eligible for this exclusion, digger derrick use in work subject to subpart V of this part must comply with all of the provisions of that subpart, and digger derrick use in construction work for telecommunication service (as defined at 1910.268(s)(40)) must comply with all of the provisions of 1910.268.
 - (5) Machinery originally designed as vehicle-mounted aerial devices (for lifting personnel) and self-propelled elevating work platforms.
 - (6) Telescopic/hydraulic gantry systems.

- (7) Stacker cranes.
- (8) Powered industrial trucks (forklifts), except when configured to hoist and lower (by means of a winch or hook) and horizontally move a suspended load.
- (9) Mechanic's truck with a hoisting device when used in activities related to equipment maintenance and repair.
- (10) Machinery that hoists by using a come-a-long or chainfall.
- (11) Dedicated drilling rigs.
- (12) Gin poles when used for the erection of communication towers.
- (13) Tree trimming and tree removal work.
- (14) Anchor handling or dredge-related operations with a vessel or barge using an affixed A-frame.
- (15) Roustabouts.
- (16) Helicopter cranes.
- (17) Material Delivery.
 - (i) Articulating/knuckle-boom truck cranes that deliver material to a construction site when used to transfer materials from the truck crane to the ground, without arranging the materials in a particular sequence for hoisting.
 - (ii) Articulating/knuckle-boom truck cranes that deliver material to a construction site when the crane is used to transfer building supply sheet goods or building supply packaged materials from the truck crane onto a structure, using a fork/cradle at the end of the boom, but only when the truck crane is equipped with a properly functioning automatic overload prevention device. Such sheet goods or packaged materials include, but are not limited to: sheets of sheet rock, sheets of plywood, bags of cement, sheets or packages of roofing shingles, and rolls of roofing felt.
 - (iii) This exclusion does not apply when:
 - (A) The articulating/knuckle-boom crane is used to hold, support or stabilize the material to facilitate a construction activity, such as holding material in place while it is attached to the structure;
 - (B) The material being handled by the articulating/knuckle-boom crane is a prefabricated component. Such prefabricated components include, but are not limited to: precast concrete members or panels, roof trusses (wooden, cold-formed metal, steel, or other material), prefabricated building sections such as, but not limited to: floor panels, wall panels, roof panels, roof structures, or similar items;

(C) The material being handled by the crane is a structural steel member (for example, steel joists, beams, columns, steel decking (bundled or unbundled) or a component of a systems-engineered metal building (as defined in 29 CFR 1926 subpart R).

(D) The activity is not specifically excluded under 1400(c)(17)(i) and (ii).

(18) Flash-butt welding trucks. Flash-butt welding trucks or other roadway maintenance machines not equipped with any hoisting device other than that used to suspend and move a welding device or workhead assembly. For purposes of this paragraph (c)(18), the terms flash-butt welding truck and roadway maintenance machine refer to railroad equipment that meets the definition of "roadway maintenance machine" in 49 CFR 214.7 and is used only for railroad track work.

- (d) All sections of this subpart CC apply to the equipment covered by this standard unless specified otherwise.
- (e) The duties of controlling entities under this subpart include, but are not limited to, the duties specified in 1926.1402(c), 1926.1402(e) and 1926.1424(b).
- (f) Where provisions of this standard direct an operator, crewmember, or other employee to take certain actions, the employer must establish, effectively communicate to the relevant persons, and enforce, work rules to ensure compliance with such provisions.
- (g) For work covered by Division 2/RR, compliance with OAR 437-002-2315 is deemed compliance with 1926.1407 through 1926.1411.
- (h) Section 1926.1402 does not apply to cranes designed for use on railroad tracks, when used on railroad tracks that are part of the general railroad system of transportation that is regulated pursuant to the Federal Railroad Administration under 49 CFR part 213, and that comply with applicable Federal Railroad Administration requirements. See 1926.1402(f).

[75 FR 48135, Aug. 9, 2010, as amended at 78 FR 32116, May 29, 2013; 79 FR 20743, Apr. 11, 2014]

Stat. Auth.: ORS 654.025(2) and 656.726(4).

Stats. Implemented: ORS 654.001 through 654.295.

Hist: OR-OSHA Admin. Order 1-2011, f. 2/9/11, ef. 2/9/11.

OR-OSHA Admin. Order 5-2013, f. 9/13/13, ef. 9/13/13.

OR-OSHA Admin. Order 3-2015, f. 10/9/15, ef. 1/1/16.

OR-OSHA Admin. Order X-XXXX, f. XX/XX/XX, ef. XX/XX/XX.

Sec. 1926.1442 Railroad roadway maintenance machines.

(a) General rule. Employers using equipment covered by this subpart

that meets the definition of "roadway maintenance machine," as defined in 49 CFR 214.7, must comply with the requirements in this subpart, except as provided in paragraphs (b)(1) through (7) of this section when subject to the authority of the Federal Railroad Administration.

(b) Exceptions

(1) Operator certification, training, and evaluation. The requirements in Sec. Sec. 1926.1427 (Operator qualification and certification) and 1926.1430 (Training) do not apply. The qualification and training requirements contained in Sec. Sec. 1926.1436(q) (Qualification and training for derricks), 1926.1440(a) (Sideboom cranes), and 1926.1441(a) (Equipment with a rated hoisting/lifting capacity of 2,000 pounds or less) do not apply.

(2) Rail clamps, rail stops, and work-area controls.

(i) The requirement for rail clamps in Sec. 1926.1415(a)(6) does not apply;

(ii) The requirement for rail stops in Sec. 1926.1415(a)(6) does not apply; and

(iii) The work-area controls specified by Sec. 1926.1424(a)(2) do not apply.

(3) Out-of-level work. The restrictions on out-of-level work, and the requirements for crane-level indicators and inspections of those indicators (including the requirements in Sec. Sec. 1926.1402(b), 1926.1412(d)(1)(xi), and 1926.1415(a)(1)), do not apply.

(4) Dragging a load sideways. The prohibition in Sec. 1926.1417(q) on dragging a load sideways does not apply.

(5) Boom-hoist limiting device. The requirement in Sec. 1926.1416(d)(1) for a boom-hoist limiting device does not apply to roadway maintenance machines when the cranes use hydraulic cylinders to raise the booms.

(6) Manufacturer guidance for modifications covered by Sec. 1926.1434. The requirements to follow the manufacturer's guidance set forth in Sec. 1926.1434 do not apply if the employer is subject to the requirements of 49 CFR part 214.

(7) Other manufacturer guidance. The requirements to follow the manufacturer's guidance, instructions, procedures, prohibitions, limitations, or specifications, set forth in Sec. 1926.1404(j), (m), or (q); Sec. 1926.1415(a)(6); Sec. 1926.1417(a), (r), (u), or (aa); Sec. 1926.1433(d)(1)(i); or Sec. 1926.1441 do not apply if the employer is subject to the requirements of 49 CFR part 214.

1926.144[~~2~~]3 Severability

Should a court of competent jurisdiction hold any provision(s) of subpart CC to be invalid, such action shall not affect any other provision of the subpart.