

A summary of Oregon OSHA rules that have periodic training requirements

Construction rules – Division 3

Rule	Periodic training required
Hazard communication 3/D 1926.59	Provide employees with training and information on hazardous chemicals at the time of initial assignment and whenever a new hazard is introduced.
Lead 3/D 1926.62	Employees exposed to lead at or above the action level, or to lead compounds that may cause skin or eye irritation, must participate in an annual lead-hazards training program.
Occupational noise exposure 3/D 437-003-0027	Annual training is required for employees exposed to noise at or above an eight-hour time-weighted average of 85 decibels.
Respiratory protection 3/E 1926.103	Retraining is required at least annually, sooner if worksite hazards change or if employees switch to another type of respirator. Employees who don't understand how to use or properly care for their respirators also must be retrained.
Scaffolding, training 3/L 1926.454	Employees must be retrained if they lack the skills or knowledge to use, erect, or dismantle a scaffold. Other reasons for retraining include worksite changes that create new hazards and changes in the types of scaffolds, fall protection, or falling-object protection used.
Fall protection training requirements 3/M 437-003-0503	Employees who do not have the skills required in 1926.503, <i>Fall protection training</i> , must be retrained.
Crane operator safety training requirements 3/N 437-003-0081	Employees who operate cranes of five-ton capacity (or greater) must have a valid crane operator's safety training card. The card must be renewed and signed every three years by a training institution or by the employer.

<p>Steel erection, training requirements 3/R 1926.761 and 437-003-0761</p>	<p>Employees must be retrained when changes in the workplace or changes in fall-protection systems make previous training obsolete. Employees whose knowledge or use of fall protection systems on the job indicates a lack of training also must be retrained.</p>
<p>Underground construction 3/S 1926.800</p>	<p>Rescue-team members' qualifications must be reviewed annually. They must practice using self-contained breathing apparatus monthly if they anticipate rescue work at job sites where they could be exposed to flammable or toxic gases.</p>
<p>Asbestos 3/Z 1926.1101</p>	<p>Employees who install asbestos-containing products or who do Class I through IV asbestos work must be trained annually.</p>
<p>Cadmium 3/Z 1926.1127</p>	<p>Employees whose work involves potential exposure to cadmium must be trained annually.</p>
<p>Methylene chloride 3/Z 1926.1152</p>	<p>Retrain employees as necessary to ensure that they understand safe use and handling of methylene chloride.</p>