

Agricultural Labor Housing Declaration Form for Registration Effective Jan. 1, 2026



Operator name:	
Housing site name:	ALH ID #:
Housing site address:	

If registering multiple sites, please complete a declaration form for each housing site location.

Note to housing operator: Under Policy Guidance 2025-01 (PG 2025-01), in lieu of a consultation by Oregon OSHA that is otherwise required by OAR 437-004-1120(5)(b)(C), you may provide this form as part of your application to register your housing. By initialing each section, you are declaring that the housing site has the following provisions according to OAR 437-004-1120. Please note this declaration form **cannot be used** to register housing that was unregistered in the previous year; this includes any housing you are registering for the first time.

Please initial each section in the space provided and provide your signature at the bottom of this form.

Registration:

Water testing results are included with this application; arsenic results must be submitted once; nitrates and coliform bacteria (from the previous 12 months) must be submitted each year.

Nonpublic water supply:

The most recent annual water testing results are posted in the housing in the worker's language or with a pictogram provided by Oregon OSHA.

Site requirements:

Road forks and driveways are properly marked, and each building occupied by workers is properly marked.

Toilets:

- Outhouses, pit toilets, or privies are no longer counted toward the required ratio (1-to-15) of toilets.
- Any outhouses, pit toilets, or privies present are at least 200 feet from any living area or place where food is prepared or served.

Laundry facilities

- Laundry trays or tubs are provided in a ratio of 1-to-25 occupants, or laundry machines are provided in a ratio of 1-to-30 occupants.
- A separate method is provided or available for cleaning clothes that are contaminated with chemicals (wash separately, rinse machine between loads, use commercial services etc.).

Living areas:

- _____ Beds or bunks are provided for each occupant; cots are not allowed for sleeping.
- Mattresses at least 4 inches thick are provided in a fully enclosed cover; foam pads are no longer allowed.
- _____ Fumigation is not used to clean mattresses.
- _____ Safe access to access upper bunks is provided.
- At least 15 cubic feet of storage per occupant or family unit is provided; some portion of this is lockable for small personal items.

Fire and carbon monoxide detection:

A carbon monoxide detector is installed in sleeping rooms.