

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

Event Date	Insp Number	Age	Fatal ity?	Hospit- alized?	Nature	Part	Source	Environ- mental Factor	Human Factor	Fall Ht	OR OSHA Investigation Key Words and Description
12/28/2009	313546863	39	Yes	No	Other	Multiple	Machine	Squeeze point action	Malfunction of procedure for lock-out tag-out		CAUGHT IN MACHINERY: Emp #1 had just returned from a break as a lumber stacker operator. The lumber is fed into the stacker by conveyor which then dumps it into a trough, where it is unscrambled and moved up an inclined conveyor with box chains to a landing table. It is then conveyed to the stacker at the end of the line. The bin chaser went to the stacker to fill the hoppers with stickers. As he passed the operators station, he saw Emp #1 laying on the floor under the inclined unscrambler conveyor. He ran to a nearby intercom and summoned help. Crew members responded and performed CPR until medical personnel arrived. Emp #1 was pronounced dead at the scene.
12/9/2009	313679003	57	No	Yes	Other	Abdomen	Cold (environme ntal or mechanical)	Working surface or facility layout condition	Misjudgment of hazardous situation		FALL.: A truck driver who was delivering a de-humidifier to a customer, slipped on the aluminum truck trailer floor and fell. The victim was near the back of the truck trailer when he fell and actually fell out of the truck trailer and onto the ground. The victim appeared to be fine until a few days later when he started feeling more pain and went to the hospital and had surgery. A surgeon removed the victim's spleen.
12/9/2009	313678765	52	No	Yes	Fracture	Hip(s)	Other	Other	Other		FALL FROM TRAILER: The victim was tightening a binder on chains with a cheater bar to secure steel plates to an approximately 48-foot trailer, when he fell approximately 5 feet to the ground. The fall resulted in a fractured hip requiring hospitalization.
12/2/2009	313678427	67	No	Yes	Fracture	Face	Motor vehicle (highway)	Other	Other		LOG TRUCK ACCIDENT: A loaded log truck was traveling East bound on highway 226. The loaded log truck failed to negotiate a right hand curve and tipped over. The loaded log truck slid across the West bound lane and struck an oncoming log truck.
12/1/2009	313772725	27	No	Yes	Concussion	Head	Vegetation	Overhead moving and/or falling object action	Misjudgment of hazardous situation		LOGGING STRUCK BY: The Logging site is a commercial thinning operation. The employees were cable logging tree length 2nd growth timber. It was the last turn of the day, the crew hooked 4 tree length logs by the tops. When the turn of logs was moving, a log stuck a standing hemlock tree approximately 40 feet tall that pushed the hemlock into a standing fir snag that was approximately 40 feet tall. When the hemlock bumped the fir snag, the upper section of the snag broke out and landed on the victim striking him in the head.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

12/1/2009	313772741	44	No	Yes	Amputation	Finger(s)	Machine	Pinch point action	Malfunction of procedure for lock-out tag-out		CAUGHT IN: Employee was performing maintenance on a machine using compressed air to clean the mechanisms. Employee used fingers in an attempt to remove a foreign body that was not responding to the compressed air. The employee's fingers became wedged between the pinwheel and drum.
11/30/2009	313678278	40	Yes	No	Puncture	Head	Hand tool (powered)	Flying object action	Operational position not appropriate for task		STRUCK BY: The victim was in the process of using an 8 foot step ladder to gain height to nail a strap onto a residential home single story construction project. The victim used a nail gun with a 16d nail to affix the strap to the exterior wall. Using his right hand for the gun, he leaned over to the left and tried to place a nail into the strap. The nail ricocheted, it him on the left side of his head just above the left ear, then fell to the ground below. The victim found other employees. He passed out. The fellow employees transported him to the hospital. He died approximately two days later.
11/30/2009	313772675	60	Yes	No	Fracture	Head	Hand tool (manual)	Flying object action	Misjudgment of hazardous situation		STRUCK-BY: The victim was found lying near the snowplow on the truck he was operating. A pry bar was also found lying near the victim. It is thought that the victim was using the bar on the spring loaded plow when it kicked back and struck him in the head.
11/30/2009	313461956	33	No	Yes	Fracture	Foot, feet, toes or ankle(s)	Ladder	Other	Misjudgment of hazardous situation	1	FALL FROM EXTENSION LADDER: Employee was trying to install a fascia board off an extension ladder and the ladder started to slide down the wall employee jumped to the ground and broke his right ankle.
11/29/2009	313952905	20	Yes	No	Other	Multiple	Firearm	Flying object action	Misjudgment of hazardous situation		ACT OF VIOLENCE: A lone assailant entered the hair salon where the victim worked, escorted the victim to a small office in the back of the business and shot her to death.
11/24/2009	313546137	60	No	Yes	Fracture	Back	Machine	Working surface or facility layout condition	Other		FALL TO BELOW: Employee stepped onto sander platform to grind a burr on hold down. The platform gave way and the employee fell 9 feet to concrete below. The employee was taken to the hospital and died several day later.
11/20/2009	313952608	48	No	Yes	Fracture	Chest	Other	Overhead moving and/or falling object action	Malfunction of procedure for securing operation or warning of hazardous situation		STRUCK BY FALLING OBJECT: Employee was performing a form stripping operation, employee removed gates from forms when a main beam rolled out of the drop head panel and struck the employee across the back. The employee suffered fractures to the rib cage as a result of the impact.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

11/19/2009	313461436	21	No	Yes	Fracture	Arms(s) - multiple	Materials handling equipment	Flying object action	Misjudgment of hazardous situation		STRUCK BY: Victim reached into a lumber transfer deck to clear a board. He was struck by a board that had the pressure of the transfer deck operating chains on it. He was hit in the left upper arm resulting in a fracture of the arm. He then contacted a narrow metal edge with his arm pit. The contact resulted in damage to the artery to the arm. He was giving medical treatment at the location and transported to the hospital. He was then transferred to a vascular intensive care unit for evaluation and treatment.
11/17/2009	313546038	22	No	Yes	Fracture	Lower leg(s)	Bodily motion	Working surface or facility layout condition	Other		FALL TO GROUND: Emp #1 was working as a rigging slinger on a BLM thinning unit. A swing yarder and motorized carriage were in use. Emp #1 had signaled to send a turn of logs to the landing when it got hung up on a corridor tree. He stopped the rigging, went over and fixed the hang up, then retreated to a clear area. As he walked away from the turn on flat ground, his foot slipped off a log in between two others. His momentum kept his body moving forward while his leg did not. His leg fractured above the ankle as he fell to the ground. The emergency action plan was implemented and the victim was transported to the hospital where he had surgery to repair his leg.
11/17/2009	313545956	32	No	Yes	Fracture	Multiple	Motor vehicle (highway)	Other	Misjudgment of hazardous situation		MOTOR VEHICLE ACCIDENT: Employee #1 was traveling east on Highway 138 in an unloaded log truck. Employee #1 drifted into the west bound lane and struck another unloaded log truck head-on. Employee #1 and the other driver were injured. Employee #1 was seriously injured and transported to a hospital in Portland. The other driver was treated and released at a local hospital.
11/17/2009	313461428	43	No	Yes	Fracture	Lower leg(s)	Other	Overhead moving and/or falling object action	Insufficient or lack of written work practices program		STRUCK BY TREE: The victim was part of a road crew that was falling danger trees along side a county road. The victim was falling a danger tree when he cut the tree off the stump. The tree sat on the victim's saw bar, and while trying to free the saw, the victim was struck by the tree.
11/14/2009	313952244	66	No	Yes	Burn (chemical)	Arms(s) - multiple	Chemical (liquids or vapors)	Chemical action/reaction exposure	Other		SKIN BURN: A sanitation worker (cleaning staff) suffered serious skin burns to his right shoulder and upper arm. The burns occurred after the employee got down onto the floor to clean the underside of vegetable tank in the Cabbage Room or Vegetable Clean Room of the plant. After laying down on the floor on his back, shoulder, and, upper arm; the victim experience an immediate burning sensation. He suffered serious skin burns on the areas of his body where his clothing was saturated by the liquid on the floor. He was taken to the hospital emergency room and was admitted to the burn unit. He remained at the hospital for several days, and was unable to return to work for more than two weeks.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

11/10/2009	313951774	20	No	No	Cut or laceration	Multiple	Firearm	Flying object action	Other		SHOOTING: A lone assailant armed with several firearms entered the business and opened fire killing one worker and causing serious injury to two others.
11/10/2009	313951774	63	No	Yes	Other	Multiple	Firearm	Flying object action	Other		SHOOTING: A lone assailant armed with several firearms entered the business and opened fire killing one worker and causing serious injury to two others.
11/10/2009	313951774	39	Yes	No	Other	Multiple	Firearm	Flying object action	Other		SHOOTING: A lone assailant armed with several firearms entered the business and opened fire killing one worker and causing serious injury to two others.
11/10/2009	313772014	36	No	Yes	Fracture	Head	Working surface	Working surface or facility layout condition	Malfunction of neuro-muscular system		FALL: Employee was erecting a Christmas Tree on top of a display unit. The employee was working approximately eight feet off the ground. Employee stood up and fell never making a sound or trying to catch himself during the fall.
11/9/2009	313461220	46	No	Yes	Fracture	Back	Other	Other	Safety devices removed or inoperative	25	FALL TO LOWER LEVEL: Victim was in the process of weathering in the chimney flues was tied off then unhooked his fall protection walked across the roof lost his footing and slid down the roof over the eave and fell 25 feet 6 inches to the dirt ground.
11/9/2009	313953614	58	No	Yes	Fracture	Face	Buildings	Working surface or facility layout condition	Insufficient or lack of written work practices program		FALL TO LOWER LEVEL: Employee was descending ladder and stumbled from one rung. The employee fell between two of the unprotected rafters and through the 1/2 inch sheetrock ceiling landing 13 feet below. The employee suffered broken facial bones and laceration to the right knee.
11/5/2009	313677502	37	No	Yes	Fracture	Head	Machine	Working surface or facility layout condition	Malfunction of procedure for lock-out tag-out		STRUCK BY SAW BLADE: The victim was in the process of using a chop saw with an approximate 60 inch blade to trim logs. The 4 belts driving the saw, shed one of the belts. The victim stopped the saw and belts, climbed in behind the metal cage/guard and tried to place the belt back on the pulley. He slipped, struck his head on the stationary saw blade and fell approximately 5 feet onto an active conveyor, which took him toward the chipper. He managed to scramble from the conveyor and return to the operators station. At this time he called the mill manager for medical assistance.
11/4/2009	313951972	50	No	Yes	Fracture	Arms(s) - multiple	Machine	Catch point or puncture action	Malfunction of procedure for lock-out tag-out		CAUGHT IN MACHINE: Employee was operating a drill press when his glove on his left hand was grabbed by the extruder. The left hand and arm wrapped around the extruder resulting in compound fractures to the left lower arm.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

11/2/2009	313951691	32	No	Yes	Other	Back	Buildings	Working surface or facility layout condition	Misjudgment of hazardous situation		FALL FROM SCAFFOLDING: Employee fell from a scaffolding system while the employees were in the process of dismantling the structure. The employee fell approximately 20 feet to the ground below. The victim was attempting to descend the scaffolding ladder when he fell. The victim was in the transition from the scaffolding to the ladder when he fell.
10/27/2009	313545543	38	No	Yes	Fracture	Hand(s)	Materials handling equipment	Squeeze point action	Misjudgment of hazardous situation		CAUGHT IN: Employee #1 was operating a trash compactor. Due to the condition of the compactor, it was operated with the access door wide open. The interlock switch bypassed and guards were removed. The plate that prevents the garbage from falling behind the compacting ram caught and separated from the ram. This left a gap between the ram and plate. Employee #1 reached in the compactor area and picked up on the plate as the ram returned. The ram caught his fingers on his right hand between the ram and plate crushing the ends of his fingers. After the accident, the employee went into the building and informed the supervisor of the accident. He was transported by a private vehicle to the hospital and was admitted.
10/27/2009	313677189	45	No	Yes	Puncture	Abdomen	Other	Flying object action	Misjudgment of hazardous situation		STRUCK BY A PIECE OF WOOD: An employee was impaled through the mid section by a piece of wood while engaged in yarder logging activity. The employee was impaled when a top portion of a log fell out of the turn of logs that was moving towards the carriage and struck him. The turn of logs was partially suspended approximately 30 feet in the air when the top portion fell out.
10/25/2009	313545907	45	No	Yes	Fracture	Foot, feet, toes or ankle(s)	Working surface	Working surface or facility layout condition	Misjudgment of hazardous situation	8	FALL TO LOWER LEVEL: An employee working from a deck below the supervisor handed a window to the supervisor who was on the roof. The employee climbed the ladder to assist the supervisor. The employee who was working below, but on the same level of the pitched roof though the window was going to drop/fall on him. The employee jumped from the roof approximately 8 feet to the deck below sustaining serious injuries to the ankles and feet.
10/24/2009	313545667	47	No	Yes	Asphyxia	Body system	Chemical (liquids or vapors)	Gas, vapor, mist, fume, dust, etc. condition	Misjudgment of hazardous situation		CARBON MONOXIDE POISONING: An employee working at a water treatment plant using a gas powered pump to drain and remove sediment from an open top inlet tank was overcome by carbon monoxide. The engine had been running approximately 10 feet inside an open door to the building and the employee began to suffer symptoms while on an approximate 8 foot ladder observing the suction end of the hose in the tank. Once off the ladder he lost consciousness adjacent the open door for approximately 2 hours.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

10/19/2009	313950602	40	No	Yes	Amputation	Finger(s)	Machine	Catch point or puncture action	Safety devices removed or inoperative		CAUGHT IN: A saw operator reached under a moving bandsaw blade to remove a piece of material. The un-used portion of the blade was missing a guard. His glove on the left hand was caught by the saw and his hand was momentarily caught between the saw blade and the surface below. The saw cut down to the bone along the knuckles of his hand, and the three outer fingers and part of his hand were later amputated at the hospital.
10/17/2009	313545360	46	Yes	No	Asphyxia	Head	Motor vehicle (industrial)	Catch point or puncture action	Misjudgment of hazardous situation		FALL: Employee was walking toward Logan onion harvester and tractor/trailer and went around the south side of the farm field tractor that was pulling a large onion harvester trailer. The employee jumped or crawled over the fifth wheel dolly and tripped onto the ground. The left front dual tires ran over his body starting at feet/knees and rolled straight over abdomen, torso and head killing the employee.
10/13/2009	313771073	59	Yes	No	Asphyxia	Chest	Materials handling equipment	Materials handling equipment or method	Procedure for handling materials not appropriate for task		CAUGHT-IN: The victim was operating a Hazel nut harvester to harvest Hazel nuts. The victim had apparently stopped at the end of the harvested row and got off the tractor and walked back past the nut harvester machine to the 3.5T nut bin trailer, the victim had not turned off the hydraulic system when he left the operators seat. The 3.5T tote bin has 2 horizontal rotating augers that move the nuts to the rear of the trailer when the bin is close to full. The victim was found a few minutes later with his upper body face down in the nut bin, between the bin wall and the auger. The victims coat and sweat shirt were wrapped so tight around the auger that the victim was determined to have suffocated.
10/12/2009	313950669	64	No	Yes	Concussion	Multiple	Working surface	Illumination	Other		FALL: Worker fell from the top step of the stairwell.
10/12/2009	313771156	27	No	Yes	Other	Multiple	Motor vehicle (highway)	Other	Other		TRAFFIC ACCIDENT.: The police officer/victim was running radar on Highway 58 at the east end of town, when a vehicle came through at a speed of 64 mph in a 35 mph zone. The police officer/victim proceeded after the speeding vehicle to initiate a traffic stop. The victim/police officer had his lights and siren on. As the officer/victim came to a three-way intersection in town with a set of stop lights, another vehicle attempted to pull in front of the officer/victim's police car. The two cars collided and sent the police officer/victim's car into a metal light pole. The victim/police officer sustained serious injuries, but returned home a few days later. The victim of the other car was fatally injured.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

10/7/2009	313676454	53	No	Yes	Fracture	Multiple	Machine	Squeeze point action	Misjudgment of hazardous situation		CAUGHT BETWEEN: The victim and a coworker, were in the process of replacing a bridge belt. The belt being replaced was located above splicing equipment. This splicing process is such that it will start up when a roll runs out. The roll stands were not locked out. The victim was caught between the dancer roll and the splicer rollers. The employee received broken ribs, a lacerated liver and severe bruising of his torso.
10/7/2009	313770976	54	No	No	Fracture	Foot, feet, toes or ankle(s)	Motor vehicle (highway)	Other	Other		STRUCK BY VEHICLE: The victim was flagging for a road construction site. The flagger was standing in front of and beside the driver's side of a stopped vehicle. A speeding motorist attempted to skid to a stop and veered beside the passenger side of the stopped vehicle. After discovering the speeding motorist was not going to be able to stop, the victim attempted to leap over the guard rail and was struck by the out of control vehicle.
10/6/2009	313478851	49	No	No	Burn (chemical)	Lung	Chemical (liquids or vapors)	Gas, vapor, mist, fume, dust, etc. condition	Misjudgment of hazardous situation		CHLORINE OVEREXPOSURE: The plant operator was using a portable pump to transfer sodium hypochlorite from tank #2 to tank #1. One of the hoses on the pump came loose and sodium hypochlorite spilled onto the floor of the feed pump room. Several gallons were spilled before the operator realized the problem and turned off the pump. The normal procedure when sodium hypochlorite is spilled at the plant is to dilute it with water and sweep it out the door of the pump room. However, the operator decided try using the ascorbic acid de-chlorination procedure on the spill. Ascorbic acid was on site. He sprinkled powdered ascorbic acid over the spilled sodium hypochlorite. A reaction occurred between the chemicals and chlorine gas was liberated. The operator was overcome by the vapors and experienced severe irritation to his upper respirator track. He immediately evacuated the room and turned on the ventilation system. He was working alone
10/6/2009	313951204	22	No	Yes	Amputation	Leg(s)	Other	Flying object action	Other		STRUCK BY LOG: The rigging crew had just set a turn and was going ahead on the sky-car. A choked log got hung up on a stump, causing the log to up-end, striking the employee in the left leg.
10/5/2009	313460628	52	No	Yes	Burn (chemical)	Back	Cleaning compound	Temperature above or below tolerance	Insufficient or lack of protective work clothing and		FALL INTO HOT WATER AND CHEMICALS: The employee was cleaning out the line #8 fryer with hot water and caustics when he slipped on the wet floor and received burns on his back and forearms.
9/28/2009	313544835	26	Yes	No	Asphyxia	Chest	Motor vehicle (industrial)	Materials handling equipment or method	Safety devices removed or inoperative		MVA: An employee was driving a Case Tractor with trailer down an incline with a load of rock/shale. He braked and turned sharply to the right. It appears the momentum of the tractor and trailer caused the tractor to roll 3/4 of the way over ejecting the victim. The right side tire trapped the victim and caused him to expire from traumatic asphyxiation.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

9/28/2009	313676207	53	No	Yes	Fracture	Body system	Motor vehicle (industrial)	Working surface or facility layout condition	Distracting actions by others		ROLL OVER: The victim was in the process of operating a Suzuki Four wheel ATV, when it turned over seriously injuring the victim.
9/26/2009	313478034	55	Yes	No	Fracture	Multiple	Motor vehicle (highway)	Squeeze point action	Misjudgment of hazardous situation		RAN OVER BY VEHICLE: A traffic flagger was struck by a dump truck backing into position to offload asphalt on a street paving project.
9/16/2009	313477531	24	No	Yes	Fracture	Leg(s)	Other	Flying object action	Misjudgment of hazardous situation		STRUCK BY PIECE OF CEMENT: An excavator was attempting to remove an approximate 7 foot piece of concrete curb/gutter. The concrete piece was being lifted approximately 1 1/2 feet from one end, it broke loose from the asphalt and rotated end over end towards employee on ground approximately 6 feet away from end not being lifted by excavator. The piece struck the employee in the right leg. The right leg was broken in two places.
9/15/2009	313477267	43	Yes	No	Fracture	Back	Working surface	Working surface or facility layout condition	Misjudgment of hazardous situation		FALL FROM ROOF: A service technician was moving a satellite dish on a customer's roof when he lost his balance and slid down the roof and then fell approximately 10 feet to the ground below.
9/11/2009	313675811	30	No	Yes	Fracture	Leg(s)	Motor vehicle (highway)	Pinch point action	Operational position not appropriate for task		STRUCK BY: The victim was in the process of loading a box van trailer. He was on the inside of the trailer when upon exiting his foot slipped between the edge of the dock and the trailer. He became stuck with his right leg wedged to the groin. The employees tried in vain to release his leg. The supervisor informed a line driver to hook up to the trailer and move it forward. After the driver hooked-up the trailer and attempted to move forward the trailer rolled back onto the dock crushing the victims right femur.
9/11/2009	313457442	26	No	Yes	Fracture	Leg(s)	Materials handling equipment	Catch point or puncture action	Malfunction of procedure for lock-out tag-out		CAUGHT IN CONVEYOR: Evidence indicates an employee slipped on granules of fertilizer while stepping across a pit housing a flat chain conveyor. He fell onto the conveyor, catching his left leg in a sprocket mounted to a horizontal shaft. The sprocket held down the chain to keep it in place. Proper lockout procedures were not followed and the sprocket was not guarded.
9/10/2009	313770778	18	No	Yes	Amputation	Finger(s)	Machine	Shear point action	Operational position not appropriate for task		AMPUTATION: Employee left thumb came in contact with the saw blade of a jump saw. The Thumb was cut just above the last knuckle and the lower portion of the nail. There were no witnesses to the event. Employee was temp employee at the location and was taken to the hospital by the temp service approximately one hour later.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

9/9/2009	313544223	52	No	Yes	Cut or laceration	Finger(s)	Machine	Catch point or puncture action	Operational position not appropriate for task		CONTACT WITH ROUTER: An employee was setting up a production run on a C-N-C Shoda router. He locked in a wood blank into the hold down jig and started the measurement/scribe cycle of the computer guided router. The employee stopped the router head in mid-cycle and attempted to take a measurement. His hand/fingers made contact with the spinning router bit. The employee pulled his hand out and went for first aid.
9/3/2009	313544314	31	Yes	No	Puncture	Chest	Firearm	Flying object action	Other		HOMICIDE: The victim was bartending and was shot during a robbery.
9/2/2009	313675498	37	No	No	Poisoning (systemic)	Blood	Gases	Materials handling equipment or method	Equipment inuse not appropriate for operation or process		CARBON MONOXIDE POISONING: Two employees were preparing to remove the cement floor in an enclosed shower room. The victim operated a gas powered concrete cutting saw, approximately 20-30 minutes before being overcome. The victim was given oxygen priopr to emergency services arrival and during transport to the hospital where blood tests revealed a carboxyhemoglobin of 29.9 The victim was transported to Providence Medical Center and was hospitalized and treated in the hyperbaric chamber.
9/2/2009	313675498	28	No	Yes	Poisoning (systemic)	Blood	Gases	Materials handling equipment or method	Equipment inuse not appropriate for operation or process		CARBON MONOXIDE POISONING: Two employees were preparing to remove the cement floor in an enclosed shower room. The victim operated a gas powered concrete cutting saw, approximately 20-30 minutes before being overcome. The victim was given oxygen priopr to emergency services arrival and during transport to the hospital where blood tests revealed a carboxyhemoglobin of 29.9 The victim was transported to Providence Medical Center and was hospitalized and treated in the hyperbaric chamber.
8/26/2009	313459224	53	Yes	No	Puncture	Abdomen	Motor vehicle (highway)	Squeeze point action	Other		MVA: Victim driving a log truck with a full load of logs when his truck went off the road heading north on Hwy 97. The truck turned onto the drivers side hitting a tree and impaling the trucks cab. The victim was fatally injured.
8/24/2009	313476590	35	No	Yes	Fracture	Wrist(s)	Machine	Squeeze point action	Operational position not appropriate for task		STRUCK BY FALLING OBJECT: The millwright worker was adjusting the roller after replacing the gears on the planer machine. The roller was stuck so the worker tried to tap the stuck part of the roller with a hammer and by doing so the gear and roller dropped down trapping his hand between gears. This resulted in a fractured right wrist.
8/21/2009	313476525	40	No	Yes	Fracture	Chest	Working surface	Working surface or facility layout condition	Malfunction of procedure for securing operation or warning of hazardous situation	6	FALL FROM SCAFFOLDING: The worker fell from the scaffold while he was cleaning the ceiling, approximately 6ft 11 inches in heigh. This resulted in fractured ribs.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

8/19/2009	313543852	47	Yes	No	Bruise, contusion, abrasion	Body system	Machine	Squeeze point action	Misjudgment of hazardous situation		MVA: A truck driver lost control of the tractor and trailer combination while attempting to negotiate a right turning corner while fully loaded with cinder.
8/17/2009	313475725	29	No	Yes	Fracture	Body system	Other	Other	Safety devices removed or inoperative	50	FALL FROM TREE.: The employee was climbing a Fir tree to top it and chunk it down. The employee was using two flip lines. The employee passed his second line up and around the tree, and connected his flip-line to his D-ring. When he released his bottom line, the upper flip-line latch did not close the gate, allowing the latch to separate from the D-ring, allowing the employee to fall approximately 56 feet to the ground.
8/17/2009	313475402	68	No	Yes	Other	Back	Hoisting apparatus	Overhead moving and/or falling object action	Safety devices removed or inoperative		CAUGHT BETWEEN: A utility worker in the presence of another utility worker and supervisor, were tasked to remove a Genie AWP-36S manually propelled elevating aerial platform from the tennis court, but because the platform was to high to fit through the door, it was decided that the employee provide leverage so that the mast could be collapsed in order for it to fit through the doorway. While injured employee was under the mast supporting it, the supervisor pulled the retaining pin on the support strut and all of the weight came down on the injured employee's back.
8/17/2009	313475725	29	No	Yes	Fracture	Body system	Other	Other	Safety devices removed or inoperative		FALL FROM TREE: The employee was in the process of chunking a tree down, when his latch unhooked, letting him free fall 55 feet to lower evels.
8/13/2009	312709173	40	No	Yes	Fracture	Multiple	Other	Overhead moving and/or falling object action	Misjudgment of hazardous situation		STRUCK BY FALLING OBJECT: The victim was hand falling timber on steep ground. The victim was preparing to fall a hemlock tree that had a maple tree leaning out into it. The maple tree had limbs that were reaching into the limbs of the hemlock. The victim decided to make his escape path to his right and thought the maple would separate from the hemlock as it fell down the hill. The victim put the face and back cut in the tree. As the tree started to fall in the intended direction, he turned and started his escape. As the victim cleared an old buckskin log, the top of the maple broke off and stuck the victim in the shoulder and head. The victim continued to try and get out of the way and realized he was hurt. He called on the two-way radio to his cutting partner who was just around the corner. The victim's partner could not hear the radio because of his saw noise. The hook tender of the logging crew was on the same channel. The hook tender heard the victim's call for help and started the emergency action plan. The victim was transported to the hospital and was treated for head and neck injuries.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

8/7/2009	313475212	25	No	Yes	Dislocation	Leg(s)	Other	Other	Safety devices removed or inoperative	18	FALL FROM ROOF: The victim was accessing a roof approximately 18 feet from the ground when he fell. The victim suffered from a broken hip socket.
8/7/2009	312719891	59	No	Yes	Fracture	Arms(s) - multiple	Working surface	Working surface or facility layout condition	Safety devices removed or inoperative		FALL: A sanitation employee leaned up against a moveable railing that he thought was bolted together, when it suddenly gave way, causing him to fall approximately 9-feet to the cement floor below. Apparently, the moveable railing had not been bolted together. The injuries he sustained was a broken left elbow and a dislocated right middle finger.
8/7/2009	312708910	59	Yes	No	Other	Multiple	Motor vehicle (industrial)	Other	Other		MVA: The log truck driver was traveling on a gravel road down an approximate 8grade when he left the road. The log truck wreck, caught fire, and burned along with the driver.
8/7/2009	313458879	19	No	Yes	Fracture	Head	Machine	Pinch point action	Misjudgment of hazardous situation		CAUGHT IN EQUIPMENT: Victim was operating a lumber stacker and attempted to reach through a guard rail system to straighten up boards in a unit being moved on the lower rollcase. The catwalk system is raised by manual control out of the way when moving the lumber unit out of the stacker. The catwalk releases automatically to reset in the down position. Victims head was caught between a section of the main framing of the stacker and the mid rail of the guardrail system on the catwalk. Victim received a laceration on the back of his head and a multiple fracture of the jaw. Multiple teeth were displaced. He managed to free him self during the cycle of the equipment. Employees contacted the emergency services and provide first aid until the victim was transported to the hospital.
8/7/2009	312719891	59	No	Yes	Fracture	Arms(s) - multiple	Other	Working surface or facility layout condition	Safety devices removed or inoperative		FALL TO LOWER LEVEL: The victim stated that he is assigned specific areas to clean up at this facility and this was one of the areas assigned to him to clean up that night. He went to this particular area to start cleaning. He stated that he began power washing the floor with a water hose and the victim stated he is not sure exactly how he fell. He said that he either tripped or leaned up against the guardrail when it gave way, causing him to fall approximately 9' 2" to the concrete floor below. The injuries that he sustained from this fall was a broken left elbow, broken right wrist, and a dislocated middle finger on his right hand.
8/5/2009	313456550	57	No	Yes	Fracture	Back	Motor vehicle (highway)	Other	Misjudgment of hazardous situation		STRUCK BY VEHICLE: An employee working with a paint crew striping a highway was struck by a motorist. Evidence indicates the motorist disobeyed traffic warnings in a work zone by passing vehicles. The injured employee had exited his vehicle to flag down the motorist when he was struck. He received numerous bruises and a fractured tailbone.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

8/4/2009	313474355	25	No	Yes	Fracture	Multiple	Working surface	Working surface or facility layout condition	Malfunction of procedure for securing operation or warning of hazardous situation	20	FALL TO LOWER LEVEL: Employee was sweeping debris from the roof after tear off, and lifted a piece of plywood that was covering a hole in the deck. The employee stepped into the hole, and fell approximately 20 feet to concrete below. The plywood was placed over a hole that measured approximately 24"x24". The plywood was not secured, or labeled with "hole."
8/4/2009	312719743	49	No	Yes	Fracture	Leg(s)	Metal products	Catch point or puncture action	Safety devices removed or inoperative		CRUSHED BY A GATE: The victim was in the process of painting a security gate which was approximately 26-foot long and 7 foot high made of steel. An approximate weight of 2000 lbs. The victim opened the gate to the fullest extent, but it had not been secured in the track at the top. It fell on him crushing his right leg.
8/3/2009	313543399	20	Yes	No	Other	Body system	Motor vehicle (highway)	Catch point or puncture action	Misjudgment of hazardous situation		MVA: An employee was driving down a BLM road in a 1959 Kenworth water-tanker fire truck and attempted to turn northeast onto Hwy 62, lost control, rolled the vehicle approximately two times resulting in a fatality.
8/1/2009	313474397	45	No	Yes	Fracture	Foot, feet, toes or ankle(s)	Motor vehicle (industrial)	Other	Safety devices removed or inoperative		EMT EMPLOYEE STRUCK BY RACE CAR: An emergency medical technician staged at the racetrack infield was struck from behind by a race car that spun out of control.
7/31/2009	313473779	31	No	Yes	Fracture	Multiple	Working surface	Working surface or facility layout condition	Misjudgment of hazardous situation	30	FALL FROM ROOF: A roofer fell approximately 30 feet to the ground below the roof surface he was working on.
7/28/2009	312708605	38	No	Yes	Fracture	Wrist(s)	Working surface	Other	Misjudgment of hazardous situation	7	FALL FROM SCAFFOLD: The victim was installing a weather barrier on the exterior wall of a structure while standing on the platform of a scaffold. The victim fell approximately 7 feet to the ground.
7/27/2009	313473514	21	No	Yes	Fracture	Hand(s)	Materials handling equipment	Materials handling equipment or method	Misjudgment of hazardous situation		HAND CRUSHED BETWEEN WALL AND FORKLIFT: The forklift driver entered the canning barn through the east door and set down the forklift load. He began to drive towards the north door of the barn with the forks down and no load, but when he realized that his way was blocked he turned the forklift to exit out of the east door. The floor was damp with a layer of dirt on cement and the driver lost control of the forklift. It slid into the north wall. The driver's left hand was outside of the frame of the forklift and was smashed between the rearview mirror support on the left side of the forklift and the metal support beam of the wall. His left ring finger was broken and he sustained other damage to his left hand. The forklift driver was wearing his seatbelt when the incident occurred.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

7/27/2009	312719727	25	No	Yes	Amputation	Finger(s)	Machine	Squeeze point action	Operational position not appropriate for task		AMPUTATED RIGHT INDEX FINGER: The victim was in the process of cutting scrap sheets of 1/8-inch x 8-foot x 4-foot sheets of plastic with a panel saw. A small piece of the plastic measuring approximately 1 inch wide by 12-inches long, hung up behind the saw blade and in the throat of the vacuum waste hose. He reached out to clear the piece, touched the spinning 16-inch blade and amputated his right index finger.
7/24/2009	312708514	25	No	Yes	Other	Lung	Chemical (liquids or vapors)	Chemical action/reaction on exposure	Misjudgment of hazardous situation		POSSIBLE INHALATION OF HYDROFLUORIC ACID: Employee in laboratory noticed throat irritation after dumping 5 mls of 48 hydrofluoric acid into sink. The employee was evaluated by emergency medical technician, and then transported to hospital. She was treated and released, then she returned and was admitted over night for treatment and observation.
7/23/2009	312719529	45	No	Yes	Fracture	Back	Materials handling equipment	Overhead moving and/or falling object action	Procedure for handling materials not appropriate for task		HEAVY BAG OF SILICA SAND DROPPED ON WORKER: The accident victim was crouched underneath a 3000 lb. bag of silica sand, suspended by a backhoe with a forklift attachment. He was in the process of untying a spout to pour the sand into a recently drilled water well. The backhoe operator exited the backhoe and bumped a lever that immediately lowered the suspended bag onto the worker. The worker's upper body was pinned between the bag and a metal chute that shuttled sand into the well.
7/23/2009	313473373	30	No	Yes	Amputation	Finger(s)	Machine	Other	Equipment in use not appropriate for operation or process		AMPUTATION (THREE FINGERS): A wood cabinet installer was installing a bathroom sink cabinet at a new residential construction site. He was cutting a 1 inch strip from a 34 inch by 33 inch square of 5/8th inch cabinet grade plywood. The saw was not equipped with a hood guard and the blade was adjusted to its maximum height. The saw was the property of another contractor on site who was using this setup for plunge cutting window casings. The cabinet installer did not have permission to use the saw. The cabinet installer was cutting the plywood from the wrong side of the blade, with the 1 inch cutoff piece against the fence. When the kerf exited the plywood panel, the larger portion held by the installer was no longer secured against the fence. The installer lost control of the plywood and his right hand contacted the saw blade. He amputated his middle, ring and small fingers.
7/23/2009	313473787	45	No	Yes	Fracture	Chest	Working surface	Working surface or facility layout condition	Distracting actions by others	20	FALL FROM SCAFFOLD: An employee was in the process of erecting the third level of a supported scaffold system. The employee answered his cell phone while walking to the east end of scaffold to secure handrails being installed. The employee fell from approximately 20 feet to ground below. Injuring his ribs and wrist.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

7/22/2009	313458325	49	Yes	No	Other	Head	Other	Other	Insufficient or lack of protective work clothing and equipment		MVA: The victim was working alone riding a four wheel ATV to perform irrigation duties. The victim had apparently finished the irrigation run and was returning, when the victim lost control of the ATV, which rolled over and on top of the victim.
7/21/2009	313473258	40	No	Yes	Cut or laceration	Neck	Hand tool (powered)	Other	Malfunction of procedure for securing operation or warning of hazardous situation		NECK LACERATION DUE TO SAW KICK BACK.: Employee was cutting a concrete pipe with a large guarded reciprocating saw when the saw kicked back and struck the employee in the neck, causing a laceration to the neck.
7/21/2009	313472961	41	No	Yes	Fracture	Back	Motor vehicle (highway)	Pinch point action	Misjudgment of hazardous situation		STRUCK BY VEHICLE: Victim was conducting pre trip of mixer truck. As victim lowered the rear boosters for inspection, the mixer moved forward. The victim than ran towards the moving truck and jumped onto the steps between the opened driver's door. At this time the mixer hit a parked truck and the victim was hit by the door and fell to the ground.
7/21/2009	313543019	52	No	Yes	Fracture	Chest	Other	Overhead moving and/or falling object action	Misjudgment of hazardous situation		STRUCK BY: The employee was attempting to fall a Douglas Fir tree. Prior to finishing the back-cut he placed a wedge in the back-cut, which then pinched the bar on the chain saw. The employee attempting to free the bar inadvertently cut some of the holding wood. The tree fell side ways striking another tree. The butt of the tree being felled kick back striking the employee.
7/21/2009	312719453	60	No	Yes	Fracture	Hip(s)	Working surface	Other	Malfunction of neuro-muscular system		FALL TO FLOOR SAME LEVEL: The victim was practicing kick deflections during a defensive tactics training. She turned and lost her footing and fell on the concrete floor and broke her hip.
7/20/2009	313542961	40	Yes	No	Fracture	Multiple	Dirt, sand, stone	Flying object action	Misjudgment of hazardous situation		STRUCK BY ROCK: A logging company was engaged in logging a clear cut unit of old growth timber on private lands. A Berger yarder was in use w/a standing skyline and Bowman skycar. Yarding distance was about 600' over very steep and rocky terrain. At approximately 10:30 am, Emp #1 was preparing to buck a large tree that laid about 90' from the skyline. He and the hooktender proceeded to the log after a one log turn was landed at the landing. Emp #1 started to buck the log as the hooktender positioned himself about 50' uphill to serve as a spotter for rolling rocks or other material. As Emp #1 started to buck the log, the two chokersetters who were positioned on the other side of the skyline, saw a large rock rolling towards them and started yelling at Emp #1. He could not hear them due to the chain saw noise. The rock struck Emp #1 in the lower back and caused severe trauma.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

7/14/2009	312708142	27	No	Yes	Fracture	Multiple	Ladder	Working surface or facility layout condition	Misjudgment of hazardous situation	20	FALL: The accident victim was working on a 6 foot scaffold with a 16 foot extension ladder set up on the scaffold platform. The victim was attempting to nail sheathing approximately 14 feet up the ladder when the scaffold tipped over. The victim fell to the concrete.
7/14/2009	313458135	49	No	Yes	Fracture	Multiple	Materials handling equipment	Overhead moving and/or falling object action	Procedure for handling materials not appropriate for task		STRUCK-BY: The victim was involved in the process of loading utility poles onto a trailer. After loading the fourth pole, the victim was helping to get the rigging chain free of the pole, when the pole came off the trailer, and struck the victim.
7/13/2009	313472565	40	No	Yes	Fracture	Body system	Buildings	Other	Operational position not appropriate for task		FALL: The employee was in process of cleaning debris from a roof and was holding onto a board nailed across a dormer window and while at the toe board was leaning to clean a gutter when the board came off the window and the employee fell to the lower level. The employee fell approximately 10 feet 4 inches landing on his left side injuring his left hip. The employee was transported to Meridian Park Hospital for treatment and transferred to Emanuel Hospital and admitted.
7/12/2009	312719123	33	No	Yes	Poisoning (systemic)	Lung	Gases	Gas, vapor, mist, fume, dust, etc. condition	Equipment inuse not appropriate for operation or process		INHALATION OF CARBON MONOXIDE: The victims were overcome by carbon monoxide poisoning as result of operating two propane operated forklifts inside enclosed warehouse.
7/12/2009	312719123	55	No	Yes	Poisoning (systemic)	Lung	Gases	Gas, vapor, mist, fume, dust, etc. condition	Equipment inuse not appropriate for operation or process		INHALATION OF CARBON MONOXIDE: The victims were overcome by carbon monoxide poisoning as result of operating two propane operated forklifts inside enclosed warehouse.
7/12/2009	312719123	26	No	Yes	Poisoning (systemic)	Lung	Gases	Gas, vapor, mist, fume, dust, etc. condition	Equipment inuse not appropriate for operation or process		INHALATION OF CARBON MONOXIDE: The victims were overcome by carbon monoxide poisoning as result of operating two propane operated forklifts inside enclosed warehouse.
7/12/2009	312719149	19	No	Yes	Poisoning (systemic)	Lung	Gases	Gas, vapor, mist, fume, dust, etc. condition	Equipment inuse not appropriate for operation or process		INHALATION OF CARBON MONOXIDE: The victims were overcome by carbon monoxide poisoning as result of operating two propane operated forklifts inside enclosed warehouse.
7/12/2009	312719149	20	No	Yes	Poisoning (systemic)	Lung	Gases	Gas, vapor, mist, fume, dust, etc. condition	Equipment inuse not appropriate for operation or		INHALATION OF CARBON MONOXIDE: The victims were overcome by carbon monoxide poisoning as result of operating two propane operated forklifts inside enclosed warehouse.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

7/12/2009	312719149	29	No	Yes	Poisoning (systemic)	Lung	Gases	Gas, vapor, mist, fume, dust, etc. condition	Equipment in use not appropriate for operation or process	INHALATION OF CARBON MONOXIDE: The victims were overcome by carbon monoxide poisoning as result of operating two propane operated forklifts inside enclosed warehouse.
7/12/2009	312719149	20	No	Yes	Poisoning (systemic)	Lung	Gases	Gas, vapor, mist, fume, dust, etc. condition	Equipment in use not appropriate for operation or process	INHALATION OF CARBON MONOXIDE: The victims were overcome by carbon monoxide poisoning as result of operating two propane operated forklifts inside enclosed warehouse.
7/12/2009	312719149	29	No	Yes	Poisoning (systemic)	Lung	Gases	Gas, vapor, mist, fume, dust, etc. condition	Equipment in use not appropriate for operation or process	INHALATION OF CARBON MONOXIDE: The victims were overcome by carbon monoxide poisoning as result of operating two propane operated forklifts inside enclosed warehouse.
7/12/2009	312719149	21	No	Yes	Poisoning (systemic)	Lung	Gases	Gas, vapor, mist, fume, dust, etc. condition	Equipment in use not appropriate for operation or process	INHALATION OF CARBON MONOXIDE: The victims were overcome by carbon monoxide poisoning as result of operating two propane operated forklifts inside enclosed warehouse.
7/12/2009	312719123	33	No	Yes	Poisoning (systemic)	Lung	Gases	Gas, vapor, mist, fume, dust, etc. condition	Equipment in use not appropriate for operation or process	INHALATION OF CARBON MONOXIDE: The victims were overcome by carbon monoxide poisoning as result of operating two propane operated forklifts inside enclosed warehouse.
7/12/2009	312719123	60	No	Yes	Poisoning (systemic)	Lung	Gases	Gas, vapor, mist, fume, dust, etc. condition	Equipment in use not appropriate for operation or process	INHALATION OF CARBON MONOXIDE: The victims were overcome by carbon monoxide poisoning as result of operating two propane operated forklifts inside enclosed warehouse.
7/11/2009	313458200	26	Yes	No	Other	Body system	Other	Temperature above or below tolerance level	Malfunction of perception system with respect to task environment	FARMWORKER ILL, LEFT WORK, FOUND DEAD IN ROAD: Worker became tired, coworkers had worker rest in shade and drink water and wait for a few minutes as it was the end of the workday, worker did not wait and left the workplace to walk home. Victim was found unconscious and seizing in a ditch 1/4 mile from workplace. Supervisor was not notified the worker left.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

7/10/2009	313458150	36	No	Yes	Fracture	Back	Materials handling equipment	Squeeze point action	Malfunction of procedure for securing operation or warning of hazardous situation		CAUGHT IN CONVEYOR FEED SYSTEM: Victim was clearing a plug up at the transfer point between conveyor. Conveyor he was standing on started. Victim was pulled into and opening approximately 16 inches in height. Victim passed through under four location the same height by being rolled and crushed. The victim then grabbed a guardrail and after having the conveyor shut off by other employees climbed over the rail into a catwalk and then exited the location down a ladder approximately 18 feet in length. Victim then sat down and was treated on site. The victim was then transported to the hospital by private vehicle and admitted through the emergency room services. Treated for a fractured vertebrae in addition to multiple lacerations and abrasions on his body.
7/6/2009	312708027	26	No	Yes	Bruise, contusion, abrasion	Abdomen	Other	Other	Misjudgment of hazardous situation		LOGGING STRUCK BY: The crew was Yarder Logging tree length timber on a clear cut unit. A log struck a stump an spun up the hill hitting one of the crew members.
7/2/2009	312718877	48	No	Yes	Fracture	Body system	Motor vehicle (highway)	Materials handling equipment or method	Procedure for handling materials not appropriate for task		RAN OVER BY VEHICLE: The victim was in the process of helping the employer take a vehicle with a broken lower front ball joint into the service bay of the garage. The victim placed a 3 1/2 ton jack under the front axle, while the employer started the vehicle placed it in gear then drove at approximately 2-3 miles per hour across the yard and into the shop. As they entered the service bay door, the vehicle accelerated and ran over the victim.
7/1/2009	313542458	43	No	Yes	Cut or laceration	Head	Motor vehicle (industrial)	Overhead moving and/or falling object action	Procedure for handling materials not appropriate for		STRUCK BY: A crane operator was struck on the head by the Jib when 3 of the 4 pins were removed on the Jib section. The operator was struck when attempting to stow the Jib section.
6/24/2009	312707714	24	No	Yes	Fracture	Back	Other	Other	Other		FALL FROM TREE: The victim was climbing a Doug Fir tree preparing the tree for full removal. The limb broke that was supporting the victims safety line. The victim fell approximately 25' to hard packed dirt and scattered tree limbs. The victim sustained three broken bones in his back.
6/17/2009	313470916	63	Yes	No	Other	Multiple	Machine	Catch point or puncture action	Operational position not appropriate for task		CAUGHT-IN: The victim was polishing the radii on the 'A' end shaft to remove cracks and high spots when his coveralls became intangled with a rotating cat head bolt pulling the victim into the rotating shaft resulting in a fatal

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

6/13/2009	312718471	63	No	Yes	Concussion	Head	Ladder	Other	Misjudgment of hazardous situation		FELL TO LOWER LEVEL: A customer brought in a RV to repair a vent that is located on the roof. The victim climbs up and onto the roof of the RV by climbing up the fixed ladder on the RV. The victim stated that he had never done this before. After finding what was wrong, the victim was climbing down the ladder when he somehow missed the last step and fell to the ground. The last step is approximately 4-feet from the ground. When the victim fell to the ground he struck the back of his head and it knocked him unconscious. The customer called 911. The victim did not awake until he was inside the ambulance and on his way to the hospital. The victim received a cracked skull and a bruised brain. He was at the hospital for approximately three days and then released to go home.
6/13/2009	312707383	28	No	Yes	Fracture	Arms(s) - multiple	Hoisting apparatus	Pinch point action	Insufficient or lack of engineering controls		CAUGHT IN CONVEYER: The victim reached out with his left arm to catch himself when he tripped while on a walkway. His left hand was pulled into a conveyor belt between the tension rolls breaking his arm above the wrist.
6/12/2009	313470650	35	No	Yes	Fracture	Multiple	Buildings	Working surface or facility layout condition	Misjudgment of hazardous situation	24	FALL FROM ROOF: A framer fell approximately 24 feet to a concrete floor while removing a plywood sheet covering a floor hole.
6/11/2009	312718075	61	Yes	No	Other	Body system	Motor vehicle (highway)	Pinch point action	Operational position not appropriate for task		MVA: The victim was in the process of driving a school district vehicle, a 2006 Ford Econoline 8 passenger van. It appears he fell asleep while driving southbound on Interstate 5 in the Albany area. He ran off the freeway, went airborne coming to rest against a pillar of an overpass. He died instantly.
6/9/2009	313470957	22	No	Yes	Dislocation	Arms(s) - multiple	Bodily motion	Working surface or facility layout condition	Misjudgment of hazardous situation		FALL FROM LADDER: An employee was descending an extension ladder after cleaning gutters with a backpack leaf blower. When he was about two rungs from the ground he thought that he was on the bottom rung and as he stepped down with his left foot his center of gravity shifted. By the time he realized that his foot was not going to reach the ground he was off balance. The top right rail of the ladder started to come away from the wall of the house and then fell off to the right as the employee fell onto his back on top of the leaf blower. When he sat up he realized that his left shoulder was dislocated.
6/1/2009	312707144	54	No	Yes	Cut or laceration	Hand(s)	Machine	Working surface or facility layout condition	Malfunction of procedure for securing operation or warning of hazardous situation		CAUGHT IN PLYWOOD PRESS: The victims were loading the plywood press. The start button was inadvertently activated causing a hand on one victim and fingers on the other victim to be injured.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

6/1/2009	312707144	47	No	Yes	Cut or laceration	Finger(s)	Machine	Working surface or facility layout condition	Malfunction of procedure for securing operation or warning of hazardous situation		CAUGHT IN PLYWOOD PRESS: The victims were loading the plywood press. The start button was inadvertently activated causing a hand on one victim and fingers on the other victim to be injured.
6/1/2009	312185143	58	No	Yes	Fracture	Back	Ladder	Working surface or facility layout condition	Equipment inuse not appropriate for operation or process		EMPLOYEE FELL FROM UPPER TO LOWER LEVEL.: Employee was accessing work from an extension ladder that was on scaffolding and fell over backwards onto the scaffold deck. The employee was seriously injured and was transported to the local emergency room by ERS.
5/29/2009	312268378	44	No	Yes	Amputation	Finger(s)	Machine	Materials handling equipment or method	Procedure for handling materials not appropriate for task		STRUCK BY SAW BLADE: Employee cut his finger with a table saw when cutting a round piece of material. When the employee was cutting the round object, the object rolled forward cutting his fingers.
5/28/2009	312267669	30	No	Yes	Amputation	Finger(s)	Machine	Pinch point action	Misjudgment of hazardous situation		CAUGHT IN A CHAIN AND SPROCKET: The victim was cleaning on the third level of the Powder Mill. The victim was attempting to clean in the area of the drive chain and sprocket for one of the air locks, when the victim's right hand was caught in the chain and sprocket, causing amputation injuries of two fingers.
5/28/2009	313469868	33	No	Yes	Fracture	Back	Buildings	Working surface or facility layout condition	Equipment inuse not appropriate for operation or process	18	FALL FROM LADDER: Employee was doing residential repair and fell off a ladder when the scaffold failed. The employee fell feet first from approximately 18 feet onto a wooden deck resulting in a compression fracture of the L 1,3 and 4 vertebrae.
5/26/2009	313470767	44	No	No	Burn (chemical)	Eye(s)	Chemical (liquids or vapors)	Gas, vapor, mist, fume, dust, etc. condition	Malfunction of procedure for securing operation or warning of hazardous		EXPOSURE/SPLASH OF BUFFERED HYDROFLUORIC ACID: Buffered hydrofluoric acid and ammonium fluoride solution sprayed into an employees eye as she was taking a sample from the plastic line at the bottom of a pressurized tank.
5/22/2009	312717606	51	No	Yes	Concussion	Head	Materials handling equipment	Materials handling equipment or method	Operational position not appropriate for task		STRUCK BY FORKLIFT: The victim (Truck driver) was unloading a tote of paint when the forklift hit a hole in the road surface. He was thrown into the structure of the forklift and rendered unconscious.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

5/21/2009	313469496	55	No	Yes	Amputation	Finger(s)	Air pressure	Shear point action	Malfunction of procedure for lock-out tag-out		CAUGHT INTO AN AIRLOCK BELOW A DUST COLLECT: While evaluating a possible air leak in a dust collector unit, the maintenance supervisor placed her right hand into an airlock below the dust collection system. The fan blades were turning and amputated the second and third digits of her right hand at the first joints.
5/18/2009	312717408	51	Yes	No	Other	Chest	Machine	Other	Other		STRUCK-BY: An employee received fatal injuries when the road grader he was operating ran over him. The victim was found lying in the road with crushing injuries to his chest. There were no witnesses to the accident.
5/16/2009	313471013	45	No	Yes	Fracture	Multiple	Other	Other	Other		STRUCK BY TREE: The employee had just felled an Alder tree, and when in the process of bucking the Alder tree, another Alder tree approximately 45 feet back, fell, striking the employee in the head and chest.
5/12/2009	312184625	37	No	Yes	Amputation	Hand(s)	Machine	Catch point or puncture action	Malfunction of procedure for lock-out tag-out		CONTACT WITH MOULDER HEAD: Employee was adjusting the Woods moulder back guide while it was in operation and his hand contacted the spinning head.
5/12/2009	312846371	39	No	Yes	Amputation	Foot, feet, toes or ankle(s)	Hand tool (powered)	Materials handling equipment or method	Operational position not appropriate for task		CONTACT WITH SKILSAW: Employee was trying to repair a section of trailer by replacing a wooden piece. The employee was cutting a small wooden piece without a sawhorse or proper support when the skilsaw kicked back cutting the worker's foot an severing a toe.
5/9/2009	312717481	29	No	Yes	Burn or scald (heat)	Multiple	Fire or smoke	Flammable liquid or solid exposure	Other		EXPLOSION.: The victim was engaged in a movie stunt where explosives were detonated as he was diving through a sugar glass window. The victim's clothing had caught on fire, which resulted in first to third degree burns to approximately 50 percent of his body.
5/8/2009	312845944	50	No	Yes	Fracture	Head	Working surface	Other	Other		FALL FROM UPPER LEVEL: A firefighter was cleaning around the tiller cap on a aerial fire truck, and fell off the platform to concrete below. The worker fell approximately 6'6 inches to the concrete below. The worker sustained a head injury, multiple fractures to his face, and multiple broken ribs.
5/8/2009	312846215	50	No	Yes	Fracture	Hand(s)	Machine	Pinch point action	Safety devices removed or inoperative		CAUGHT HAND IN PINEAPPLE ROLL: The employee was feeding the planer when a board became jammed sideways in the infeed/pineapple rolls. The employee turned the switch to lift the rolls and reached over to get the board out catching his hand in the roll resulting in crushing injuries to his left hand/fingers.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

5/5/2009	312845704	39	No	Yes	Concussion	Head	Buildings	Materials handling equipment or method	Operational position not appropriate for task		FALL: A heat treat operator processing a 300 pound 60 inch diameter saw blank was attempting to extract the blank from a flattening press with a pull rod. The pull rod dislocated from the blade blank arbor hole, and the operator fell backwards approximately three feet and struck his head against a wall. He suffered a concussion.
4/30/2009	312184468	40	No	Yes	Amputation	Hand(s)	Machine	Pinch point action	Malfunction of procedure for lock-out tag-out		CAUGHT IN: The spreader cleaner was cleaning the glue rakes after steaming the rolls on #3. As he was scrubbing the rakes off his right hand was caught-in the rotating glue spreader rolls. When he pulled his hand out it took off his glove and skin perpendicular to thumb.
4/28/2009	312845423	37	No	Yes	Fracture	Back	Other	Other	Other		FALL FROM TREE: The employee had finished limbing a Cedar tree, and when repelling down, his repel rope slipped off the branch, letting him free fall to the ground.
4/27/2009	312716657	40	No	No	Fracture	Multiple	Working surface	Working surface or facility layout condition	Operational position not appropriate for task	20	FELL FROM ELEVATION: The victim was in the process of stapling a sheet of Tyvex on to the wall of a 3rd floor deck balcony wall. He stapled the Tyvex and stepped back, leaning or falling against a guardrail. The top guardrail at a height of approximately 42-inches gave way sending him to the ground approximately 20-feet below.
4/25/2009	312184617	25	No	No	Burn or scald (heat)	Arms(s) - multiple	Heat (environmental or mechanical)	Temperature above or below tolerance level	Malfunction of procedure for securing operation or warning of hazardous situation		THREE FIREFIGHTERS BURNED DURING TRAINING: Three firefighter received 1st and 2nd degree burns to arms and shoulder during a live fire training exercise. The thermal layer and fire were allowed to build to the point where the turnouts and other PPE began to char/melt and burn the trainees, prior to extinguishing the fire.
4/25/2009	312184617	30	No	No	Burn or scald (heat)	Arms(s) - multiple	Heat (environmental or mechanical)	Temperature above or below tolerance level	Malfunction of procedure for securing operation or warning of hazardous		THREE FIREFIGHTERS BURNED DURING TRAINING: Three firefighter received 1st and 2nd degree burns to arms and shoulder during a live fire training exercise. The thermal layer and fire were allowed to build to the point where the turnouts and other PPE began to char/melt and burn the trainees, prior to extinguishing the fire.
4/25/2009	312184617	30	No	No	Burn or scald (heat)	Arms(s) - multiple	Heat (environmental or mechanical)	Temperature above or below tolerance level	Malfunction of procedure for securing operation or warning of hazardous situation		THREE FIREFIGHTERS BURNED DURING TRAINING: Three firefighter received 1st and 2nd degree burns to arms and shoulder during a live fire training exercise. The thermal layer and fire were allowed to build to the point where the turnouts and other PPE began to char/melt and burn the trainees, prior to extinguishing the fire.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

4/24/2009	312846249	24	No	Yes	Fracture	Leg(s)	Machine	Squeeze point action	Operational position not appropriate for task		CAUGHT-IN.: Employee was grinding on top of a large steel pipe which was elevated on a set of drive rollers. The employee was standing on one of the drive rollers that rolls the pipe over in order to expose certain areas of the pipe. The drive roller was engaged and pulled the employees leg in, crushing it in between the drive roller and the pipe. The employee sustained a broken left leg.
4/23/2009	312845217	44	No	Yes	Other	Abdomen	Machine	Materials handling equipment or method	Operational position not appropriate for task		PINNED BETWEEN FORKLIFT AND STORAGE RACK.: A forklift operator was attempting to operate the forks from a standing position beside the forklift and became pinned between the forklift and a rack when the forklift moved.
4/22/2009	312267487	36	No	Yes	Fracture	Foot, feet, toes or ankle(s)	Ladder	Working surface or facility layout condition	Misjudgment of hazardous situation	9	FALL FROM ROOF: Employee was stepping off an extension to step onto the roof when he slipped and fell to the dirt ground landing on his right heel. The eave to the dirt ground was approx. 9feet 11inches.
4/21/2009	312705783	53	No	Yes	Other	Lung	Chemical (liquids or vapors)	Gas, vapor, mist, fume, dust, etc. condition	Insufficient or lack of engineering controls		RESPIRATORY PROBLEMS AFTER SPRAYING 2-PART PLASTIC MOLD: Employee sprayed a two-part plastic (Polytek Development Corp. product, possibly 1510 Part A and B) while making a mold. He went to the hospital after leaving work to seek treatment. He was admitted and treated for respiratory problems.
4/17/2009	312705676	47	No	Yes	Other	Abdomen	Working surface	Working surface or facility layout condition	Defective equipment: Knowingly used	28	FALL TO FLOOR: Two employees were removing a circular work platform from the inside of a large concrete tank. The approximately 4 foot wide platform, was about 34-35 feet above the floor and completely circled the tank wall. The employees had removed all but the last section, sections were about 4 feet wide by 7 feet long. A single scaffold that was 4 frames tall plus about 30 inches of extensions had been erected directly below the last section of the work platform. The scaffold was not secured to the wall but was angled/pressed against the wall by extending the back adjustable from legs. The scaffold shifted away from the wall and the victim fell over the front unguarded section of the scaffold. The victim fell head first and struck the inside cross brace with his torso. The victim was removed and transported to a local hospital.
4/16/2009	312716178	75	No	Yes	Fracture	Leg(s)	Working surface	Working surface or facility layout condition	Insufficient or lack of housekeeping program		SLIPPED ON FLOOR: The victim was in the process of helping three patients with an art project. The three were seated at a table in the dining room. The victim left the table walked to the far side of the room then returned with refreshments. In the meantime a housekeeper had entered the dining room, placed a wet floor sign at the main entrance then started to wet mop around the patients table. The housekeeper was distracted by a maintenance person and left the mop and wet floor unprotected. Upon returning to the table the victim slipped on the wet floor, fell down and fractured her right femur.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

4/9/2009	312844012	49	No	Yes	Other	Head	Other	Other	Other		POSSIBLE BRAIN INJURY.: A mechanic was tasked with installing an aluminum utility box on a small trailer using an air gun to drill new holes. The employee was standing on the trailer "tongue", which was about one foot off the ground, when apparently something took place that caused the employee to become incoherent, argumentative, and disoriented as a result of some sort of brain injury, which required surgery. There were no witnesses.
4/8/2009	312266828	55	No	Yes	Fracture	Leg(s)	Motor vehicle (industrial)	Materials handling equipment or method	Operational position not appropriate for task		CAUGHT BETWEEN TRUCK AND FRONT-END LOADER.: The victim was working with a front-end loader operator to free a truck that was stuck in some sand. The victim was attaching a chain to the front of the truck while the loader operator positioned the loader. The loader operator was unable to stop the loader, and the victim was caught between the loader and the truck, breaking both legs.
3/30/2009	312715394	40	No	Yes	Fracture	Body system	Working surface	Working surface or facility layout condition	Procedure for handling materials not appropriate for task	40	FALL TO LOWER LEVEL: An employee was helping to dismantle a scaffold system. At the time of the accident there were 3 employees who were removing 4'x 8' sheets of plywood from the deck of the scaffold system. The accident victim was located between the other 2 workers. One of the workers had just handed the accident victim a sheet of plywood and the accident victim was in the process of handing the sheet of plywood to the next worker when he stepped on a piece of plywood that was not secured to the deck of the scaffold system. The plywood rocked up and the accident victim fell through a hole that was created and fell approximately 40 feet to the floor below.
3/26/2009	312715261	27	No	Yes	Fracture	Abdomen	Other	Flying object action	Other		STRUCK-BY A LOG: The rigging crew had just finished setting a turn of logs and had moved off to the side approximately 100 feet. The crew was standing up watching the turn of logs move towards the landing. When the turn of logs was almost to the landing one choker hung up and broke. The two logs that were hooked in that choker started to slide back down the hill. The rigging slinger saw the logs starting back down the hill and told the other two crew members that they should all move off to the side more. As the two logs continued down the hill they changed directions and were then headed towards the rigging crew. The rigging slinger again told the other two crew members to clear out even more. The rigging slinger said that the accident victim just stood there and did not move as the two logs got closer. The rigging slinger said that the first log went passed the accident victim but the second log

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

3/24/2009	312843048	43	Yes	No	Other	Multiple	Motor vehicle (highway)	Pinch point action	Misjudgment of hazardous situation		STRUCK BY VEHICLE: Two transport trucks were passing on the right side of a parked delivery truck. Both transport drivers observed the driver of the delivery truck on the rear lift gate as they proceeded forward. The driver of the delivery truck was found lying on the roadway and was run over by the rear right tires of the second transport truck trailer.
3/24/2009	312843048	45	Yes	No	Other	Body system	Motor vehicle (highway)	Other	Misjudgment of hazardous situation		STRUCK-BY PASSING VEHICLE: Deceased employee was observed standing on the rear lift gate of his parked semi trailer. As two semi trailers passed his location , the deceased was struck by the second semi trailer's rear trailer wheels. The victim died at the scene.
3/18/2009	312844244	34	No	Yes	Bruise, contusion, abrasion	Lower arm(s)	Machine	Pinch point action	Safety devices removed or inoperative		CAUGHT IN PINCH POINT OF ROLLERS: The employee was at the control panel of the Image 600-s Laminator and another employee was in the rear of the machine. The two employees were webbing films with a release liner into the laminator. The employee reached for the corner of the film with the left hand, the rollers pulled her arm into the pinch point between the upper and lower rollers.
3/17/2009	312842776	35	No	Yes	Fracture	Chest	Machine	Other	Misjudgment of hazardous situation		STRUCK BY: Three employees were attempting to lay a Skyjack SJP Personal Lift Model 35 down on the ground to access the hydraulic cylinder on the bottom of the unit. One employee was standing at the basket, one employee was to the side of the mast, and the service manager was standing behind the mast. The manager pulled on the mast, and it barely lifted off the ground. He then pulled on it harder, and it pivoted toward him and struck him in the chest. The worker sustained multiple internal injuries that resulted in the removal of his spleen, and reconstruction of his ribcage.
3/12/2009	312714587	52	No	Yes	Electric shock	Body system	Electrical apparatus or wiring	Overhead moving and/or falling object action	Operational position not appropriate for task		ELECTRIC SHOCK: The victim was in the process of cutting a tree on his corporate farm. The tree fell into the 7200 volt power line. He received an electric shock and was transported to the hospital.
3/10/2009	312182785	42	No	Yes	Burn or scald (heat)	Body system	Fire or smoke	Flammable liquid or solid exposure	Misjudgment of hazardous situation		CAUGHT ON FIRE: The victim was cleaning paper trash from the cab of a company service truck and throwing it into a lit burn barrel. An explosion occurred, catching the victims clothing on fire.
3/9/2009	312703994	61	Yes	No	Asphyxia	Abdomen	Materials handling equipment	Squeeze point action	Misjudgment of hazardous situation		CRUSHED: A sanitation worker collecting garbage and recycled materials entered the compactor section of the garbage truck to clean up fallen material. As he was working inside the truck the compactor cycled and crushed him to death.
3/7/2009	312842909	57	Yes	No	Asphyxia	Lung	Water	Other	Misjudgment of hazardous situation		DROWNING: A dock maintenance worker disappeared from the marina and was found by the county dive team under the dock 4 days later.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

3/2/2009	312841950	25	No	Yes	Fracture	Back	Hoisting apparatus	Overhead moving and/or falling object action	Malfunction of procedure for securing operation or warning of hazardous situation	12	FALL.: An employee was working in a man basket cutting limbs off a tree, when the man basket slipped off the front forks and falling 12 to 14 feet to lower levels landing on top of the employee.
2/28/2009	312704174	28	No	Yes	Fracture	Leg(s)	Working surface	Working surface or facility layout condition	Operational position not appropriate for task		FALL TO LOWER LEVEL: The employee was in the process of installing a metal carport. While on top of the metal roofing, the employee fell approximately 13 feet 10 inches to the concrete. Injuries sustained included multiple fractures to the leg and head injury.
2/25/2009	312841331	21	No	Yes	Fracture	Back	Working surface	Overhead moving and/or falling object action	Insufficient or lack of protective work clothing and equipment		FALL FROM TREE: A tree trimmer fell approximately 40 feet from a cedar tree he was preparing to trim when a knot tied in a climbing rope failed.
2/25/2009	312842289	49	No	Yes	Fracture	Chest	Bodily motion	Working surface or facility layout condition	Misjudgment of hazardous situation		FALL FROM DOCK: An employee was walking backwards pulling hose and tripped, falling backwards about 20 feet off the pier and into the water below, striking his shoulder on part of a boat as he entered the water.
2/25/2009	312841562	60	No	Yes	Fracture	Head	Buildings	Working surface or facility layout condition	Malfunction of procedure for securing operation or warning of hazardous situation		FALL FROM ROOF/LADDER: A maintenance employee used a 20 foot extension ladder to gain access to a roof of approximately 13 feet 4 inches from ground level. The ladder fell after employee accessed roof. A teacher and student reset ladder, when maintenance employee stepped onto ladder to get off roof it collapsed and employee fell to pavement below. Fractures to both wrists and to the skull were sustained.
2/19/2009	312841141	39	No	Yes	Amputation	Finger(s)	Machine	Pinch point action	Misjudgment of hazardous situation		CAUGHT IN PINCH POINT: A machine operator was attempting to remove a product from a jam in a compression machine while the machine was running. The machine operator assistant was lifting up the guard over the ingoing nip point of the compression machine. The right middle finger of the machine operator was drawn into the ingoing nip point, crushing the tip of his finger. The machine operator assistant hit the emergency stop button, and the machine operator pulled his finger out of the nip point, damaging his tendon.
2/18/2009	312714132	38	No	Yes	Fracture	Foot, feet, toes or ankle(s)	Working surface	Working surface or facility layout condition	Misjudgment of hazardous situation	2	FALL FROM ELEVATION: The victim was in the process of installing insulation from a baker scaffold. He stepped from the baker scaffold platform, at approximately 6 Foot 2 inches, falling to the concrete floor below.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

2/18/2009	312714132	38	No	Yes	Fracture	Foot, feet, toes or ankle(s)	Working surface	Working surface or facility layout condition	Operational position not appropriate for task	6	FALL FROM ELEVATION: The victim was in the process of installing insulation from a baker scaffold. He stepped off the 6 foot 3-inch tall scaffold platform. He landed on the concrete floor breaking his right ankle.
2/17/2009	312843600	51	No	No	Fracture	Face	Materials handling equipment	Materials handling equipment or method	Operational position not appropriate for task		FALL FROM TRAILER: The employee fell off a transport trailer about 3 to 4 feet high, and struck his face on a metal object. The worker suffered a fracture to the facial bone structure, as well as a laceration and contusion.
2/16/2009	312840614	31	No	Yes	Amputation	Finger(s)	Machine	Squeeze point action	Malfunction of procedure for lock-out tag-out		CAUGHT IN MACHINERY: A machine operator lost fingers on both hands while attempting to remove debris from an energized crumble mill.
2/16/2009	312265432	23	Yes	No	Asphyxia	Multiple	Buildings	Overhead moving and/or falling object action	Malfunction of perception system with respect to task environment		STRUCK-BY: A welder went inside a 27 foot tall tank, used to filter the potato wash water to fix a very small crack at the cone shaped bottom. Just at the time he struck an arc to check the ground for the MIG welding there was an explosion. A witness said there was no visible flames but it lifted the tank approximately 6 inches and moved it 3 inches. The victim was removed several hours later because debris from above had to be removed first. There were no burns on his body but he was impaled many times and buried in mud. The cause of death was traumatic accidental injury.
2/14/2009	312841943	75	No	Yes	Fracture	Hip(s)	Materials handling equipment	Materials handling equipment or method	Procedure for handling materials not appropriate for task		STRUCK BY PALLET JACK: The victim arrived at the worksite and proceeded to the dot com area. The work requires her to pull customer orders and place the items in bins for home delivery. Upon arrival in the dot com area Florence pulled the orders off the list and was preparing to leave the area to get a cart. The area was congested at the entrance with pallets of product that were placed to the left by the night crew. Extending from the entrance a co-worker was standing on the side of a cart she had pushed into the entrance. As the victim was departing the area, the coworker pushed a pallet jack across the entrance to retrieve a pallet. The victim tripped over the forks of the pallet jack and landed in the aisle on her hip. The resulting fall fractured her hip. The victim was stabilized by her co-workers until the EMT's arrived and transported her to the hospital.
2/13/2009	312840978	41	No	Yes	Amputation	Finger(s)	Materials handling equipment	Pinch point action	Malfunction of procedure for lock-out tag-out		AMPUTATION: At the time of the accident, the victim was working as a Downstream Operator and was sanitizing equipment at the end of a run. He reached into a chute opening to clean some food residue and his finger was pinched by a powered, continuously rotating valve resulting in the amputation of his left middle finger and injury to his index finger.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

2/12/2009	312840366	42	No	Yes	Burn (chemical)	Lung	Chemical (liquids or vapors)	Gas, vapor, mist, fume, dust, etc. condition	Insufficient or lack of respiratory protection		HF ACID INHALATION: A drum of 49HF acid was over-filled in the drum washing room, and the acid spilled onto the floor. The victim cleaned up the spilled acid without wearing any respirator protection, and inhaled HF acid vapors. The victim suffered serious burns to their mouth, esophagus, and lungs, and was hospitalized for 10 days.
2/5/2009	312713886	52	No	Yes	Fracture	Body system	Motor vehicle (highway)	Other	Misjudgment of hazardous situation		COMMERCIAL TRUCK CRASH: The victim was driving a semi-truck and trailer loaded with paper rolls heading east on Hwy 18. When he started into a right hand curve, the victim lost control and traveled across the westbound lane. The truck rolled onto it's driver's side and slid down an approximately 20-foot embankment. The trailer came to rest off the highway after damaging approximately 125 feet of guard rail. The driver was extricated from the vehicle and flown to a trauma hospital.
2/2/2009	312840242	24	No	Yes	Fracture	Hand(s)	Materials handling equipment	Pinch point action	Misjudgment of hazardous situation		CAUGHT IN: The victim observed a jammed tote. He stopped his forklift and opened the gate entered the area behind the un-stacker, raised the folded door of the tote and placed his right hand on the top side of the tote. At this point the un-stacked unit started and lowered onto the tote crushing his hand between the tote and the mechanical dogs of the unstacker. The victim was able to free his hand and immediately departed the area.
1/26/2009	312702988	45	No	Yes	Puncture	Finger(s)	Air pressure	Chemical action/reaction exposure	Other		VICTIMS THUMB AREA WAS INJECTED WITH A BEDLINER RESIN.: The victim was preparing to clean a paint gun that is used to spray on bed liner resin. The victim was attempting to take the front section of the gun off so it could be cleaned. It appears that the two screws that are tightened down to stop pressure from entering the front section of the gun, were not secured in the down position and when the victim started to remove the front section of the gun, some of the resin was ejected towards her hand and penetrated the skin. The victim also received resin in one of her eyes. The victim treated the cut to her hand with basic first aid. Later that night she woke with pain and swelling in her hand. She was taken to the hospital and had to have her thumb cut open from the top down into her palm, so they could clean out the remaining resin. Her eye was also treated with some topical antibiotic ointment. Eventually the top part of her thumb down to the first joint had to be removed.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

1/24/2009	312839905	59	No	Yes	Fracture	Foot, feet, toes or ankle(s)	Ladder	Other	Other		FALL FROM LADDER: A maintenance worker was put on a "special project" to go change a section of a steam pipe. This pipe at the time was cooled down and he was using a ladder, approximately 8 feet high, to loosen up the bolts in a particular section of the pipe. As he was loosening those bolts, he fell from either the fourth or fifth rung and landed on the concrete floor, sustaining an injury to his heel which required surgery.
1/14/2009	312258726	59	Yes	No	Fracture	Chest	Furniture or furnishings	Other	Misjudgment of hazardous situation		FALL TO BELOW: Employee stood on a chair to reposition a wall clock. As he leaned forward, the chair slipped backward causing the employee to fall onto a counter top with a sink and water fountain nozzle. The victim's left rib area struck the water fountain hardware and at least one rib was fractured.
1/13/2009	312839251	38	No	Yes	Fracture	Wrist(s)	Hoisting apparatus	Materials handling equipment or method	Other		CRUSHED BY: The victim was operating a truck lift gate. The lift gate folding platform suddenly closed, crushing the victim's right wrist. The folding plate also struck the victim on the chest and stomach.
1/1/2009	312712979	59	No	Yes	Fracture	Body system	Ladder	Other	Other		FALL FROM A LADDER: Two maintenance workers were responding to a complaint about a leaky roof from some of the tenants at the Woodburn Outlet Mall. The maintenance workers entered an electrical room to gain access to the roof. The lead maintenance person started up an access ladder and was approximately 1/2 way up the ladder when the second maintenance worker started up the ladder. The second maintenance worker said that he did not see the lead maintenance worker fall but heard him say look out. The second maintenance worker said that he leaned into the ladder and held on tight. The second maintenance worker said that he felt something hit him on the shoulder and then he looked down and saw the lead maintenance worker laying on the floor below him.
12/29/2008	312838352	59	No	Yes	Fracture	Head	Machine	Flying object action	Misjudgment of hazardous situation		STRUCK BY: Employee was operating a CNC machine working on a cylinder piece of graphite. A portion of the piece of graphite broke off the piece that was being formed striking the employee causing shoulder and head injuries.
12/28/2008	312838428	56	Yes	No	Burn or scald (heat)	Multiple	Fire or smoke	Flammable liquid or solid exposure	Misjudgment of hazardous situation		TRAFFIC CRASH: A fuel transport truck drove off the freeway and crashed into a light pole. The 10,000 gallons of gasoline erupted into flames and the driver was killed.

Oregon OSHA accident investigation data
Where the Inspection Open Date is Between 1/1/2009 and 12/31/2009

12/24/2008	312841588	62	No	Yes	Fracture	Leg(s)	Buildings	Overhead moving and/or falling object action	Misjudgment of hazardous situation		STRUCK BY FALLING OBJECT: Workers were inspecting a building that had been damaged from snow loads and freezing conditions. During the inspection the roof collapsed. One victim was struck by a 4" sprinkler pipe in the shoulder and was pinned by the pipe and other debris. The other victim was struck by the same pipe breaking his leg.
12/19/2008	312838634	56	No	Yes	Amputation	Finger(s)	Machine	Catch point or puncture action	Insufficient or lack of engineering controls		AMPUTATION: The employee was doing a preset operation for making a 1/4 inch dado cut to an approximate 12 inch by 24 inch piece of wood using a Powermatic 8 inch table saw. The injured worker had removed all guarding as was the standard procedure for dado cuts. The employee was using an approximate 11 3/4 inch by 2 3/4 inch piece of scrap wood to affirm the correct fence setting for making the correct dado cut to the stock piece of wood. The injured worker was holding the test piece against the fence in his left hand and feeding the wood with his right hand. As the wood was fed over the saw blade a kick back of the wood occurred with his left hand now exposed to the dado blades and amputating his left middle finger, cutting to the bone/tendon the left ring finger and slicing the left thumb. The piece of test wood kicked back striking the injured worker in his right abdomen.
12/17/2008	312838691	46	No	Yes	Amputation	Finger(s)	Machine	Catch point or puncture action	Safety devices removed or inoperative		AMPUTATION : An employee was cutting pieces of two-inch-thick polyethylene foam on a table saw when he amputated the index and middle finger of his right hand. The table saw was without a guard.

If you would like to request a copy of an inspection report, please contact Oregon OSHA at (503) 378-3272. A processing fee may be charged.