

Oregon OSHA accident investigation data for inspections opened in 2011

| Event Date | Insp Number | Age | Fatality? | Hospitalized? | Nature | Part | Source | Environmental Factor | Human Factor | Fall Ht | Investigation Description |
|------------|-------------|-----|-----------|---------------|-------------|-------------|------------------------------|--|-------------------------------------|---------|---|
| 12/29/2011 | 315664326 | 41 | Yes | No | Other | Body system | Other | Overhead moving and/or falling object action | Other | | On or about December 29, 2011 at approximately 12:30pm an employee was felling an alder tree when a 30 foot section of an adjacent alder tree fell striking the worker in the back and pinning him to the ground. A co-worker found the accident victim and had to cut part of the tree off to get him out. The accident victim later died from his injuries. |
| 12/28/2011 | 315950386 | 38 | No | Yes | Other | Head | Buildings | Other | Other | 27 | VICTIM FELL 4 STORIES FROM BALCONY TO GROUND BELOW.: Employee was installing exterior drywall on a fourth story deck. The employee working from the stepladder and fell from stepladder on deck through a guard rail and landed on his knees on the ground below. Employee was transported to the hospital by ambulance and spent approximately 3 nights in hospital. |
| 12/23/2011 | 315950253 | 36 | No | Yes | Fracture | Multiple | Machine | Squeeze point action | Defective equipment: Knowingly used | | EMPLOYEE'S ARM GOT CAUGHT IN GARBAGE COMPACTOR.: The employee attempted to check the micro switch on the garbage truck's compactors system because the blade was not stopping. The employee tripped the micro switch and that activated the blade to return. Then the blade caught his arm and broke his collar bone and fractured his shoulder. |
| 12/22/2011 | 315950428 | 30 | No | Yes | Concussion | Head | Person | Other | Other | | EMPLOYEE FELL TO THE FLOOR AND SUFFERED A CONCUSSION.: The employee was pushed by a resident. She then tripped over the resident's wheelchair and fell backward on the floor. She suffered a head contusion on the back of her head. She suffered a head concussion on the back of her head. |
| 12/19/2011 | 315664052 | 29 | No | Yes | Dislocation | Knee(s) | Other | Other | Misjudgment of hazardous situation | | A WORKER WAS STRUCK-BY A LOG.: The Hooktender was injured while yarder logging when a hooked turn of logs contacted an unhooked log causing the unhooked log to slide uphill. The unhooked log struck the hooktender in the left knee severely dislocating his knee. |
| 12/15/2011 | 315924175 | 63 | Yes | No | Other | Multiple | Materials handling equipment | Materials handling equipment or method | Misjudgment of hazardous situation | | The victim was operating a road grader. He was in the process of making the first pass and using the ripper on the road bed during grading operations. The grader entered a railroad crossing and was struck by an east bound freight train. The victim was found dead under the rear portion of the grader. |

| | | | | | | | | | | |
|------------|-----------|----|-----|-----|-----------------------------|--------------------|------------------------------|--|--|---|
| 12/9/2011 | 315663948 | 22 | No | No | Fracture | Arms(s) - multiple | Materials handling equipment | Catch point or puncture action | Procedure for handling materials not appropriate for task | CAUGHT IN A MACHINE: On or about December 9, 2011, the victim was in the process of collecting a bird net that covered a grape vine row. The victim was winding the net onto a power operated 1 1/4-inch spindle, when the victim caught his sleeve in the net. His left arm, was broken as it went over the spindle. |
| 12/8/2011 | 315949669 | 59 | No | Yes | Burn or scald (heat) | Leg(s) | Metal products | Flammable liquid or solid exposure | Insufficient or lack of protective wrok clothing and equipment | EMPLOYEE GRINDING CAST PART CAUGHT PANTS LEG ON FIRE.: A titanium component grinder was operating a sanding disc and the sparks from the disc ignited his right pants leg. Two fellow workers saw the fire and used fire extinguishers to extinguish the flames. The victim suffered second and third degree burns to the back of his right leg from the ankle to the knee. |
| 12/5/2011 | 315949073 | 33 | No | Yes | Puncture | Abdomen | Machine | Flying object action | Operational position not appropriate for task | STRUCK BY WOOD KICKBACK FROM SAW: A gang saw operator was seriously injured when a piece of wood from a board being cut on a 13 inch gang saw kicked back from the saw penetrating the workers abdomen. |
| 12/1/2011 | 315899187 | 32 | No | Yes | Fracture | Chest | Working surface | Other | Misjudgment of hazardous situation | EMPLOYEE SETTING CHOKERS WAS STRUCK BY ROLLING LOG.: This was a cable logging site on the McKenzie River. The employee was pulling chokers to be set on the logs, one choker was hung up when he pulled on the choker and it dislodged a log and rolled over the employee. |
| 11/23/2011 | 315933093 | 25 | Yes | No | Cut or laceration | Neck | Hand tool (powered) | Other | Misjudgment of hazardous situation | STRUCK BY: On November 23, 2011 an employee was operating a chainsaw to cut trees and limbs from trees already fell. The chainsaw apparently kicked back striking the employee in the neck area. The employee was found unconscious and died shortly after being found. |
| 11/23/2011 | 315663625 | 27 | No | Yes | Bruise, contusion, abrasion | Leg(s) | Motor vehicle (industrial) | Materials handling equipment or method | Procedure for handling materials not appropriate for task | RUN OVER BY A FORKLIFT.: The victim was walking past several stacked units of lumber at the same time a forklift was backing out after stacking two units of lumber and was run over. Neither the driver of the forklift or the victim saw each other at the time of the accident. |
| 11/19/2011 | 315898924 | 56 | Yes | No | Other | Other body system | Other | Other | Other | The victim was operating a forklift. The victim was found seat belted into the forklift and non-responsive. The forklift had entered a shallow excavation. |
| 11/17/2011 | 315948554 | 34 | No | No | Fracture | Back | Working surface | Working surface or facility layout condition | Misjudgment of hazardous situation | FALL INTO CHEMICAL TANK: A maintenance assistant fell from the top of a chemical wash tank striking the side of the tank with his back with one leg falling into the acidic rinse water. |

| | | | | | | | | | | | |
|------------|-----------|----|-----|-----|------------------|------------------------------|----------------------------|--|--|----|--|
| 11/15/2011 | 315948406 | 61 | No | Yes | Strain or sprain | Arms(s) - multiple | Machine | Squeeze point action | Insufficient or lack of protective work clothing and equipment | | EMPLOYEE'S CLOTHING CAUGHT IN LATHE: Employee operating a lathe had jacket/coat entangled in lathe pulling him against the lathe. |
| 11/14/2011 | 315923649 | 22 | Yes | No | Other | Multiple | Other | Other | Misjudgment of hazardous situation | | EMPLOYEE WAS INVOLVED IN A MOTOR VEHICLE ACCIDENT.: One employee was on his way back to the store from a delivery and was involved in a head on collision with another vehicle. |
| 11/11/2011 | 315948315 | 22 | No | Yes | Fracture | Foot, feet, toes or ankle(s) | Dirt, sand, stone | Weather, earthquake, etc. condition | Insufficient or lack of engineering controls | | EMPLOYEE WAS INJURED WHILE WORKING IN A TRENCH: The employee was working in an excavation approximately 14 feet deep inside a coffin box. The employee was standing near the end of the box when a portion of the top of the excavation caved in, partially burying the employee. |
| 11/10/2011 | 315898841 | 47 | No | Yes | Amputation | Hand(s) | Machine | Other | Safety devices removed or inoperative | | HAND CONTACTED RUNNING SAW BLADE: The victim was repairing a wood beveling machine while the saw blades were moving. The victim's hand slipped and made contact with a running saw blade, severing two fingers. |
| 11/10/2011 | 315948448 | 30 | No | Yes | Concussion | Head | Buildings | Other | Misjudgment of hazardous situation | 9 | EMPLOYEE REPAIRING ROOF ON HOUSE FELL: An employee had just climbed onto roof and was to begin patching a leak when other employees heard him fall. The injured employee fell approximately 9 feet landing on the entryway sidewalk and sustained serious head injuries. |
| 11/7/2011 | 315947994 | 48 | No | Yes | Other | Back | Motor vehicle (industrial) | Other | Equipment inuse not appropriate for operation or process | | FIELD WORKER WAS PASSENGER IN A VEHICLE THAT ROLLED ON FARM.: Farm worker was a passenger in a farm vehicle that lost control and rolled over on its side on the farm. Worker sustained unknown injuries. |
| 11/4/2011 | 315932749 | 23 | No | Yes | Amputation | Finger(s) | Machine | Catch point or puncture action | Misjudgment of hazardous situation | | EMPLOYEE MADE CONTACT WITH TABLE SAW BLADE: An employee was operating a table saw equipped with a dado blade and made contact with the rotating blade when his hand slipped off of the wooden piece being sawed. |
| 11/4/2011 | 315663419 | 19 | No | Yes | Fracture | Back | Working surface | Working surface or facility layout condition | Operational position not appropriate for task | 19 | FELL FROM ELEVATION: On or about November 4, 2011 at approximately 11:10 am, the victim was in the process of stapling weatherproofing paper across an opening on a third story deck. The victim used a stapler to attach the paper across the top edge of the wall opening, he slipped, falling through the opening onto a 6:12 sloped roof. He slid down the roof to the eave, where a scaffold was covered with weatherproof paper at the eave. The victim rolled across the paper, falling to the ground approximately 19 feet below |

| | | | | | | | | | | |
|------------|-----------|----|----|-----|-----------------------------|--------------|------------------------------|--|---|--|
| 11/4/2011 | 315898692 | 28 | No | Yes | Fracture | Lower leg(s) | Buildings | Materials handling equipment or method | Procedure for handling materials not appropriate for task | VICTIM WAS STRUCK BY A BUNDLE OF PRE- FABRICATED WALLS: Employees were lowering bundles of interior walls to the floor of an apartment complex under construction. (The bundled walls were upright and braced so that they would not tip over.) When the employees were lowering a bundle down to the floor, they got to a point of letting go of the bundle and letting it fall the rest of the way to the floor. When they let go of the bundle, the victim had not cleared his leg out from under the bundle and it landed on it breaking the lower portion of his leg. The other employees picked the bundle back up to free the victim. 911 was called and the victim was transported by an ambulance to a local hospital where he required surgery to repair his broken leg. |
| 10/28/2011 | 315947812 | 46 | No | Yes | Fracture | Lower leg(s) | Materials handling equipment | Materials handling equipment or method | Other | EMPLOYEE WAS STRUCK BY A FORKLIFT.: Employee was struck by a forklift as he was walking behind it, resulting in a fractured leg. |
| 10/27/2011 | 315932574 | 23 | No | Yes | Cut or laceration | Leg(s) | Vegetation | Overhead moving and/or falling object action | Misjudgment of hazardous situation | STRUCK BY LOG: On 10/27/11 at approximately 1:00 pm, Emp #1 was engaged in setting chokers on a cable logging side. A PSY 200 yarder was in use with a live skyline and motorized carriage. The crew had set a turn of three logs and retreated to their respective positions. The rigging slinger was behind the turn, the new chokersetter was above him, and the 2nd rigger was sitting down about 50 feet ahead of and above the turn when the go ahead signal was given. The turn moved ahead and a log in the turn swung towards the victim as he blew a stop whistle and tried to spider crawl backwards uphill. A log in the turn struck the victim and crushed his lower leg causing severe tissue trauma. |
| 10/23/2011 | 315947515 | 50 | No | Yes | Amputation | Hand(s) | Machine | Other | Misjudgment of hazardous situation | FARM WORKER REACHED INSIDE A CHUTE AND THE FAN SEVERED HAND.: A walnut harvester machine was being used to vacuum fallen walnuts when a farm worker spotted something in the chute causing him to reach inside it with his right hand. The worker had his hand severed with the only digit still attached being the thumb. |
| 10/19/2011 | 315923169 | 21 | No | Yes | Amputation | Finger(s) | Machine | Shear point action | Misjudgment of hazardous situation | CAUGHT IN MOULDER HEAD: Victim was feeding a moulder and it jammed. The worker then pulled the guard off to clear the jam when he inadvertently contacted the rotating blades. |
| 10/17/2011 | 315932350 | 38 | No | Yes | Bruise, contusion, abrasion | Multiple | Train or railroad equipment | Squeeze point action | Misjudgment of hazardous situation | CAUGHT BETWEEN: The victim was caught between a moving railroad car and units of lumber. |

| | | | | | | | | | | |
|------------|-----------|----|----|-----|------------|-------------------|--------|--|------------------------------------|--|
| 10/17/2011 | 315662890 | 47 | No | Yes | Concussion | Head | Other | Other | Misjudgment of hazardous situation | AN EMPLOYEE STRUCK HIS HEAD ON A STUMP.: The accident victim had just taken his set of 4 chokers and dropped them at the next turn of logs he was going to send to the landing. The rigging slinger was on the opposite side of the skyline from the accident victim. As the accident victim was clearing out he gave a hand signal to the rigging slinger to go ahead on the turn. The turn of logs was lying crosslead to the skyline and the tops of those logs ran underneath logs the accident victim was standing on. As the logs started to move the accident victim was thrown into the air when the log he was standing on moved. The accident victim struck his head on a stump and was knocked unconscious. |
| 10/15/2011 | 315947325 | 58 | No | Yes | Other | Other body system | Other | Other | Other | HEART ATTACK: At 1:30 PM on 10/15/11 an autoclave operator was lowering a processing basket with a hoist and collapsed. Coworkers reported that he was looking pale and had been ill the previous two days. One coworker called 911, while the other performed CPR. An ambulance arrived within 7-minutes and took over emergency care. He was transported to Sunnyside Medical Center and treated. During the course of the investigation, employees were interviewed, the area inspected and records reviewed. There was no evidence of employee exposure that may have contributed to the collapse. The area where the employee was working contained a heated (285 F.) tank (2000 gallons) of potassium hydroxide and a rinse tank (200 gallons); both tanks were sufficiently exhausted. At the close of the inspection, the employee had terminated. |
| 10/14/2011 | 315923078 | 37 | No | Yes | Fracture | Back | Ladder | Materials handling equipment or method | Misjudgment of hazardous situation | EMPLOYEE FELL FROM A LADDER: Employee was harvesting pears from a ladder and fell approximately 6' to the ground sustaining back injuries. He was transported by ambulance to the local hospital and transferred to Portland. |

| | | | | | | | | | | | |
|------------|-----------|----|----|-----|-------------------|-------------|--------------------------------|--|---|---|--|
| 10/13/2011 | 315932426 | 39 | No | Yes | Electric shock | Body system | Electrical apparatus or wiring | Overhead moving and/or falling object action | Operational position not appropriate for task | | ELECTRIC SHOCK: On 10/13/11 at approximately 8:30 am, Emp #1 was working within a cofferdam structure at the base of a hydro power generation plant where a fish protective structure was under construction. He was standing in a few inches of water while cleaning a screen around a sump. A 150 ton crane was in use to set a sump pump in an area over 100 feet away. The hoist line encroached on a 115Kv transmission line and a huge arc occurred. Emp #1 fell to the ground unconscious and employees in the area immediately came to his aid. They performed CPR for over ten minutes until an AED on site was retrieved and used. Emp #1 was airlifted to a hospital where he made a full recovery. |
| 10/13/2011 | 315947374 | 38 | No | Yes | Fracture | Multiple | Materials handling equipment | Materials handling equipment or method | Malfunction of procedure for securing operation or warning of hazardous situation | 4 | EMPLOYEE FELL FROM FLATBED AND BROKE LEFT ARM: The employee was helping the driver of a flatbed trailer load a large irrigation pipe onto the trailer using a back hoe. While both workers were on the flatbed, the pipe was suddenly disconnected from the rigging before it was secured, striking the employee in the leg as he jumped from the flatbed; he landed land on his on his side, breaking his left wrist and shoulder." |
| 10/13/2011 | 315947291 | 24 | No | Yes | Amputation | Finger(s) | Machine | Pinch point action | Malfunction of procedure for securing operation or warning of hazardous situation | | EMPLOYEE HAND CAUGHT IN MACHINE: An employee operating a press brake was injured trying to remove a stuck part from the machine when the machine cycled, resulting in severe laceration to the 2nd, 3rd and 4th digits of the right hand. |
| 10/12/2011 | 315662403 | 59 | No | Yes | Cut or laceration | Neck | Hand tool (powered) | Flying object action | Safety devices removed or inoperative | | GRINDER ACCIDENT: At approximately 9:00 AM, while attempting to fit a sheet metal soffit into a tight space, a carpenter foreman was using a 4 1/2"" angle grinder from which he had removed the guard and was struck in the neck by the tool and or the shattered wheel." |
| 10/11/2011 | 315947416 | 35 | No | Yes | Fracture | Hip(s) | Hoisting apparatus | Overhead moving and/or falling object action | Procedure for handling materials not appropriate for task | | WORKER FELL FROM SCISSOR LIFT AND BROKE HIP: Worker fell from scissor lift approximately twenty feet, resulting in a broken hip. |

| | | | | | | | | | | |
|------------|-----------|----|----|-----|-----------------------------|----------|-------------------------|--|--|---|
| 10/10/2011 | 315932160 | 30 | No | Yes | Concussion | Multiple | Vegetation | Other | Misjudgment of hazardous situation | STRUCK BY LOG: On 10/10/11, at approximately 9:30am, Emp #1 was engaged in logging on a USFS timber sale in the Tiller District. A swing yarder with a live skyline was in use with a motorized carriage. Yarding distance was about 500' over flat to steep terrain through standing timber with an approximate 19' spacing. The rigging crew had set a turn of three logs which consisted of two tree lengths and one 35'x 10" diameter log. Emp #1 hooked the chokers to the dropline and began to walk away from the rigging towards the clear. As he did so, he blew a go ahead signal and the turn began to move towards the carriage. The 35 foot log hung up on a stump and swung towards the victim who was not yet in the clear. Emp #1 was struck in the head and shoulder and was knocked unconscious. The emergency action plan was implemented and the victim was transported to the hospital and was treated for serious injuries. |
| 10/5/2011 | 315663500 | 57 | No | Yes | Bruise, contusion, abrasion | Multiple | Motor vehicle (highway) | Other | Insufficient or lack of engineering controls | TRACTOR DRIVER WENT OFF HIGHWAY INTO A DITCH: A groundskeeper for the Yamhill-Carlton School District was driving a tractor from Yamhill to Carlton, when a log truck passed very close to him and he lost control and went into a ditch. He was thrown from the tractor and received multiple injuries. |
| 9/28/2011 | 315946640 | 36 | No | Yes | Fracture | Leg(s) | Other | Other | Misjudgment of hazardous situation | FALL TO LOWER LEVEL: An employee stood on top of a guardrail to access a locked area that he did not have a key for, and slipped off the guardrail and fell to the ground below. The employee fell approximately 12'9" to the concrete and sustained fractures to the tibia, fibula, and heel fractures. |
| 9/28/2011 | 315946376 | 22 | No | Yes | Concussion | Head | Metal products | Overhead moving and/or falling object action | Misjudgment of hazardous situation | STRUCK BY FALLING MATERIAL: A worker was struck by a casting that fell from a wheelabrator bucket. |

| | | | | | | | | | | |
|-----------|-----------|----|-----|-----|-------------------|--------|------------------------------|--|---|--|
| 9/27/2011 | 315932079 | 79 | Yes | No | Concussion | Head | Materials handling equipment | Other | Misjudgment of hazardous situation | FALL: On 9/27/11, at approximately 12:55pm, Emp #1 was engaged in transporting a 966 front end loader on a tilt trailer that was pulled by a 10 yard dump truck. He drove up a gravel road and came to a switchback with a 15grade where he spun out. Emp #1 tried to back the truck and trailer onto the flat behind him when the combination slid off to the edge of the road. Emp #1 and a co-worker decided it was safe to unload the 966 off of the trailer in order to get the truck back on the road. Emp #1 climbed up on the left side of the 966 loader which was tilted slightly downhill on the trailer. When he opened the cab door, it swung towards him and knocked him over which caused him to strike his head on the trailer. Emp #1 sustained a fatal head injury and was pronounced dead at the scene. |
| 9/27/2011 | 315947143 | 35 | No | Yes | Concussion | Head | Motor vehicle (highway) | Other | Misjudgment of hazardous situation | SEMI TRUCK WRECK, TRANSPORTED TO HOSPITAL: Single vehicle crash involving a semi truck and tanker trailer that rolled onto its side into the ditch. The victim was taken to the hospital with minor injuries and the truck and trailer was towed from the scene. |
| 9/26/2011 | 315946095 | 64 | No | Yes | Other | Chest | Materials handling equipment | Materials handling equipment or method | Other | FORKLIFT OPERATOR CRUSHED BY DRIVING INTO PALLET RACK.: Forklift operator was turning a corner when he ran into the first level of the pallet racking on the outside radius of the turn. Crushing injuries resulted along with unconsciousness. |
| 9/25/2011 | 315922591 | 58 | No | Yes | Fracture | Leg(s) | Materials handling equipment | Overhead moving and/or falling object action | Procedure for handling materials not appropriate for task | STRUCK BY FALLING EQUIPMENT BEING UNLOADED: Conveyor system being unloaded from a tractor trailer semi hooked on a mount when the tractor trailer began to roll. Conveyor fell from the trailer, pulling the backhoe over that was being used to hoist the unit. Employee was struck by the conveyor and knocked to the ground where he was struck again. The employee received a puncture in his back and fractures of both lower legs. Emergency services was called. He was treated at the site, transported to Baker City, and then Air Life to the hospital in Boise ID for admittance and surgery. |
| 9/21/2011 | 315931956 | 60 | Yes | No | Cut or laceration | Chest | Motor vehicle (highway) | Overhead moving and/or falling object action | Safety devices removed or inoperative | MVA: Employee was riding in vehicle to logging site. Driver swerved to miss a deer. The vehicle struck a telephone pole which killed a employee/passenger |

| | | | | | | | | | | | |
|-----------|-----------|----|----|-----|--------------------|-----------------------|------------------------------------|---|---|----|--|
| 9/19/2011 | 315945725 | 50 | No | Yes | Burn (chemical) | Head | Chemical (liquids or vapors) | Chemical action/reacti on exposure | Defective equipment: Knowingly used | | CHEMICAL EXPOSURE: On 9-19-11 a 2nd shift production operator was transferring ammonium fluoride (NH4F) to the buffered hydrofluoric acid (BHF) storage tank. This task involved inserting a siphon into a 55 gallon drum of NH4F and activating the pump. Both the 55 gallon drum and pump are located inside protective enclosures. The drum enclosure was fitted with strip-curtains on the front. As the operator turned on the pump he noticed a leak (NH4F) coming from the hose fitting on the top of the siphon. He reached into the enclosure and attempted to tighten the fitting. This action caused the leak to increase and liquid sprayed through the open curtain hitting his face shield and arm. A small amount of NH4F sprayed on his scalp. The victim alerted his supervisor of the exposure and immediately went to a shower. He showered for approximately 20 minutes. Co-workers then treated his scalp with calcium. |
| 9/19/2011 | 315931881 | 65 | No | Yes | Fracture | Arms(s) - multiple | Machine | Catch point or puncture action | Malfunction of perception system with respect to task environment | | EMPLOYEE'S HAND CAUGHT IN SHAVE-OFF ROTOR: Three employees were cleaning the forming machines and had left the forming line. One of the employees returned to the number one forming machine and reached in to brush material away from the shave off rotor. The rotor caught his glove and pulled his hand and arm into the spinning rotor. |
| 9/16/2011 | 315897892 | 35 | No | Yes | Fracture | Multiple | Other | Other | Other | 13 | EMPLOYEE WAS ON THE ROOF FRAMING AND FELL THROUGH CEILING.: The victim and other employees were walking and working on the framing of the roof while installing part of an HVAC system on a commercial building. The victim was standing on the top of a block wall when he stepped back and fell 13 feet 5 inches through the ceiling to the main concrete floor below. |
| 9/14/2011 | 315945345 | 31 | No | Yes | Fracture | Arms(s) - multiple | Machine | Catch point or puncture action | Safety devices removed or inoperative | | WORKER HAD HIS ARM ENTANGLED IN THE UNGUARDED PTO SHAFT.: A farm worker placed his arm near the rotating PTO shaft which connected the tractor to a herbicide tank, when he became entangled in this PTO. Worker sustained a serious injury to his arm. |
| 9/12/2011 | 315945253 | 25 | No | Yes | Burn (chemical) | Arms(s) - multiple | Other | Overhead moving and/or falling object action | Procedure for handling materials not appropriate for task | 1 | EMPLOYEE BURNED BY HOT TAR: Employee was holding a hot tar kettle while the vehicle was moving when the kettle fell off; the employee fell into the hot tar and suffered severe burns to the hands and arms. |

| | | | | | | | | | | |
|-----------|-----------|----|----|-----|-----------------|--------------|------------------------------|--------------------------------------|---|--|
| 9/3/2011 | 315661884 | 50 | No | Yes | Amputation | Finger(s) | Machine | Shear point action | Distracting actions by others | FINGERS AMPUTATED BY MEAT SAW: At approximately 2:00 p.m., a butcher in the meat cutting area was using the meat band saw to prepare meat for packaging. When the sliding table got caught on the refuse bin, one of the other workers attempted to free the bin and the table moved, causing the victim's hand to hit the blade. The right index and middle fingers were amputated. |
| 8/31/2011 | 315897652 | 32 | No | Yes | Fracture | Abdomen | Other | Flying object action | Misjudgment of hazardous situation | EMPLOYEE STRUCK BY LOG: Employee was working on a yarder logging site when a log fell out of the turn and struck the employee in the lower body. |
| 8/27/2011 | 315944793 | 20 | No | Yes | Burn (chemical) | Eye(s) | Chemical (liquids or vapors) | Chemical action/reaction on exposure | Misjudgment of hazardous situation | CHEMICAL SPLASH - DRAIN CLEANER: A country club was having a water leak from air handling unit located in the attic above the dining room of the club house. It was determined that the water was leaking from the 1" PVC pipe on the side of the handler. On August 27, 2011 two maintenance workers were sent to the attic to attempt to free the clog. They initially used a 20 foot plumbers snake but were unsuccessful. They then poured liquid drain opener into the pipe. The drain opener reacted violently with something in the pipe and caustic liquid sprayed in the workers faces. Their vision was blurred and it was a struggle to evacuate from the remote section of the attic where they were working. Once out of the attic they separated and went to different water sources to flush their eyes - one to the maintenance shop and the other to the kitchen. Both had serious burns to their eyes and faces. |
| 8/27/2011 | 315944793 | 32 | No | Yes | Burn (chemical) | Eye(s) | Chemical (liquids or vapors) | Chemical action/reaction on exposure | Misjudgment of hazardous situation | CHEMICAL SPLASH - DRAIN CLEANER: A country club was having a water leak from air handling unit located in the attic above the dining room of the club house. It was determined that the water was leaking from the 1" PVC pipe on the side of the handler. On August 27, 2011 two maintenance workers were sent to the attic to attempt to free the clog. They initially used a 20 foot plumbers snake but were unsuccessful. They then poured liquid drain opener into the pipe. The drain opener reacted violently with something in the pipe and caustic liquid sprayed in the workers faces. Their vision was blurred and it was a struggle to evacuate from the remote section of the attic where they were working. Once out of the attic they separated and went to different water sources to flush their eyes - one to the maintenance shop and the other to the kitchen. Both had serious burns to their eyes and faces. |
| 8/26/2011 | 315897603 | 38 | No | Yes | Fracture | Lower leg(s) | Other | Other | Operational position not appropriate for task | VICTIM WAS BUCKING A LOG IT KICKED BACK,BREAKING HIS LEG.: The victim was bucking a 60 foot long log on the landing. He misjudged the pressure point of the log and it kicked back and struck him in the lower leg, breaking his leg just below the knee. The employees transported the victim to the hospital. |

| | | | | | | | | | | | |
|-----------|-----------|----|-----|-----|------------|--------------|----------------------------|--|---|----|--|
| 8/25/2011 | 315661595 | 59 | Yes | No | Other | Multiple | Working surface | Working surface or facility layout condition | Misjudgment of hazardous situation | | FALL: Shortly after 11:00 am, the victim was labeling pipes on the roof above the rail pit when he fell through a vent hole that was approximately 8 foot in length by 22 inches wide, divided in the middle by an approximate 2 inch by 12 inch joist. He fell approximately 27 feet 7 inches to a crushed rock sub-grade between a loading dock and the train rails below. He was later found by two coworkers an unknown amount of time after the fall occurred. They felt for a pulse with no results then called 911. Compression on the chest area was given to the victim by the advice of the 911 operator. Emergency Medical Technician arrived on site approximately five minutes later and pronounced the victim was expired. |
| 28 | | | | | | | | | | | |
| 8/25/2011 | 315922054 | 49 | No | Yes | Fracture | Multiple | Ladder | Other | Operational position not appropriate for task | 12 | EMPLOYEE FELL FROM AN EXTENSION LADDER CAUSING INJURY.: Employee was spray painting a two story apartment complex from an extension ladder. The employee leaned to the right too far and the extension ladder slid to the left causing the employee to fall to the rocks below. The employee was working about 12-13 feet from the lower rock ground. |
| 8/25/2011 | 315661561 | 52 | No | Yes | Amputation | Lower arm(s) | Machine | Pinch point action | Procedure for handling materials not appropriate for task | | LEFT ARM CAUGHT IN GRINDER: The victim was injured when her left hand was caught in the in-going nip point of the rolls on a meat mincing machine. The employee placed her left hand into the hopper area of the machine while it was running trying to remove a jam. Her gloved hand was drawn into the grinder area resulting in an amputation to her left hand and arm below her elbow. |
| 8/22/2011 | 314527359 | 56 | No | Yes | Fracture | Multiple | Motor vehicle (industrial) | Pinch point action | Misjudgment of hazardous situation | | EMPLOYEE WAS CAUGHT BETWEEN TWO ROLLERS: Employee was pinched between the uprights of the rollers while trying to exit his machine. |

| | | | | | | | | | | |
|-----------|-----------|----|----|-----|-----------------|-------------------|------------------------------------|--|---|--|
| 8/20/2011 | 315944355 | 45 | No | Yes | Heat exhaustion | Other body system | Heat (environmental or mechanical) | Temperature above or below tolerance level | Other | HEAT EXHAUSTION: On Saturday August 20, 2011, the victim was working as a laborer on the Fremont Bridge paving project. The Fremont Bridge was being closed over four weekends so that the entire top deck could be re-paved. Saturday, August 20th was the beginning the fourth weekend. The weather over the summer had been unseasonably cool and the previous three weekends not hot. This fourth weekend was different and the heat rose to 96F. Thus, the victim was not well acclimatized to heat. His job on the crew was to shovel and throw asphalt behind the paving rig. About four hours into the day, a fellow worker noticed that he was slumped over and looking sick. When asked if he was OK, he replied emphatically "NO". He was immediately helped into the foreman's truck where the A/C was on then driven to the emergency room. |
| 8/20/2011 | 314789926 | 26 | No | Yes | Fracture | Multiple | Other | Materials handling equipment or method | Operational position not appropriate for task | VICTIM WAS LIFTED AND DROPPED 25 FEET BY A LOGGING CABLE.: A drop line yarder skidding system was being used by the employer to harvest a clear cut unit. The crew was setting up a road change. The victim was walking out of the logging unit ahead of the rest of the crew. The victim was lifted by the haulback cable and then dropped approximately 25 feet to the logged forest floor where he struck a stump. |
| 8/18/2011 | 314527193 | 57 | No | Yes | Fracture | Body system | Working surface | Working surface or facility layout condition | Misjudgment of hazardous situation | 25 AN EMPLOYEE SLIPPED AND FELL SIX FEET FROM A FIRE TRUCK.: While working with team (UL inspector, firemen and mechanic) conducting an aerial inspection of the fire truck ladder system the mechanic employee misstepped at the edge of the fire truck deck and turn-table and fell about 6 feet to the asphalt pavement. |
| 8/18/2011 | 315943894 | 51 | No | No | Amputation | Finger(s) | Machine | Pinch point action | Insufficient or lack of engineering controls | 6 AMPUTATION OF CRUSHED LEFT INDEX FINGER CAUGHT IN MACHINE: The injured employee was performing multiple piece work at a DiArco 4 ft. hydraulic press brake and was placing two small copper pieces with one in each hand, into the point of operation to flatten each piece. At some point during the process the injured employee activated the press brake's foot pedal and his left index finger was crushed and amputated. |
| 8/16/2011 | 315943738 | 24 | No | Yes | Concussion | Head | Air pressure | Gas, vapor, mist, fume, dust, etc. condition | Misjudgment of hazardous situation | EXPLOSION: An explosion in a dust collector system at a lumber mill while firefighters were fighting a small fire sent three firefighters to a hospital. |

| | | | | | | | | | | |
|-----------|-----------|----|----|-----|----------------------|--------------------|--------------------------------|--|---|--|
| 8/16/2011 | 315943738 | 39 | No | Yes | Concussion | Head | Air pressure | Gas, vapor, mist, fume, dust, etc. condition | Misjudgment of hazardous situation | EXPLOSION: An explosion in a dust collector system at a lumber mill while firefighters were fighting a small fire sent three firefighters to a hospital. |
| 8/15/2011 | 315943654 | 55 | No | No | Asphyxia | Lung | Other | Chemical action/reaction exposure | Procedure for handling materials not appropriate for task | CHEMICAL EXPOSURE: At approximately 9:15 PM a pool employee was refilling the chemical tanks in the basement mechanical room (all of the filtration equipment for the pool is located in this room). The pool has a self feeding acid distribution system that regulates the pH level. Their chemical distributor mistakenly delivered sodium hypochlorite instead of muriatic acid. The two chemicals were in the same sized containers and in similar packaging. The liquid sodium hypochlorite was added to the pool's muriatic acid feed tank in the basement mechanical room. There was about 6 gallons of acid remaining in the tank and one gallon of sodium hypochlorite was added. The two chemicals reacted forming chlorine gas (theorized based on the chemistry of the two liquids). The employee noticed a noxious odor and evacuated the basement quickly. His exposure was short and his symptoms were limited to only minor irritation. |
| 8/15/2011 | 315661405 | 41 | No | Yes | Fracture | Hip(s) | Motor vehicle (highway) | Pinch point action | Misjudgment of hazardous situation | VICTIM WAS CRUSHED AND DRAGGED BY TRUCK.: A driver (victim) of a dump truck attempted to enter the dump truck, in order to stop it, as it was rolling down a ramp. He fell and was caught under the rear wheels and dragged several feet until the dump truck came to a stop. |
| 8/14/2011 | 314750142 | 32 | No | Yes | Electric shock | Arms(s) - multiple | Electrical apparatus or wiring | Materials handling equipment or method | Malfunction of procedure for securing operation or warning of hazardous situation | ELECTRIC SHOCK: Employee was cleaning high voltage insulators and made electrical contact with 13.8 KV energized power lines. |
| 8/12/2011 | 314527219 | 44 | No | Yes | Burn or scald (heat) | Body system | Water | Temperature above or below tolerance level | Other | VICTIM RECIEVED BURNS TO LEGS AND ARM FROM 180 DEGREE WATER: Victim and two other employee were in the process of doing preventative maintenance on the water supply and steam pump. The water supply inlet coupler on the 6 inch pipe pulled apart and the victim was seriously burned by the 180 degree water. |

| | | | | | | | | | | |
|-----------|-----------|----|-----|-----|------------|-------------|-------------------------|--|------------------------------------|---|
| 8/12/2011 | 315921635 | 30 | No | Yes | Fracture | Face | Hand tool (manual) | Overhead moving and/or falling object action | Misjudgment of hazardous situation | STRUCK BY VEHICLE: Accident victim was changing a flat tire for a citizen. The jack slipped while the victim was under the vehicle removing the spare tire. The vehicle fell on the victims face cause serious injury. |
| 8/12/2011 | 315943688 | 63 | No | Yes | Amputation | Finger(s) | Machine | Catch point or puncture action | Other | EMPLOYEE HAD A PARTIAL AMPUTATION BY A MILLING MACHINE: The employee just finished making a slot on the part being processed by a horizontal milling machine, when he attempted to wipe off the excess coolant from the part with a rag. The rag was caught by the rotating blade, and the employee's hand was pulled into the machine. The employee sustained partial amputations on his right hand. |
| 8/10/2011 | 314750050 | 39 | Yes | No | Other | Body system | Motor vehicle (highway) | Other | Misjudgment of hazardous situation | MVA: The victim was driving a 2000 Freightliner truck pulling two loaded chip trailers westbound on Hwy 42 near Myrtle Point, OR. As he approached the Powers exit junction near MP 23, he failed to maintain his lane of travel while negotiating a right hand curve. The vehicle combination crossed the centerline, rolled onto its side and traveled across the highway and a portion of the exit ramp for Hwy 242. The vehicle continued through a guardrail, crashed into the bridge abutment railing and rolled down an embankment. The victim was extricated from the vehicle and pronounced dead at the scene. |
| 8/8/2011 | 315661355 | 58 | No | Yes | Puncture | Multiple | Metal products | Other | Misjudgment of hazardous situation | EXPLOSION CAUSES BRASS PRIMES TO STRIKE EMPLOYEE: An employee sorting brass used an abrasive grinder to grind a piece of mixed metal to determine the correct location of the brass. During the grinding a spark went into an adjacent bucket of spent bullet primes when an explosion occurred and the employee was hit to the left side of his body with brass primes. |
| 8/3/2011 | 315660605 | 36 | No | Yes | Fracture | Chest | Buildings | Working surface or facility layout condition | Misjudgment of hazardous situation | WORKER INJURED RESULTING FROM A FALL: An employee was injured while assisting another employee re-roofing a single family house . The victim was cleaning up debris behind the roofer as he advanced and she was standing close to the eave. She was facing away from the roof's edge when she took a step back and fell on to the roof of the patio with her leg going through the corrugated fiberglass covering and her body was caught by the framing breaking some ribs and bruising a kidney. |

| | | | | | | | | | | |
|-----------|-----------|----|-----|-----|-----------------------------|--------------------|------------------------------|--|------------------------------------|--|
| 8/2/2011 | 314749789 | 27 | Yes | No | Fracture | Head | Materials handling equipment | Flying object action | Misjudgment of hazardous situation | STRUCK BY: Two employees were setting chokers and had contacted the Yoder to yard the logs to the landing. As the logs started to move the largest and longest of the choked logs started to wing into lead. As the log moved, the log hit an Alder log lying next to it and moved the Alder towards the two choker setters. The Alder narrowly missed the Rigging Slinger and struck the Hook Tender in the head. The Hooktender received massive head trauma and died at the scene. After the accident, 911 was contacted and along with medical personnel the sheriff arrived. The Coos County coroner was contacted and the victim was transported from the scene. |
| 8/2/2011 | 315429688 | 39 | No | Yes | Fracture | Face | Materials handling equipment | Squeeze point action | Misjudgment of hazardous situation | STRUCK BY: The victim was tack welding a new cutting edge on a loader bucket. The bucket was detached from the machine, and resting on the coupler cylinder pin boss and the ground line foot. This placed the opening of the bucket at an approximately 15-45 degree angle from the ground. The victim was laying on the ground under the bucket tacking the bottom of the cutting blade to the bucket, when the bucket rolled on top of him. The victim sustained numerous facial fractures, and multiple fractured ribs. |
| 8/1/2011 | 315429670 | 37 | No | No | Bruise, contusion, abrasion | Abdomen | Motor vehicle (highway) | Other | Misjudgment of hazardous situation | VEHICULAR ACCIDENT: A Police Officer was parked on the south side of Highway 26 behind an ODOT Reader Sign watching for traffic violations. The officer identified a vehicle speeding westbound on Highway 26. The officer pulled out of the driveway that he was parked in, and attempted to perform a "U" turn across traffic. The officer was hit by a eastbound vehicle on the driver's door. The officer was transported to the hospital. The officer was not admitted into the hospital, and was treated for minor injuries. |
| 7/30/2011 | 315429381 | 55 | No | Yes | Fracture | Hip(s) | Motor vehicle (highway) | Pinch point action | Misjudgment of hazardous situation | EMPLOYEE WAS STRUCK IN THE FOOT BY TRAILER TIRE.: The employee attempted to check a fellow employees trailer brakes that was hooked up to a tractor. The fellow employee did not set the trailer brakes. Tractor/trailer was on a steep incline and rolled back and caught the injured employees foot. the injured employee fell backward and may have broken ankle and or hip. |
| 7/30/2011 | 315660985 | 46 | No | Yes | Fracture | Arms(s) - multiple | Ladder | Working surface or facility layout condition | Misjudgment of hazardous situation | FALL FROM LADDER: Employee was working from an extension ladder, which had been placed in the bed of a pickup, operating a powered, pole chain saw, when the ladder shifted and he fell to the ground, suffering a broken arm and becoming unconscious. |

| | | | | | | | | | | |
|-----------|-----------|----|-----|-----|----------------|-------------|--------------------------------|--|---|---|
| 7/29/2011 | 315429613 | 55 | No | Yes | Amputation | Finger(s) | Machine | Pinch point action | Malfunction of procedure for lock-out tag-out | VICTIM CRUSHED 2 FINGERS WHILE SETTING UP A PRESS BREAK.: The victim was operating a press break and was removing a die to change the set up when he accidentally stepped on the treadle and the press break came down, crushing the fingers on his left hand resulting in broken index and ring fingers and amputation of the middle finger. |
| 7/29/2011 | 315429357 | 40 | Yes | No | Other | Body system | Motor vehicle (industrial) | Other | Misjudgment of hazardous situation | LOG TRUCK DRIVER LOST CONTROL OF THE TRUCK AND CRASHED.: The driver was hauling a loaded log truck coming down a hill. He lost control of the truck and ran into a dirt embankment. |
| 7/27/2011 | 315660951 | 33 | No | Yes | Fracture | Multiple | Machine | Flying object action | Other | A WORKER FLIPPED AN ATV OVER INJURING HIMSELF.: A farm laborer employee was riding an ATV from one field to another. The employee was carrying a hoe across the front of the ATV. The hoe started to fall off the front of the ATV and the employee grabbed for it but got the front brake handle by mistake. This caused the ATV to go end over end throwing the employee off the ATV. The employee received a fractured pelvis and bruises. |
| 7/20/2011 | 314749482 | 40 | No | Yes | Fracture | Chest | Working surface | Working surface or facility layout condition | Procedure for handling materials not appropriate for task | AN EMPLOYER WAS STRUCK BY A FELLED TREE: An employee was struck by a falling tree as he was not in the clear before the tree hit the ground. The employee had been pulling on a rope attached to the felled tree. |
| 7/19/2011 | 315428599 | 28 | No | Yes | Electric shock | Multiple | Electrical apparatus or wiring | Materials handling equipment or method | Misjudgment of hazardous situation | POWER LINE CONTACT: Two gutter installers sustained shock and fall injuries when a 53 foot length of gutter they were attempting to install on a multifamily dwelling contacted a high voltage power line. The workers were approximately 18 feet up on aluminum extension ladders and fell from the ladders when shocked. 18 |
| 7/19/2011 | 315428599 | 39 | No | Yes | Electric shock | Multiple | Electrical apparatus or wiring | Materials handling equipment or method | Misjudgment of hazardous situation | POWER LINE CONTACT: Two gutter installers sustained shock and fall injuries when a 53 foot length of gutter they were attempting to install on a multifamily dwelling contacted a high voltage power line. The workers were approximately 18 feet up on aluminum extension ladders and fell from the ladders when shocked. 18 |

| | | | | | | | | | | |
|-----------|-----------|----|-----|-----|----------------|-------------|--------------------------------|--|---|--|
| 7/19/2011 | 315428755 | 32 | No | Yes | Electric shock | Body system | Electrical apparatus or wiring | Materials handling equipment or method | Other | EMPLOYEE RECEIVED AN ELECTRICAL SHOCK WHILE OPERATING CONCRE: Employee was compacting concrete into a column, the employee experienced an electrical shock from the concrete compactor he was holding causing the employee to fall from the top of the column. The employee was wearing fall protection which abated his fall to the ground below. |
| 7/14/2011 | 314526344 | 18 | No | Yes | Fracture | Body system | Motor vehicle (highway) | Other | Operational position not appropriate for task | EMPLOYEE FELL OFF THE SIDE OF MOVING VEHICLE.: An employee was riding on the out side of a 1 1/2 ton pick-up vehicle at the passenger door. When he attempted to step down from the still moving vehicle he lost his footing and fell to the pavement. The rear dual tires came in contact with his left shoulder and pushed/skidded him for about 4 feet 9 inches. He received injuries to his skull, ribs, shoulder and liver. |
| 7/14/2011 | 315660712 | 46 | No | Yes | Fracture | Hand(s) | Machine | Pinch point action | Malfunction of procedure for lock-out tag-out | VICTIM'S HAND WAS PINCHED IN A CONVEYOR BELT.: An employee noticed that the headspool was turning, but the belt was not. He tried to pull/push the plastic screen belting so it would grab and start moving while the conveyor was on. As he was trying to get the conveyor belt to catch, the belt caught and his right hand and it became pinched between the conveyor belt and snub roll. |
| 7/12/2011 | 314749268 | 58 | Yes | No | Electric shock | Body system | Electrical apparatus or wiring | Materials handling equipment or method | Procedure for handling materials not appropriate for task | ELECTROCUTION: An employee was removing damaged transformers and made contact with live 12 kv of electricity and was electrocuted. |
| 7/12/2011 | 315660423 | 33 | No | Yes | Fracture | Leg(s) | Ladder | Other | Other | 5 A WORKER FELL FROM A LADDER BREAKING HIS LEG: An employee fell from an extension ladder resulting in a compound fracture to his left leg. The employee was in the process of tacking down a weather proof wrap on the building when the extension ladder he was working from slipped out from under him. The employee's left leg slid between two of the ladder rungs as he was falling resulting in a compound fracture to his left leg below the knee joint. |

| | | | | | | | | | | |
|-----------|-----------|----|-----|-----|-----------------------------|------------------------------|------------------------------|--|---|--|
| 7/11/2011 | 315428920 | 31 | No | Yes | Bruise, contusion, abrasion | Neck | Person | Flying object action | Procedure for handling materials not appropriate for task | EMPLOYEE WAS STRUCK ON THE NECK BY A SHEET OF PLYWOOD.: The employee was working on the exterior of a building at the ground level below another worker who was also working on the exterior two stories above. The worker above dropped a 4x8 sheet of 1/2" plywood. The plywood landed on a metal railing next to the worker on the ground and deflected onto the worker neck and right shoulder, causing an abrasion. |
| 7/7/2011 | 314526716 | 72 | No | Yes | Bruise, contusion, abrasion | Liver | Motor vehicle (industrial) | Overhead moving and/or falling object action | Misjudgment of hazardous situation | EMPLOYEE WAS INJURED WHEN ATV ROLLED OVER: Employee was operating an ATV down a trail and flipped over onto the employee when the ATV hit a rock and lost control. |
| 7/5/2011 | 315428151 | 53 | No | Yes | Fracture | Chest | Materials handling equipment | Squeeze point action | Malfunction of procedure for lock-out tag-out | CRUSHED IN GARBAGE CRUSHER: A mechanic was crushed while working inside of the garbage crusher on a garbage truck he was servicing when the machine unexpectedly energized. |
| 7/4/2011 | 315660324 | 51 | No | Yes | Fracture | Foot, feet, toes or ankle(s) | Working surface | Working surface or facility layout condition | Other | STEPPED OFF A PORCH ONTO UNEVEN GROUND AND FELL.: The victim was about to give a living history demonstration at the Yaquina Bay Lighthouse when she stepped down from the porch, down the two steps and onto an uneven (cement) surface and fell. The victim was taken to the emergency room at the Newport Hospital by an ambulance with a broken left ankle/leg and right foot. |
| 7/1/2011 | 315660209 | 58 | No | Yes | Fracture | Foot, feet, toes or ankle(s) | Machine | Pinch point action | Safety devices removed or inoperative | FOOT CRUSHED: Employee was troubleshooting a broken air line, when he stepped onto a part of the looper, when another employee activated the looper and it came down and crushed his left foot. |
| 6/29/2011 | 314526708 | 38 | No | Yes | Fracture | Hip(s) | Motor vehicle (industrial) | Overhead moving and/or falling object action | Misjudgment of hazardous situation | EMPLOYEE WAS INJURED WHEN ATV ROLLED ONTOP OF EMPLOYEE.: Employee was operating a ATV when the ATV slowly rolled into a dip in the land causing the ATV to roll over onto the employee causing injury. |
| 6/28/2011 | 315427898 | 54 | Yes | No | Burn (chemical) | Multiple | Chemical (liquids or vapors) | Flammable liquid or solid exposure | Misjudgment of hazardous situation | MVA: A truck driver was killed when the loaded fuel tanker he was driving crashed through a guardrail, went over a cliff and caught fire. |

| | | | | | | | | | | |
|-----------|-----------|----|----|-----|------------|----------|------------------|--|--|---|
| 6/27/2011 | 315660266 | 37 | No | Yes | Puncture | Hand(s) | Biological agent | Other | Insufficient or lack of protective work clothing and equipment | EMPLOYEE INJECTED POULTRY VACCINE INTO HAND: The employee, who was working for a temporary farm labor contractor, was sent to an egg production facility to perform the process of manually vaccinating chickens with a Salmonella Enteritidis vaccine. The employee was in the process of restraining a chicken in order to vaccinate it. The chicken moved causing the employee to miss the chicken and hit their hand with the needle. |
| 6/27/2011 | 314788860 | 55 | No | Yes | Fracture | Multiple | Other | Other | Other | A NATURAL BREAK IN AN ALDER CAUSED IT TO FALL ON VICTIM.: The victim had moved into a cutting strip at the bottom of the unit where the majority of the trees were alder and maples. The victim was falling a small clump of maples when an alder 52 feet behind him where he had just walked in, fell and struck him. The alder had been broken off 14 feet up by wind, snow or just from leaning out heavy over the draw, but was still sitting on its self causing the break to not be visible to the victim. No trees had been felled in this area before the victim started falling the maple clump. The victim received multiple serious injuries including a broken left arm, broken ribs, bruised spleen, and a partially collapsed lung. |
| 6/25/2011 | 314748898 | 54 | No | Yes | Concussion | Head | Other | Overhead moving and/or falling object action | Misjudgment of hazardous situation | STRUCK BY: Employee was struck in head and upper body by a chunk from a top of a snag. |
| 6/23/2011 | 314748963 | 62 | No | Yes | Fracture | Head | Bodily motion | Working surface or facility layout condition | Misjudgment of hazardous situation | AN EMPLOYEE FELL FROM A DELIMBER THAT ROLLED OFF A TRAILER.: An employee was attempting to unload a delimeter from a low-boy trailer that was stuck on a right turn corner of a dirt logging road. The delimeter rolled off the trailer and down the embankment below the road shoulder. The delimeter operator, an employee, jumped out and landed head first onto the undercarriage of the delimeter experiencing face and head injuries. |

| | | | | | | | | | | |
|-----------|-----------|----|----|-----|-----------------------------|---------|------------------------------|--|------------------------------------|--|
| 6/22/2011 | 315427484 | 52 | No | Yes | Burn or scald (heat) | Abdomen | Fire or smoke | Temperature above or below tolerance level | Misjudgment of hazardous situation | BURN: An employee was in the process of Hot Topping a mold, which includes: removing the refractory blanket, poking the risers, hot topping the mold, and removing the tundish. Once the tundish was removed, he realized his coveralls were on fire. He stepped back and attempted to extinguish the flame, but it intensified. Other employees removed his coveralls and the shirt underneath, and wrapped him a gel blanket. The shirt under the coveralls was a cotton polyester blend. It is unclear if the ignition source was caused from a molten metal splash, or from the radiant heat of the casting. A fan in the area may have caused the fire to spread more rapidly. The employees sustained serious burns to his torso and arm. |
| 6/22/2011 | 315659946 | 45 | No | Yes | Bruise, contusion, abrasion | Back | Machine | Flying object action | Other | AN ATV ROLLED OVER INJURING THE OPERATOR.: An employee was riding with other personnel inventorying OHV/ATV trails in the Tillamook State Forest. The accident victim was operating an ATV and was traveling down a trail when he encountered a large rock in the middle of the trail. The accident victim attempted to navigate to the right of the rock, the tires slipped off the rock and the ATV slid into a large rut in the trail. The accident victim fell from the ATV into the rut and the ATV rolled on top of him. The accident victim injured his back and neck as a result of the accident. |
| 6/22/2011 | 315427476 | 52 | No | Yes | Concussion | Head | Chemical (liquids or vapors) | Chemical action/reaction exposure | Misjudgment of hazardous situation | EMPLOYEE KNOCKED DOWN BY TANK AFTER HYDROGEN IGNITION: At 1:30 PM on 6/22/11 an employee was using a grinder to cut off unistrut as part of a project to install hangers for processing pipe. The work was taking place next to a 300 gallon waste water tank, which was being used to dump a waste batch of Silicon Carbide slurry. The process being used generated a pocket of hydrogen, which ignited when a spark from the grinding ignited the hydrogen pocket. The ignition caused a wave that split the seam of the plastic tank and pushed the tank in the direction of the employee, knocking him to the ground. The employee was transported to the hospital, where he was admitted. The employee suffered a concussion and bruised ribs. |
| 6/22/2011 | 315427443 | 22 | No | Yes | Fracture | Abdomen | Hoisting apparatus | Flying object action | Other | EMPLOYEE WAS STRUCK BY AN UP-ENDED LOG.: The employee was pre-setting chokers when the rigging slinger blew the go-ahead whistle, and was struck by one of the logs in the turn. |

| | | | | | | | | | | | |
|-----------|-----------|----|-----|-----|----------|------------------------------|------------------------------|--|---|----|---|
| 6/21/2011 | 315659748 | 65 | Yes | No | Fracture | Head | Working surface | Working surface or facility layout condition | Operational position not appropriate for task | 16 | FALL-TO-BELOW: The victim was in the process of installing a compressor to a refrigeration unit on top of a approximately 16 foot high flat roof building when he came to the roof hatch and requested a bottle of water from his co-worker below. The co-worker went to the van to retrieve the water. Upon return he found the victim on the floor below. The victim sustained a head, spine and rib injury. He was transported the hospital where he died. |
| 6/21/2011 | 314525833 | 43 | No | Yes | Other | Abdomen | Motor vehicle (industrial) | Other | Other | | VICTIM HIT A ROCK AND CRASHED WHILE RIDING AN ATV.: The victim was riding an all-terrain vehicle (ATV) to inspect work done along an electrical transmission right-of-way. The WHEEL of the ATV struck a rock, throwing the victim off the ATV, causing the victim to roll down an embankment, suffering internal injuries in the crash. |
| 6/21/2011 | 315427765 | 54 | No | Yes | Fracture | Face | Materials handling equipment | Materials handling equipment or method | Other | | VICTIM FELL FROM WHEEL LOADER WHILE CHECKING FIRE EXTINGUISH: Technician fell off a front end loader after climbing on it to check the fire extinguisher in the cab. |
| 6/20/2011 | 314748781 | 65 | No | Yes | Fracture | Lower leg(s) | Other | Flying object action | Other | | MULTI PIECE TIRE RIM EXPLOSION: On 6/20/11, at approximately 12:30pm, Emp #1 was working on a forklift tire replacement in the maintenance shop. He had removed a defective tire/rim from the forklift and went to the spare rack to find a replacement. He removed a new 300-15 tire which was mounted on a multi piece rim which consisted of the rim, a ring and a lock ring. Emp #1 noticed that the tire seemed flat and checked the pressure which was less than 15 psi. He stood the tire on end near the forklift and placed a locking air nozzle on the valve. After a short period of time, Emp #1 went to check on the pressure of the tire. As he stood next to the tire, the rim/tire seperated explosively and caused severe trauma to his lower leg and ankle. He was transported to the hospital where he received medical treatment for his injuries and was released. |
| 6/17/2011 | 315659821 | 56 | No | Yes | Fracture | Foot, feet, toes or ankle(s) | Materials handling equipment | Materials handling equipment or method | Malfunction of procedure for securing operation or warning of hazardous situation | | STRUCK BY FORKLIFT: The victim was in the process of walking across the plant floor from line #5 to line #1, approximately 17 feet away. The victim looked to see if any traffic was in the area. There was not. He proceeded to walk when people started to shout. A forklift was traveling in reverse with 2 totes on the forks. The forklift struck the victim, then moved forward unaware of the victim beneath the counterweight in the back of the fork lift. When the forklift came to a stop the forklift operator spotted the victim. |

| | | | | | | | | | | |
|-----------|-----------|----|----|-----|----------------------|------------------------------|-------------------------|--|--|---|
| 6/15/2011 | 315427146 | 32 | No | Yes | Amputation | Foot, feet, toes or ankle(s) | Hand tool (powered) | Shear point action | Other | EMPLOYEE'S TOE WAS AMPUTATED WHILE USING A LAWN MOWER.: An employee was using a push rotary mower when he slipped on an incline and caught his right foot on the blade. Employee did not release the safety bale which caused the mower to continue operating. |
| 6/15/2011 | 314525494 | 24 | No | Yes | Burn or scald (heat) | Face | Fire or smoke | Flammable liquid or solid exposure | Insufficient or lack of protective work clothing and equipment | VICTIM SUFFERED BURNS TO THE FACE FROM A FLASH-FIRE.: The victim was attempting to take asphalt samples from the asphalt plant discharge chute with a flat shovel. A flash fire occurred and flame came out of the chute, burning the victim's face. |
| 6/14/2011 | 315427112 | 54 | No | Yes | Cut or laceration | Arms(s) - multiple | Bodily motion | Catch point or puncture action | Operational position not appropriate for task | EMPLOYEE TENDING A DIE CASTER CUT FOREARM.: A die caster tender was skimming slag from an aluminum smelting vat with a hand held ladle. When he reached to hang the ladle on a post, he scrapped his right forearm on a small spike of hardened aluminum and suffered a cut. He was transported to the hospital and received stitches. |
| 6/13/2011 | 315427047 | 25 | No | Yes | Fracture | Foot, feet, toes or ankle(s) | Machine | Other | Misjudgment of hazardous situation | STRUCK BY VEHICLE: Employee left ankle and tibia fractured when struck by roll cage of a John Deere XUV 620I when vehicle tipped over. |
| 6/11/2011 | 315427021 | 37 | No | Yes | Fracture | Foot, feet, toes or ankle(s) | Ladder | Other | Other | 8 AN EMPLOYEE FELL FROM AN EXTENSION LADDER: The worker was standing on an extension ladder when he slightly leaned over the left, and attempted to cover an exterior light, the extension ladder then slipped to the opposite direction, and the worker jumped from the ladder to the concrete driveway, falling approximately 8 feet. |
| 6/9/2011 | 315659888 | 58 | No | Yes | Fracture | Hip(s) | Ladder | Other | Other | VICTIM FELL FROM LADDER.: The victim (Store Sales Clerk) was marking down retail items from a ladder, when she fell to the floor. As a result, her hip was fractured. |
| 6/8/2011 | 314525551 | 46 | No | Yes | Other | Multiple | Motor vehicle (highway) | Other | Misjudgment of hazardous situation | EMPLOYEE WAS SERIOUSLY INJURED IN A TRAFFIC ACCIDENT: One employee recieved multiple injuries while in a traffic accident about one mile east of Black Butte Ranch in Sisters, Oregon. |
| 6/8/2011 | 315426882 | 35 | No | Yes | Amputation | Finger(s) | Machine | Materials handling equipment or method | Misjudgment of hazardous situation | EMPLOYEE PULLED WIRE HAND GOT CAUGHT.: The employee attempted to pull a wire from the screen machine that was caught up and spinning. As he pulled the wire, the wire ripped away from him and injured three fingers. |

| | | | | | | | | | | | |
|-----------|-----------|----|----|-----|---------------------|--------------------|----------------------------|--|---|----|--|
| 6/8/2011 | 315428250 | 31 | No | Yes | Fracture | Arms(s) - multiple | Machine | Catch point or puncture action | Safety devices removed or inoperative | | EMPLOYEE STUCK ARM INTO PRINTER, COMPOUND FRACTURE FOREARM.: The employee was using a CNC Printer with the interlocks bypassed and the doors open exposing him to the moving printer head. The employee stuck his arm into the path of the printer head and suffered a compound fracture of the forearm. |
| 6/3/2011 | 314788290 | 27 | No | Yes | Fracture | Multiple | Working surface | Working surface or facility layout condition | Insufficient or lack of engineering controls | 25 | VICTIM FELL THROUGH A ROOF SKYLIGHT 25 FEET TO CEMENT FLOOR.: The victim was performing routine annual maintenance to refrigeration units on the roof of a retail building. The victim was walking on the roof when he broke through a domed skylight and fell approximately 25 feet to the cement warehouse floor. |
| 6/2/2011 | 314525254 | 50 | No | Yes | Fracture | Lower leg(s) | Motor vehicle (industrial) | Materials handling equipment or method | Procedure for handling materials not appropriate for task | | VICTIM WAS STRUCK BY A FORKLIFT: The victim, a Sanitation worker, had walked to the outdoor Receiving area to speak to coworkers. As she returned to the main plant after talking to the coworkers, she crossed the "Forklift Path" and was struck-by a forklift. |
| 5/31/2011 | 315426478 | 40 | No | Yes | Other | Body system | Other | Materials handling equipment or method | Other | | EMPLOYEE WAS PINNED BETWEEN LOADING DOCK AND TRAILER.: A construction employee was pinned between the dock plate and the back of a 53 foot truck/trailer that was backing up to unload. |
| 5/31/2011 | 314616764 | 51 | No | Yes | Fracture | Multiple | Machine | Other | Other | | A LOGGING YARDER TIPPED OVER PINNING THE OPERATOR INSIDE.: The guyline system on a Thunderbird TSY 255 logging yarder failed causing the machine to tip over pinning the operator inside. |
| 5/27/2011 | 314748187 | 46 | No | Yes | Foreign body in eye | Eye(s) | Motor vehicle (highway) | Flying object action | Operational position not appropriate for task | | STRUCK IN LEFT EYE: An employee was changing the drum brakes on a 1998 FLD Freightliner highway truck and while stretching an anchor spring, it dislodged and struck the employee in the left eye. |
| 5/26/2011 | 314748138 | 68 | No | Yes | Concussion | Head | Water | Other | Other | | SAME LEVEL FALL: On May 26, 2011 an employee was walking down a hallway on the 2nd floor towards other room away from the office they worked in. As she was walking she slipped in water that had accumulated on the floor from a drain on the 3rd floor. The employee received an head injury from the fall. The employee was transported by ambulance to Bay Area Hospital in Coos Bay. She was then airlifted to Legacy Emanuel in Portland with a head injury. The victim was treated and admitted to the hospital and released at a later date expected to fully recover. |

| | | | | | | | | | | |
|-----------|-----------|----|-----|-----|-----------------------------|--------------------|------------------------------|------------------------------------|---|--|
| 5/25/2011 | 315426056 | 31 | Yes | No | Burn or scald (heat) | Arms(s) - multiple | Chemical (liquids or vapors) | Other | Procedure for handling materials not appropriate for task | EXPLOSION: explosion |
| 5/23/2011 | 314525213 | 50 | No | Yes | Burn or scald (heat) | Face | Fire or smoke | Flammable liquid or solid exposure | Operational position not appropriate for task | FLASH FIRE RESULTING IN BURNS TO THE FACE: Victim was in the process of making a visual inspection of asphalt coming from the asphalt plant mixer drum. While looking over the edge of the transfer point between the slat elevator and the mixer drum discharge a flash fire occurred in the mixer from the mixer drum. The victim received burns to the face from the flash fire. 911 was called and he was treated by other employees until the ambulance arrived and he was transported to the local hospital. He was later transported to Portland to be treated for the burns sustained. |
| 5/19/2011 | 314616574 | 20 | No | No | Bruise, contusion, abrasion | Chest | Motor vehicle (highway) | Other | | MULTIPLE VEHICLE BROADSIDE COLLISION ON PUBLIC ROADWAY.: An automobile-(A) with three employees was broadsided by another automobile-(B) when the driver of automobile-(A) failed to stop and/or yield to oncoming cross-traffic at a 2-way stop- controlled, 4-way intersection. |
| 5/19/2011 | 314616574 | 37 | No | No | Bruise, contusion, abrasion | Chest | Motor vehicle (highway) | Other | | MULTIPLE VEHICLE BROADSIDE COLLISION ON PUBLIC ROADWAY.: An automobile-(A) with three employees was broadsided by another automobile-(B) when the driver of automobile-(A) failed to stop and/or yield to oncoming cross-traffic at a 2-way stop- controlled, 4-way intersection. |
| 5/19/2011 | 314616574 | 40 | No | Yes | Fracture | Hip(s) | Motor vehicle (highway) | Other | | MULTIPLE VEHICLE BROADSIDE COLLISION ON PUBLIC ROADWAY.: An automobile-(A) with three employees was broadsided by another automobile-(B) when the driver of automobile-(A) failed to stop and/or yield to oncoming cross-traffic at a 2-way stop- controlled, 4-way intersection. |

| | | | | | | | | | | | |
|-----------|-----------|----|-----|-----|------------|------------------------------|-------------------------|--|---|-------|---|
| 5/18/2011 | 315426007 | 59 | No | Yes | Other | Other body system | Other | Other | Other | Other | ACCUTE GASTRITIS: The incident occurred on May 18, 2011 and involved a second shift worker in the acid recovery area. At about 4:00PM, two hours after starting work, the victim experienced extreme stomach irritation including vomiting. He was sent to the emergency room via an ambulance. He did not have a heart attack, however his reaction looked like a heart attack, and the incident was initially reported as a heart attack. The victim works in the acid recovery area and runs a scrubber that cleans sulfuric acid (10) from the pickling process. The process is well ventilated and most of the tasks are automated. The company's insurance carrier has conducted industrial hygiene sampling in the area on numerous occasions and the sulfuric acid levels have always been very low. The sampling was conducted using good IH techniques (e.g. sufficient quantity) |
| 5/16/2011 | 315425595 | 33 | No | Yes | Fracture | Foot, feet, toes or ankle(s) | Ladder | Materials handling equipment or method | Operational position not appropriate for task | 12 | FALL FROM LADDER TO LOWER LEVEL: Employee fell from ladder to lower level fracturing both ankles. |
| 5/14/2011 | 315425488 | 40 | No | Yes | Fracture | Leg(s) | Motor vehicle (highway) | Illumination | Misjudgment of hazardous situation | | STRUCK BY VEHICLE: A deputy sheriff was struck by a vehicle while attempting to stop traffic. |
| 5/11/2011 | 315425223 | 60 | Yes | No | Fracture | Abdomen | Air pressure | Flying object action | Misjudgment of hazardous situation | | EXPLOSION: A millwright was attempting to disassemble a hydraulic accumulator for rebuilding. After experiencing difficulty disassembling the cylinder the millwright obtained the assistance of two additional millwrights who were attempting to remove a screw-on end cap when nitrogen stored under pressure in the cylinder caused an explosion. |
| 5/11/2011 | 315425223 | 58 | No | Yes | Concussion | Head | Air pressure | Flying object action | Misjudgment of hazardous situation | | EXPLOSION: A millwright was attempting to disassemble a hydraulic accumulator for rebuilding. After experiencing difficulty disassembling the cylinder the millwright obtained the assistance of two additional millwrights who were attempting to remove a screw-on end cap when nitrogen stored under pressure in the cylinder caused an explosion. |
| 5/11/2011 | 315425223 | 40 | No | Yes | Fracture | Arms(s) - multiple | Air pressure | Flying object action | Misjudgment of hazardous situation | | EXPLOSION: A millwright was attempting to disassemble a hydraulic accumulator for rebuilding. After experiencing difficulty disassembling the cylinder the millwright obtained the assistance of two additional millwrights who were attempting to remove a screw-on end cap when nitrogen stored under pressure in the cylinder caused an explosion. |

| | | | | | | | | | | |
|-----------|-----------|----|----|-----|------------|-----------|---------|--|------------------------------------|---|
| 5/11/2011 | 314787755 | 28 | No | Yes | Amputation | Finger(s) | Machine | Shear point action | Misjudgment of hazardous situation | EMPLOYEE HAD THREE FINGERS AMPUTATED: At approximately 8:05 a.m., after utilizing lockout/tagout procedures to unplug a trim chopper, the victim and another employee re-energized the trim chopper. At this time, they still heard some noise, so without utilizing lockout/tagout procedures, the victim and the other employee removed the inspection plate to the trim chopper to inspect it further. In the process of removing the inspection plate, the victim's left hand was sucked into the trim chopper amputating three fingers between the first and second joints. Assistance was given to the victim and 911 was called. He then was transported to a local hospital where he was admitted and had surgery the same day on his hand. He was discharged from the hospital the next day. |
| 5/10/2011 | 315425231 | 61 | No | Yes | Amputation | Finger(s) | Machine | Other | Misjudgment of hazardous situation | THE WORKER PLACED HER HAND UP INTO THE DICER CHUTE.: The worker was assigned to remove banana residues from the conveyor belt and from outside the dicer chute, she placed her right hand up into the chute, and got three fingers amputated. |
| 5/6/2011 | 314524943 | 32 | No | Yes | Other | Abdomen | Machine | Other | Other | EMPLOYEE WAS WRAPPED UP BY A SHAFT: Victim was in the process of blowing down the equipment when he leaned over the moving shaft it had a bolt protruding from the shaft and it wrapped up his shirt pulling him into the shaft and spinning him around with the rotation of the shaft. Victim suffered injuries to the groin area and was transported to the hospital. |
| 5/5/2011 | 314525098 | 54 | No | Yes | Fracture | Leg(s) | Other | Overhead moving and/or falling object action | Misjudgment of hazardous situation | EMPLOYEE WAS INJURED WHEN A STACK OF TIRES FELL ONTO HIM.: One employee was injured when he was unloading semi tires from the back of a semi trailer and as he bent down to grasp a semi tire from the ground level, a stack of semi tires fell from the trailer hitting the employee to the concrete ground. |
| 5/3/2011 | 315424812 | 31 | No | Yes | Fracture | Back | Ladder | Working surface or facility layout condition | Other | 6 THE WORKER FELL FROM A LADDER ABOUT 6 FT TO THE LOWER LEVEL.: The employee was climbing up a ladder while carrying a vacuum, he lost his balance and fell down about 6 feet to the lower level. |

| | | | | | | | | | | |
|-----------|-----------|----|-----|-----|------------|------------------------------|------------------------------|----------------------|---|---|
| 5/3/2011 | 314524737 | 50 | No | Yes | Fracture | Foot, feet, toes or ankle(s) | Materials handling equipment | Squeeze point action | Misjudgment of hazardous situation | STRUCK BY A FORKLIFT RESULTING IN FRACTURED FEET: The victim attempted to get the attention of the operator concerning a message. While attempting to get the attention of the operator he entered the turning radius of the steering axle of the forklift being operated by another employee. The operator was looking and turning the forklift away from the victim. When the forklift started forward one tires of the steering axle struck the victim's feet. The victim's feet were crushed. The crushing resulted in multiple fractures to both feet. The operator after hearing the yelling stopped and then had to back off the victims feet. The operator called for help and 911 was called. Employees provided emergency first aid until the victim was stabilized and transported to the local hospital. The victim was later air life transported to a hospital in Idaho for additional surgery. |
| 4/26/2011 | 314787482 | 37 | No | Yes | Amputation | Hand(s) | Materials handling equipment | Pinch point action | Safety devices removed or inoperative | EMPLOYEE HAD HIS ARM COUGHT IN A INCISOR PRESS: When the accident occurred, the employee was feeding the incisor machine which installs divots in guard rail posts. The employee's hand was on the top of the six by eight inch post as it moved towards the incisor roll. The employee had to move the post near the incisor roll and got his hand caught in the incisor roll and between the post. |
| 4/24/2011 | 314747221 | 22 | No | Yes | Amputation | Finger(s) | Machine | Pinch point action | Operational position not appropriate for task | EMPLOYEE CAUGHT FINGER IN PINCH POINT.: An employee was pulling trays from the discharge side of the SMI tray washer. As he bent at the waist to place a tray into the bottom of a round tote, his fourth finger slid forward into an unguarded pinch point. This amputated the finger from the base of fingernail to tip. |
| 4/21/2011 | 314787623 | 43 | Yes | No | Other | Other body system | Firearm | Other | Misjudgment of hazardous situation | THE VICTIM WAS SHOT WHILE ATTEMPTING TO MAKE A TRAFFIC STOP.: The victim (motor cycle police officer) attempted to stop a vehicle in the Eugene jurisdiction. The vehicle would not pull over and was attempting to allude the police officer. The pursuit speed was approximately 80 mph and led the vehicle into the Springfield jurisdiction. The vehicle being pursued and the police officer came to an intersection on I-105 and 52nd street, the car being pursued became blocked in by traffic. The police officer pulled up next to the vehicle and motioned with his outstretched arm to pull over, the person in the vehicle shot the victim under his arm and above the edge of his protective vest. |

| | | | | | | | | | | |
|-----------|-----------|----|----|-----|-----------------------------|------------------------------|------------------------------|--|---|--|
| 4/20/2011 | 314615790 | 50 | No | Yes | Fracture | Lower leg(s) | Other | Squeeze point action | Procedure for handling materials not appropriate for task | CRUSHED BY: On or about April 20, 2011, at approximately 8:30 a.m., the victim was in the process of applying sheetrock to the exterior of a large building, when a stack of sheetrock shifted and fell against him, causing both legs to be broken. |
| 4/19/2011 | 314747098 | 19 | No | Yes | Amputation | Foot, feet, toes or ankle(s) | Machine | Pinch point action | Malfunction of procedure for lock-out tag-out | CAUGHT IN CONVEYOR: Emp #1 was engaged in the operation of a veneer banding machine. A unit of veneer on the conveyor from the stacker had several sheets on top that were skewed. Emp #1 went around the machine and stepped up onto the edge of the infeed conveyor to straighten the sheets. When he did so, he made contact with a fluted infeed roll which caught the left side of his foot and pinched it between another roll on the infeed conveyor. Employees in the area responded quickly, extricated him from the conveyor and got him to an awaiting ambulance. He was transported to a local hospital and then transferred for additional surgery to his left foot which had two toes amputated. |
| 4/11/2011 | 315423459 | 54 | No | Yes | Bruise, contusion, abrasion | Abdomen | Other | Flying object action | Misjudgment of hazardous situation | PYROTECHNIC DEVICE EXPLOSION: A pyrotechnic explosive device (seal bomb) exploded in the pocket of a seal hazer. |
| 4/6/2011 | 314786872 | 19 | No | Yes | Cut or laceration | Hand(s) | Machine | Squeeze point action | Operational position not appropriate for task | HAND CAUGHT BETWEEN PIPE AND HYDRAULIC PRESS: The victim was operating a hydraulic press. The operator's hand was caught between the upper platen press and the steel pipe edge, severely lacerating his right hand. |
| 4/6/2011 | 315423160 | 46 | No | Yes | Burn or scald (heat) | Multiple | Gases | Flammable liquid or solid exposure | Other | PROPANE EXPLOSION RESULTING IN BURNS: Victim was refueling a propane forklift when an explosion occurred resulting in 1st and 2nd degree burns to the face and hands. |
| 4/5/2011 | 314615493 | 39 | No | Yes | Fracture | Shoulders | Materials handling equipment | Overhead moving and/or falling object action | Misjudgment of hazardous situation | VICTIM WAS CRUSHED BY TRAILER.: The victim was in the process of cutting a truss trailer into pieces for recycling, when the goose neck portion of the trailer tipped over onto him. As a result, the victim's right shoulder was severely injured. |
| 4/4/2011 | 314523911 | 57 | No | Yes | Cut or laceration | Hand(s) | Machine | Other | Misjudgment of hazardous situation | EMPLOYEE CUT HAND ON A TRIM SAW.: One employee was trying to show the operator of the trim saw a blemish and his glove contacted the saw blade pulling his hand into the blade. |

| | | | | | | | | | | |
|-----------|-----------|----|----|-----|----------------------|--------------------|--------------------------------|---|---|--|
| 4/4/2011 | 315423129 | 53 | No | Yes | Amputation | Finger(s) | Materials handling equipment | Materials handling equipment or method | Procedure for handling materials not appropriate for task | FINGERS CAUGHT BETWEEN CAUSING CRUSHING/AMPUTATION.: A forklift with a tipping dump box was being used to transport and unload trash into a larger dumpster. The victim climbed into the larger dumpster to make room for the load of trash. The victim then released the locking lever of the tipping dump box. The tipping motion of the dump box caught the victim's fingers between the tipping box and the forklift. |
| 4/1/2011 | 314746496 | 34 | No | Yes | Fracture | Arms(s) - multiple | Materials handling equipment | Flying object action | Misjudgment of hazardous situation | STRUCK BY: At approximately 7a.m. three employees had just set the chokers on three logs. The Rigging Slinger blew the whistles for the carriage and yarder to start pulling on the lines to yard the logs to the landing. As the drop line on the carriage picked up slack and was coming tight, the drop line picked up a cedar chunk approximately 5 feet long and 4 to 5 inches in diameter. As the drop line came tight it threw the cedar chunk at the Rigging Slinger. The Rigging Slinger attempted to get away but fell twice in his attempt. The chunk hit the Rigging Slinger on the left side fracturing his shoulder and upper arm. The Rigging Slinger was transported to a hospital by private vehicle. The Rigging Slinger is expected to recover. |
| 3/31/2011 | 315422972 | 39 | No | Yes | Electric shock | Arms(s) - multiple | Electrical apparatus or wiring | Weather, earthquake, etc. condition | Defective equipment: Knowingly used | THE WORKER STEPPED ON A POWER CORD AND WAS SHOCKED: The worker was cleaning the broiler with soap and water, then she stepped back onto the power cord for the freezer and was shocked. |
| 3/28/2011 | 315422642 | 57 | No | Yes | Fracture | Face | Working surface | Other | Operational position not appropriate for task | AN EMPLOYEE FELL FROM A 5-6 FOOT WALL WHILE DOING WORK.: A blower truck driver was in the backyard of a private residence applying bark dust while standing on a 5 or 6 foot wall when he fell and fractured his jaw. He climbed the wall because he had no foot traction while on a steep hill. |
| 3/27/2011 | 315422667 | 45 | No | Yes | Burn or scald (heat) | Face | Pump or prime motor | Overpressure or underpressure condition | Malfunction of procedure for lock-out tag-out | CHANGING OUT A PUMP/ HOT ASPHALT SPLASHED INTO FACE: The victim was changing out a gasket in a hot asphalt pump and was sprayed in the face with hot asphalt. |

| | | | | | | | | | | |
|-----------|-----------|----|-----|-----|------------|-----------|-------------------------|--|---|--|
| 3/25/2011 | 315422717 | 35 | No | Yes | Amputation | Finger(s) | Machine | Shear point action | Malfunction of procedure for lock-out tag-out | AMPUTATION-RING & MIDDLE FINGERS RIGHT HAND BY MEAT PKG MACH: The injured employee was at the end of her shift and was preparing a meat vacuum packaging machine for cleaning by the cleaning crew. The employee raised the machines' "hood" and placed her hands into the cutting area and exit tube to clean out pieces of meat. While her right hand/fingers were in the tube area the machine "turned on" and amputated the middle and ring finger of her right hand. The employee immediately walked to the breakroom area and reported the injury and EMT's were called to respond. The injured employee was transported to Emanuel Hospital for treatment and overnight stay. |
| 3/25/2011 | 315422352 | 52 | Yes | No | Fracture | Head | Motor vehicle (highway) | Overhead moving and/or falling object action | Malfunction of procedure for lock-out tag-out | CRUSHED UNDER VEHICLE: An auto mechanic was crushed under the vehicle he was working on when the vehicle fell from jack stands being used to lift the wheels off from the floor of the shop. |
| 3/16/2011 | 314615170 | 52 | Yes | No | Fracture | Head | Waste products | Flying object action | Operational position not appropriate for task | STRUCK-BY: The victim was in the process of cleaning up under the chipper feed conveyor in the mill. As he was doing his assigned task it appears a piece of lumber came off the conveyor and struck the victim on the right side of his face above and in the eye. He managed to stagger approximately 12 feet to a stairway leading to an upper deck where the other crew members were. He collapsed at the foot of the stairway, bleeding profusely until a co-worker found him approximately thirty minutes later. |
| 3/16/2011 | 314524232 | 41 | No | Yes | Amputation | Finger(s) | Machine | Shear point action | Misjudgment of hazardous situation | EMPLOYEES RIGHT FINGER WAS AMPUTATED FROM A CHOPSAW: Employee had cut off an end of a 2x6 piece of lumber and then reached under the guard to remove the cut end and cut off his right pinky and index finger. |

| | | | | | | | | | | |
|-----------|-----------|----|----|-----|--------------------|----------------|------------------------------------|--|--|--|
| 3/15/2011 | 315422386 | 28 | No | Yes | Burn (chemical) | Leg(s) | Chemical (liquids or vapors) | Chemical action/reacti on exposure | Equipment inuse not appropriate for operation or process | CHEMICAL SPLASH AND SKIN BURN: An employee was manually dipping baskets of metal parts into a series of three drums filled with caustic liquid (mixture of sodium hydroxide and sodium cyanide). He splashed his pants with the caustic while moving a basket. He was wearing an apron, however the basket brushed the side of this leg and moved the apron out of place. He felt a burning sensation on his leg and consulted a fellow employee for advice. He was told to rinse this leg using the emergency eyewash station. The worker attempted to run water over his leg. He worked through the shift despite some pain and discomfort. When he got home that evening his nylon pants were sticking to the skin on his leg and he had to peel them off. It was at this point that realized that the burns were serious. At approximately 4 AM he was in extreme pain and went to the emergency room. During the initial emergency room visit the doctor treated the wound topically for first degree burns and he was released - not admitted. Over the weekend, the burn wounds became infected and by Monday he could not walk. He was transported immediately via ambulance to the Emanuel Burn Unit. He had developed a methicillin-resistant staphylococcus aureus (MRSA) infection and was hospitalized for nearly a week. |
| 3/15/2011 | 315421958 | 50 | No | Yes | Fracture | Body system | Machine | Other | Safety devices removed or inoperative | TWO GUY LINE STUMPS ON THE YARDER, CAUSING IT TO TIP OVER: The engineer was pulling in a turn of logs, when 2 of the 3 guy line stumps pulled, resulting in the yarder tipping over, with the cab smashing into the counter balance of the processor. |
| 3/14/2011 | 314615006 | 36 | No | Yes | Fracture | Hand(s) | Machine | Pinch point action | Procedure for handling materials not appropriate for task | CAUGHT IN CALENDER: On or about March 14, 2011 at approximately 8:40 am, the victim was in the process of cleaning a 5 foot diameter roller on a Calendar. He was on the ingoing feed side when the machine was running at full speed. The victim sprayed cleaner on the roller then while wiping it off with a piece of paper towel, his right hand was caught in the rollers between the top and center rollers. It crushed his right hand. |
| 3/14/2011 | 314746207 | 46 | No | Yes | Fracture | Chest | Hoisting apparatus | Pinch point action | Malfunction of procedure for securing operation or warning of hazardous situation | AN EMPLOYEE WAS CAUGHT BETWEEN AND STRUCK BY A PIPE SECTION.: An employee working as a laborer on a gas line construction project was struck and crushed between two sections of pipe. He was caught between a cribbed section of pipe and a suspended pipe that was in motion from a side boom. He experienced broken ribs and upper chest injury from the impact. He was flown my medical helicopter to the hospital. |

| | | | | | | | | | | |
|-----------|-----------|----|----|-----|----------------------|--------------|--------------------------------|--|---|--|
| 3/14/2011 | 314615113 | 58 | No | Yes | Burn or scald (heat) | Face | Electrical apparatus or wiring | Materials handling equipment or method | Insufficient or lack of protective work clothing and equipment | ELECTRIC SHOCK: The victim was in the process of receiving a fish tape through a conduit so he could take a measurement of the length of wire that the crew would cut for this specific job. The crew was having trouble pushing the fish tape through the conduit, it had stuck a couple of times. The victim was standing next to a live 480- volt, 3000 amp, busbar. The tape sprung out of the conduit into the busbar. Upon contact it created a huge fireball. The victim sustained burns to the back of his hands and to his face and head. |
| 3/9/2011 | 314786054 | 50 | No | Yes | Fracture | Back | Motor vehicle (industrial) | Overhead moving and/or falling object action | Safety devices removed or inoperative | GRASS MOWER ROLL OVER: While traveling on a narrow gravel road in a grass mower, the vehicle began to bounce. The victim applied the brakes which were not set in traveling mode. Without locking the two brakes together, this caused mower to veer off the roadway, rolling down an embankment. |
| 3/2/2011 | 314614884 | 44 | No | Yes | Fracture | Leg(s) | Motor vehicle (industrial) | Pinch point action | Malfunction of procedure for securing operation or warning of hazardous situation | VICTIM SUFFERED A BROKEN LEG.: The victim was being trained on how to operate a yard "goat" truck. He and another employee were standing on a platform just behind and outside the truck cab. The victim and the other employee were being shown how to pick-up a truck trailer. The king pin can be lowered or raised depending on the height of the trailer. The trainer went to back up to hook up to the trailer, the 5th wheel was lowered to low and the truck backed under the trailer. While the two employees were getting a hand-hold on the truck, they didn't see the trailer coming. The trailer struck the cab of the truck causing the victim to be pinned against the cab and the trailer. The victim suffered a broken leg. |
| 2/25/2011 | 315421081 | 48 | No | Yes | Fracture | Lower arm(s) | Machine | Squeeze point action | Malfunction of perception system with respect to task environment | FOREARM CAUGHT IN TUBE BENDING MACHINE CAUSING FRACTURE: The victim was working in a production shop bending tubing approximately 4 inches in diameter. Victim stated he was attempting to load a piece of tubing onto the mandrel of the bending machine with his left hand while advancing the mandrel toward the tube clamp using buttons on a control panel to his right. Victim believes he pressed the wrong button causing the clamp to close. At this time, his left arm was positioned between the clamps and was crushed. Victim immediately released the clamp using the control panel and was aided by coworkers. |

| | | | | | | | | | | | |
|-----------|-----------|----|----|-----|----------|----------|------------------------------|--|---|----|---|
| 2/24/2011 | 314745548 | 21 | No | Yes | Fracture | Multiple | Materials handling equipment | Overhead moving and/or falling object action | Misjudgment of hazardous situation | | STRUCK BY: A logging crew started work cable yarding a new road that they had made the road change on the day before. The Hooktender had hired a new employee that started his first day on the rigging crew. The experienced Hooktender, Rigging Slinger and Choker Setter were working with the new employee on the rigging. The rigging crew had worked their way down steep terrain about two to three hundred feet below the landing. The rigging crew sent in a turn of logs consisting of two logs, one log per choker. The two logs got to the landing. The Chaser had un-belled the choker on the top log. The top log was across the bottom logs choker. The Chaser signaled for the processor operator to move the top log. As the processor reached for the top log the log was bumped. Because there was snow on the ground the log slid off the landing down the hill toward the rigging crew. A long whistle was blown to warn the crew. The Hooktender hollered to warn the crew to run. The crew all ran. When the log stopped, the Hooktender and Rigging Slinger saw the new employee lying on the ground. No one actually saw the new employee get hit so it is unclear if the log or another object hit the injured person. The employee received multiple fractures including his skull. He was transported by ambulance to a local hospital and then airlifted to Legacy Emanuel Hospital in critical condition. |
| 2/23/2011 | 314524216 | 50 | No | Yes | Fracture | Leg(s) | Hoisting apparatus | Materials handling equipment or method | Equipment in use not appropriate for operation or process | 37 | TWO EMPLOYEES OVERTURNED A MAN BASKET FALLING 37FT: Two employees overloaded a Genie S-65 man lift with 12 sheets of 3/4 inch plywood. As the employee turned to man lift boom to the right, the man lift fell 37ft to the ground with both employees still inside the basket. |
| 2/23/2011 | 314524216 | 38 | No | Yes | Fracture | Leg(s) | Hoisting apparatus | Materials handling equipment or method | Equipment in use not appropriate for operation or process | 37 | TWO EMPLOYEES OVERTURNED A MAN BASKET FALLING 37FT: Two employees overloaded a Genie S-65 man lift with 12 sheets of 3/4 inch plywood. As the employee turned to man lift boom to the right, the man lift fell 37ft to the ground with both employees still inside the basket. |
| 2/23/2011 | 315421115 | 24 | No | Yes | Fracture | Multiple | Materials handling equipment | Flying object action | Misjudgment of hazardous situation | | TWO EMPLOYEES WERE STRUCK BY A CHOKED LOG: The two employees were in the process of picking up the road-line in preparation of changing roads. The employees choked several logs, blew the go-ahead, when one of the logs swung around, hitting both employees, causing bodily injuries. |

| | | | | | | | | | | |
|-----------|-----------|----|-----|-----|----------------------|--------------------|--------------------------------|--|---------------------------------------|---|
| 2/23/2011 | 315421115 | 24 | No | Yes | Fracture | Multiple | Materials handling equipment | Flying object action | Misjudgment of hazardous situation | TWO EMPLOYEES WERE STRUCK BY A CHOKED LOG: The two employees were in the process of picking up the road-line in preparation of changing roads. The employees choked several logs, blew the go-ahead, when one of the logs swung around, hitting both employees, causing bodily injuries. |
| 2/23/2011 | 315420984 | 40 | No | Yes | Other | Upper Arm(s) | Machine | Pinch point action | Safety devices removed or inoperative | CAUGHT IN: Employee reached through a series of rotating belts to remove a paper core in the calendar rolls of a rewinding machine. The sleeve of his winter coat was pulled into the belt. Employee sustain significant injuries that included the removal of portions of his bicep and brachialis muscle groups. |
| 2/22/2011 | 315421008 | 50 | No | Yes | Fracture | Multiple | Ladder | Weather, earthquake, etc. condition | Other | FALL FROM A FIXED METAL LADDER: The victim is a truck driver employed to haul wood chips from a sawmill . The mill is located near Mist Oregon. The victim was in the process of loading his trailer with wood chips from the wood chip bunker. The employee was climbing a fixed ladder attached to the wood chip bunker to access a work platform where the bunker load valve is located. The victim fell from the ladder to the ground fracturing his ankle, pelvis and L-5 vertebrae. The work platform is nine feet eight inches above the ground level. |
| 2/22/2011 | 315420604 | 48 | No | Yes | Burn or scald (heat) | Face | Electrical apparatus or wiring | Temperature above or below tolerance level | Other | ELECTRICAL EXPLOSION: A journeyman meterman sustained serious electrical burns when a meter base assembly exploded as the worker was installing a meter. |
| 2/18/2011 | 315420869 | 53 | Yes | No | Other | Head | Other | Flying object action | Other | EMPLOYEE WAS STRUCK BY A TREE WHILE FALLING ANOTHER TREE.: The employee was in the process of falling an 15 inch hemlock, and as the hemlock was falling, the top portion of another small hemlock behind the employee broke off, hitting the employee on the head, resulting in the employee dying. |
| 2/12/2011 | 314614504 | 45 | No | Yes | Fracture | Arms(s) - multiple | Machine | Pinch point action | Safety devices removed or inoperative | VICTIM GOT HIS ARM CAUGHT IN A TAILSPPOOL FOR A CONVEYOY BELT: The victim was trying to clean away dirt from a conveyor belt with a stick when the stick was caught by the tailspool. This caused the victim's right arm to be pulled in between the tailspool and the conveyor belt. The injury sustained from this accident were broken bones to the right forearm. |
| 2/10/2011 | 315420034 | 25 | Yes | No | Fracture | Head | Boxes, barrels, etc | Overhead moving and/or falling object action | Misjudgment of hazardous situation | STRUCK-BY: A warehouse worker was killed when the forklift he was operating struck an overhead storage rack causing the contents to fall on the worker. |

| | | | | | | | | | | |
|-----------|-----------|----|----|-----|-----------------------------|-------------------|--------------------------------|--|---|---|
| 2/8/2011 | 315420919 | 52 | No | Yes | Bruise, contusion, abrasion | Abdomen | Hoisting apparatus | Pinch point action | Misjudgment of hazardous situation | A STEEL I-BEAM STRUCK WORKER: The worker was located in a man basket with a second worker. The work involved removing an I- beam from under a bridge. As the I- beam was being removed it swung towards the man basket. The I- beam made contact with the worker pining him between the man basket railing and the I- beam. |
| 2/3/2011 | 314975285 | 23 | No | Yes | Cut or laceration | Face | Hand tool (powered) | Flying object action | Equipment inuse not appropriate for operation or process | STRUCK IN FACE BY ABRASIVE WHEEL: While operating a Sthil cut off saw the abrasive wheel broke. Parts of the wheel struck the operator in the face causing serious cuts. |
| 1/28/2011 | 314745191 | 21 | No | Yes | Amputation | Finger(s) | Machine | Catch point or puncture action | Malfunction of perception system with respect to task environment | EMPLOYEES HAND MADE CONTACT WITH SAWBLADE: Employee reached over cut saw to discard trash wood and as his hand came back it contacted the back of the cut saw blade. The saw pulled his gloved hand in and amputated fingers. |
| 1/28/2011 | 314522756 | 57 | No | Yes | Burn or scald (heat) | Face | Electrical apparatus or wiring | Other | Other | ONE EMPLOYEE WAS SEVERLY BURNED FROM AN ELECTRICAL ARC FLASH: One employee was severely burned while trying to bring the electrical fuse panel back on line when the fuse panel arc flashed and blasted while the employee was in front of the panel. |
| 1/28/2011 | 314745134 | 28 | No | Yes | Fracture | Other body system | Motor vehicle (industrial) | Overhead moving and/or falling object action | Misjudgment of hazardous situation | MOTOR VEHICLE ACCIDENT: The siderod went to the logging site to load log trucks early in the morning. When the trucks were loaded the supervisor went to his pickup to wait for the logging crew to arrive. At approximately 6am another supervisor arrived on site. He did not see the vehicle or the siderod. A call was made to the siderod and he did not answer. The supervisor got out of his vehicle and was walking toward the landing when he heard cries for help. The supervisor pinpointed the area of the person yelling and went down the hill to the siderod. Apparently the vehicle the siderod was in rolled off the road and down the hill several times. The siderod was thrown free of the vehicle while it rolled down the hill. The siderod had serious pelvis injuries. After the accident the arriving logging crew stabilized the siderod and waited for the ambulance. The siderod was transported to Sacred Heart River Bend in Springfield, Oregon. |

| | | | | | | | | | | | |
|-----------|-----------|----|----|-----|-----------------------------|-----------|------------------------------|--|---|----|---|
| 1/28/2011 | 314785189 | 40 | No | No | Bruise, contusion, abrasion | Multiple | Bodily motion | Working surface or facility layout condition | Malfunction of neuro-muscular system | 15 | EMPLOYEE FELL TO LOWER LEVEL: At approximately 08:40 am, the victim was on the second floor front concrete deck area getting some tools from his tool bag. He then experienced some type of medical problem which caused him to lean against the guard rail and collapse onto the concrete deck resulting in convulsions. His body movement caused him to slide under the guard rail, head first, and he fell 15 feet to the ground below. Assistance was given to the victim and 911 was called. He then was transported to a local hospital which determined that the victim was not seriously hurt and was released from the hospital. |
| 1/27/2011 | 314614272 | 37 | No | Yes | Other | Hand(s) | Other | Other | Misjudgment of hazardous situation | | INJECTED BY: Worker was installing a sensor in the hydraulic line of a large loader. Part of the system had been bled, but there was still hydraulic pressure in another portion of the system. When the hoses to that portion were loosened, the hydraulic fluid was injected into the workers hand. |
| 1/27/2011 | 314974932 | 30 | No | Yes | Burn or scald (heat) | Finger(s) | Machine | Materials handling equipment or method | Other | | HAND AND FINGERS PINCHED AGAINST HEATING PLATE CAUSING BURNS: Worker was reaching into the wax mounting tool to adjust the polishing plate. The transfer arm activated and pinched his hand against the heating plate. Middle and ring fingers burned. |
| 1/27/2011 | 314974817 | 53 | No | Yes | Fracture | Hip(s) | Machine | Overhead moving and/or falling object action | Other | | STRUCK BY DEFECTIVE EQUIPMENT: As the foreman lowered the conveyor head into the transport position the victim walked forward to align it with the post. The right conveyor hinge failed causing the conveyor to drop down and outward striking the victim to the ground where the conveyor head landed on his pelvis. |
| 1/27/2011 | 314745118 | 18 | No | Yes | Cut or laceration | Hand(s) | Materials handling equipment | Catch point or puncture action | Procedure for handling materials not appropriate for task | | EMPLOYEES GOT RIGHT ARM CAUGHT IN SHAFT.: Employee had reached over the drive shaft of the potato boxer and got his right arm sleeve caught in protruding screw. His right hand/arm was pulled into and wrapped around shaft, damaging his right palm. |
| 1/25/2011 | 314785098 | 47 | No | Yes | Fracture | Hand(s) | Machine | Pinch point action | Safety devices removed or inoperative | | HAND CAUGHT-IN A LAMINATOR: The victim was feeding cardboard into a laminator while the guard was up. When the cardboard became jammed, the victim reached in to pull the cardboard out. His hand was pulled into the rollers. |

| | | | | | | | | | | | |
|-----------|-----------|----|----|-----|----------------------|------------------------------|------------------------------|--|---|---|--|
| 1/25/2011 | 314614108 | 44 | No | Yes | Fracture | Foot, feet, toes or ankle(s) | Machine | Working surface or facility layout condition | Misjudgment of hazardous situation | | STRUCK BY A MACHINE: The victim was in the process of moving a Dicer machine, from a storage area to a place in the shop to work on. As he pushed the top heavy, 665 lb machine, which was on four legs, to the repair area, one of the 6-inch wheels' went into a floor crack which was approximately 1/2-inch deep by approximately one-inch wide. The machine toppled over onto the victims left foot, causing three separate fractures. |
| 1/25/2011 | 314974890 | 42 | No | Yes | Fracture | Leg(s) | Ladder | Working surface or facility layout condition | Misjudgment of hazardous situation | 6 | EMPLOYEE FELL WHILE ASCENDING LADDER: An HVAC technician had placed a 32' extension ladder against a permanent awning that was part of the roof structure. The metal awning slopes downward from the top of the roof downward covering the upper 3rd of the buildings side. The metal awning is sloped at 55 degrees. The technician had just placed the ladder and was climbing upward to secure it with bungie cords. The technician was accessing the roof in order to fine tune a new HVAC unit that was installed just days prior. The employee ascended the roof, the ladder slipped out and fell to the pavement, the employee fell about 6 feet. |
| 1/25/2011 | 314745043 | 50 | No | Yes | Fracture | Other body system | Materials handling equipment | Flying object action | Misjudgment of hazardous situation | | STRUCK BY: The rigging crew were moving the skyline during a road change. There were two employees near the skyline anchor stumps that were to be used. As the haulback pulled the skyline into position to be anchored the chain used to connect the haulback to the skyline broke. The chain struck the block that the haulback was running through on the road side. The chain hung in the block which pulled into lead the haulback corner block. The lead changed with the waste line of the haulback which then swung toward an employee standing next to the waste line striking him in the lower legs. |
| 1/24/2011 | 314614140 | 56 | No | Yes | Poisoning (systemic) | Blood | Gases | Materials handling equipment or method | Equipment in use not appropriate for operation or process | | CARBON MONOXIDE POISONING: Two employees were hospitalized overnight with Carbon Monoxide poisoning after Victim #1 operated a gas powered pressure washer in a cooler with no ventilation for approximately 1 hour. Victim #1 left the cooler to summon help when he became very dizzy, he couldn't see, and had difficulty breathing. Victim #1 was given oxygen at the scene and during transport by ambulance to Salem Hospital where he remained until the evening of the following day. Victim #2, who was in and out of the cooler, and opened the doors at the end, was taken first to Silverton Hospital emergency room where his carboxyhemoglobin levels were 25, and then transported to Providence Medical Center where he received treatment in the hyperbaric chamber. A third Victim had been in the area and was transported to Silverton Hospital with Victim #2, and was discharged shortly thereafter. |

| | | | | | | | | | | |
|-----------|-----------|----|----|-----|----------------------|---------|---------|--|---|--|
| 1/24/2011 | 314614140 | 60 | No | Yes | Poisoning (systemic) | Blood | Gases | Materials handling equipment or method | Equipment in use not appropriate for operation or process | CARBON MONOXIDE POISONING: Two employees were hospitalized overnight with Carbon Monoxide poisoning after Victim #1 operated a gas powered pressure washer in a cooler with no ventilation for approximately 1 hour. Victim #1 left the cooler to summon help when he became very dizzy, he couldn't see, and had difficulty breathing. Victim #1 was given oxygen at the scene and during transport by ambulance to Salem Hospital where he remained until the evening of the following day. Victim #2, who was in and out of the cooler, and opened the doors at the end, was taken first to Silverton Hospital emergency room where his carboxyhemoglobin levels were 25, and then transported to Providence Medical Center where he received treatment in the hyperbaric chamber. A third Victim had been in the area and was transported to Silverton Hospital with Victim #2, and was discharged shortly thereafter. |
| 1/24/2011 | 314614140 | 33 | No | No | Poisoning (systemic) | Blood | Gases | Materials handling equipment or method | Equipment in use not appropriate for operation or process | CARBON MONOXIDE POISONING: Two employees were hospitalized overnight with Carbon Monoxide poisoning after Victim #1 operated a gas powered pressure washer in a cooler with no ventilation for approximately 1 hour. Victim #1 left the cooler to summon help when he became very dizzy, he couldn't see, and had difficulty breathing. Victim #1 was given oxygen at the scene and during transport by ambulance to Salem Hospital where he remained until the evening of the following day. Victim #2, who was in and out of the cooler, and opened the doors at the end, was taken first to Silverton Hospital emergency room where his carboxyhemoglobin levels were 25, and then transported to Providence Medical Center where he received treatment in the hyperbaric chamber. A third Victim had been in the area and was transported to Silverton Hospital with Victim #2, and was discharged shortly thereafter. |
| 1/24/2011 | 314785098 | 45 | No | Yes | Fracture | Hand(s) | Machine | Pinch point action | Safety devices removed or inoperative | HAND CAUGHT-IN A LAMINATOR: The victim was feeding cardboard into a laminator while the guard was up. When the cardboard became jammed, the victim reached in to pull the cardboard out and his hand was pulled into the rollers. |
| 1/23/2011 | 314613977 | 46 | No | Yes | Puncture | Abdomen | Firearm | Flying object action | Misjudgment of hazardous situation | SHOT BY ASSAILANT: The victim (a Police Patrol Officer) stopped a vehicle for speeding, southbound on Highway 101, south of Lincoln City. The vehicle driver waited for the victim to approach his vehicle when he opened fire with a rifle. The vehicle driver fired five shots. The victim was hit twice, once in the stomach and once in the elbow. He was air ambulated to a Portland, Oregon hospital in critical condition. |

| | | | | | | | | | | |
|-----------|-----------|----|-----|-----|-----------------------------|--------------|--------------------|--|---|--|
| 1/20/2011 | 314785163 | 60 | No | Yes | Fracture | Lower arm(s) | Other | Other | Misjudgment of hazardous situation | STRUCK BY A GOLF CART VEHICLE.: The victim and the driver of the cart both came out of the same building, the cart driver came out of the north end and the victim came out of the south end. The employee got into the cart and was traveling to the south directly into the sun, the victim came around the south end of the building walking east and was struck by the cart, breaking his left leg. |
| 1/19/2011 | 314613696 | 44 | Yes | No | Concussion | Head | Machine | Other | Other | STRUCK-BY: An employee received fatal injuries to his head when the log loader he was operating was found lying on its top in a creek bed. The employee was in the process of moving the log loader across a bridge. There were no witnesses to the accident. |
| 1/17/2011 | 314784836 | 37 | No | Yes | Fracture | Multiple | Hoisting apparatus | Materials handling equipment or method | Malfunction of procedure for securing operation or warning of hazardous situation | STRUCK BY ELEVATED VEHICLE: The victim was working underneath a vehicle that was elevated with an automotive lift when the vehicle fell off the lift. The victim was struck-by the vehicle. |
| 1/17/2011 | 314744855 | 40 | No | Yes | Bruise, contusion, abrasion | Shoulders | Vegetation | Flying object action | Misjudgment of hazardous situation | STRUCK BY LOG: An employee was employed as a chokersetter on a cable logging operation. A swing yarder with a live skyline and motorized carriage was in use, with a yarding distance of about 350 feet. He and the rigging slinger were pre-setting and hot setting turns of logs. They had set a turn of logs near or under the lines and the rigging slinger retreated into the open/logged off ground to the south. He retreated to the north side of the lines as he dropped his chokers near the next logs to be choked and then moved a little further out of the way. The rigging slinger blew the turn ahead which ran into a hang up. A log in the turn upended and swung towards the chokersetter, who had apparently moved back towards the chokers he had left. The rigger blew a stop whistle when the turn got hung up, and one of the logs struck him. |
| 1/15/2011 | 314744848 | 39 | No | Yes | Fracture | Multiple | Vegetation | Other | Misjudgment of hazardous situation | An employee was working as a chokerstetter on a cable logging site. A Berger M3 yarder was in use with a live skyline and motorized carriage, yarding old growth timber over steep slopes at a distance of about 800 feet. He was pre-setting chokers away from the skyline on a log which measured 18 feet long and 40 inches in diameter. He pushed the choker nubbin under the log from the uphill side then went below the log to retrieve it. As he pulled on the choker, the log rolled over him and caused severe crushing injuries. EMS was activated and he was transported to the landing by the rigging crew and was then flown by helicopter to a local hospital. He was transported to a Portland hospital where he received multiple surgeries. |

| | | | | | | | | | | |
|-----------|-----------|----|-----|-----|----------------------|--------------------|---------------------|---|---|---|
| 1/13/2011 | 314973991 | 21 | No | Yes | Burn or scald (heat) | Arms(s) - multiple | Water | Overpressure or underpressure condition | Malfunction of procedure for lock-out tag-out | EMPLOYEE BURNED BY BOILING WATER WHILE CLEARING LINE.: An employee was cleaning separation tank and lines with water that was approximately 200 degrees. As the employee was cleaning the line, built up air pressure from the system caused the air to be released from the separation tank. As air was introduced to the separation tank, the water within was forced out causing the water to blow out from the covered separation tank onto the employee. |
| 1/12/2011 | 314973777 | 46 | Yes | No | Other | Other body system | Other | Other | Other | NATURAL CAUSE: The employee was driving a commercial truck over Santiam Pass. The employee pulled to the side of the highway to install tire chains. During this process he suffered a heart attack, fell to the ground passing away at the scene. The location of Santiam Pass 1 mile West of Hwy 22 jct was given. The State Medical Examiner has determined the cause of death to be natural causes. |
| 1/8/2011 | 314973223 | 26 | No | Yes | Fracture | Body system | Other | Other | Safety devices removed or inoperative | EMPLOYEE FELL OUT OF TREE.: The employee was in the process of limbing a live tree. He reached around the tree to cut a limb with his chain saw, and inadvertently cutting his ascending rope in half, resulting in the employee falling 40 feet to the ground. |
| 1/6/2011 | 314973397 | 54 | No | Yes | Fracture | Back | Other | Other | Misjudgment of hazardous situation | FALL FROM ELEVATION: Employee was a chaperone during a scheduled bouldering class at a local bouldering gym. The victim was climbing on the "V0" (one step above beginner) path when she lost her grip on the handholds, and fell approximately 9'9" to the matt below. The victim sustained a burst fracture of her L2 vertebrae. |
| 1/5/2011 | 314744772 | 39 | No | Yes | Cut or laceration | Hand(s) | Hand tool (powered) | Materials handling equipment or method | Procedure for handling materials not appropriate for task | EMPLOYEE CUT HAND: An employee was cutting a 2 X 4 freehand when he slipped on the sheet of ice he was standing on and as he fell the saw made contact with the back of his left hand. The saw passed across the hand from the thumb to other side of the hand. |
| 1/5/2011 | 314973082 | 55 | Yes | No | Other | Head | Firearm | Flying object action | Misjudgment of hazardous situation | SHOT: A police officer was shot when he responded to a disturbance at a local business. |
| 1/1/2011 | 314973421 | 32 | Yes | No | Other | Chest | Firearm | Flying object action | Misjudgment of hazardous situation | BOUNCER SHOT: A bouncer was shot to death while attempting to expel a roudy crowd from a downtown bar. |