

Oregon OSHA accident investigation data for inspections opened in 2012

Event Date	Insp Number	Age	Fatality?	Hospit- alized?	Nature	Part	Source	Environ- mental Factor	Human Factor	Fall Ht	Accident Description
1/5/2012	315950527	66	Yes	No	Fracture	Head	Motor vehicle (highway)	Squeeze point action	Malfunction of procedure for lock-out tag-out		RUN OVER BY TRUCK: A dump truck driver returning from a trip reported a brake system leak on the passenger side third axle of the pup trailer he was pulling behind the dump truck. The shop supervisor and the victim met and decided the supervisor would get the vehicle from the parking lot and drive it to an area near the shop where the mechanic could analyze the problem. While the supervisor was driving the truck and trailer from the parking area to the shop he was flagged down by another truck driver. He stopped the truck he was operating, got out and walked over to the other driver and engaged in a conversation with him for several minutes. Afterward the supervisor returned to the dump truck and proceeded to drive it to the area for service. When he arrived at the service area another worker came running up to him and told him the mechanic had been run over in the parking lot.
1/5/2012	315935007	57	No	Yes	Concussion	Head	Materials handling equipment	Pinch point action	Misjudgment of hazardous situation		CAUGHT BETWEEN SCAFFOLD AND BUCKET OF CRANE: The victim was working from a scaffold on the inside of water tank under construction when the crane operator struck the scaffold frame pinching victim between scaffold and wall of water tank.
1/6/2012	315950675	45	Yes	No	Fracture	Head	Other	Flying object action	Other		EMPLOYEE WAS STRUCK BY A LIMB WHEN FALLING A TREE,: The employee was standing next to a maple tree watching the cutter fall the tree. As the tree was going over, a large limb came out of the top of the tree, striking the employee in the head.
1/6/2012	315924340	53	No	Yes	Amputation	Arms(s) - multiple	Bodily motion	Pinch point action	Malfunction of procedure for lock-out tag-out		CONTACTED A NIP POINT OF A CONVEYOR BELT ROLL: Victim was working on replacing bearings on a roll of a conveyor system. Running the belt to check adjustments. Contacted the return portion of the belt and was pulled into the nip point of the roll. Victim was entangled in the roll. Received multiple fractures and punctured lung. Employee was removed from the nip point of belt roll. Transported to local hospital and life flight to Portland hospital.
1/6/2012	315664516	40	No	Yes	Fracture	Hip(s)	Metal products	Working surface or facility layout condition	Procedure for handling materials not appropriate for task		CRUSH BY PAINT BOOTH: On or about January 6, 2012 at approximately 1:50 pm, the victim was in the process of dismantling an approximate 14 foot long by 12 foot high by 10 foot long free standing paint booth built in three separate sections at a recently shut down industrial plant. The victim and a helper were in the process of laying the first section on the ground. The first section fell, followed by the other two sections which were joined by a thin nylon line. When the structure collapsed it trapped the victim underneath the ventilation fan and amongst the stainless steel debris. The Fire Department had to extricate the victim from the debris.
1/11/2012	315664532	37	No	Yes	Concussion	Head	Ladder	Other	Other		FALL FROM LADDER: The worker was working from a six foot, aluminum step ladder, when he reportedly lost consciousness and fell to the ground. He suffered a concussion and was transported via life flight to OSHU.
1/11/2012	315924399	63	No	Yes	Fracture	Chest	Ladder	Other	Other	10	EMPLOYEE FELL WHEN DESCENDING LADDER.: On or about January 11, 2012, at approximately 12:00 pm, the victim was attempting to climb down an extension ladder from the roof when the base of the unsecured ladder slid out from under the worker. This caused the victim to fall to the lower level, landing on his back, on top of the ladder.
1/13/2012	315664615	51	No	Yes	Amputation	Finger(s)	Machine	Shear point action	Misjudgment of hazardous situation		AMPUTATION OF FINGER: Worker was cleaning a loader bin at the end of the day. He reached in to help clear the product with his hand, His little finger, on his right hand, was caught by the auger at the bottom of the bin and was amputated.
1/17/2012	315934620	59	No	Yes	Fracture	Multiple	Ladder	Working surface or facility layout condition	Equipment inuse not appropriate for operation or process	11	FALL: An employee fell to concrete while stepping off the roof surface onto a step ladder.
1/24/2012	315951434	50	Yes	No	Other	Other body system	Other	Other	Other		FOUND IN FALL PROTECTION UNRESPONSIVE: The victim was working from an elevated area wearing a full face respirator and a fall arrest harness with retractable lifeline. No witnesses saw the event but it is suspected the victim suddenly collapsed hitting several pipes as he fell to an arrested position in his harness. The victim remained suspended in his harness preventing a fall to the concrete floor 7.9 feet below his feet. The victim was then rescued from the elevated work area by his coworkers and EMS responders. The victim was pronounced dead at Tuality Hospital.
2/3/2012	315665208	50	No	Yes	Concussion	Head	Working surface	Working surface or facility layout condition	Misjudgment of hazardous situation	10	FALL FROM ELEVATION: On or about February 03, 2012 at approximately 9:30 am, the victim was in the process of installing an electrical line to a garage door opener in the attic of a residential home. He fell through the ceiling to a concrete floor approximately 10 foot 1 inch below.
2/6/2012	315952622	45	No	Yes	Cut or laceration	Foot, feet, toes or ankle(s)	Other	Other	Malfunction of procedure for securing operation or warning of hazardous situation		HYDROBLASTING FOOT INJURY: The victim was hydro-blasting the inside of a coal tar tank and inadvertently blasted his foot. His boot had no metatarsal protection and the high pressure water sliced through the rubber causing serious lacerations to his foot.

Oregon OSHA accident investigation data for inspections opened in 2012

Event Date	Insp Number	Age	Fatality?	Hospit- alized?	Nature	Part	Source	Environ- mental Factor	Human Factor	Fall Ht	Accident Description
2/7/2012	315952481	50	No	Yes	Fracture	Body system	Hoisting apparatus	Working surface or facility layout condition	Other		THUNDERBIRD 255 YARDER TIPPED OVER.: The crew was sending a turn of logs to the landing, when the "dog" on the guylines broke, allowing the guylines to free spool, resulting in the yarder tipping sideways.
2/9/2012	315935213	36	No	Yes	Electric shock	Hand(s)	Electrical apparatus or wiring	Other	Operational position not appropriate for task		ELECTRIC SHOCK: On 2/9/12, at approximately 1:00 pm, Emp #1 was engaged in repair work on a power utility pole. This was a dead end pole at a residence. He opened the cut out to the transformer on his pole with a hot stick and was waiting for the feeder line to be de-energized. At some point, he got on the high side of the transformer before the line was de-energized, and made contact with the top of the cut out and the guy wire to the pole. He received a shock to both hands and was severely injured.
2/13/2012	315935189	55	No	Yes	Other	Multiple	Ladder	Other	Misjudgment of hazardous situation		FALL: At approximately 10:42 am an employee climbed up a ladder to inspect the trolley on a hoist. Once he reached the hoist the employee fell from the ladder to the floor below.
2/14/2012	315665406	42	No	Yes	Fracture	Arms(s) - multiple	Machine	Catch point or puncture action	Safety devices removed or inoperative		ARM CAUGHT IN MACHINE: On or about February 14, 2012 at approximately 10:25 am, the crew was reprocessing the final few cherries when the victim reached in the back of a "cherry pitter" (for unknown reasons) and got his sweatshirt caught in an unguarded shaft. The victim was "lifeflighted" to OHSU in Portland, Oregon where he was treated for two compound fractures to his right arm.
2/15/2012	315952929	31	No	Yes	Bruise, contusion, abrasion	Knee(s)	Hoisting apparatus	Pinch point action	Misjudgment of hazardous situation		STRUCK BY CRANE: There are three bridge cranes that operate on the same bridge in the foundry. Each day during the lunch break for production workers maintenance technicians perform daily inspections and maintenance to these cranes. One of the maintenance technicians had been on light duty for the last month restricted from climbing ladders so the victim has been inspecting two cranes during the period with the assistance of an apprentice maintenance technician. The apprentice has been only servicing one of the other cranes prior to the day of the accident and although each crane is similar they do each have some unique operational characteristics. The victim noticed that wire rope was not properly wound on the drum of the crane he was servicing and suspected that the operator had side-loading the block causing the problem, however, he needed to rewind and observe the rope rewind on the drum to be sure there was not a problem with the rope or the...
2/16/2012	315935296	29	No	Yes	Fracture	Multiple	Materials handling equipment	Overhead moving and/or falling object action	Misjudgment of hazardous situation		STRUCK BY: At approximately 1:30 pm an employee was in the process of setting a choker when a log fell out of the turn of logs going to the landing. The log struck an employee seriously injuring him.
2/19/2012	315952952	30	Yes	No	Other	Other body system	Firearm	Other	Other		DECEASED WAS VICTIM OF A CRIME BY FIREARM.: The deceased was working as a lounge host who stepped outside the restaurant door to deal with several people that was creating a disturbance when for unknown reasons an assailant came around the corner and discharged a firearm into the crowd striking the victim. Victim died at the scene.
2/28/2012	315925172	60	Yes	No	Other	Multiple	Motor vehicle (highway)	Other	Other		STRUCK BY VEHICLE: On or about February 28, 2012, at approximately 1:00 pm, the victim was preparing to perform some cold-patch work on a county road. The victim was standing near the road's center line, in the area of the rear, left corner of a company flat-bed pickup. An oncoming vehicle struck and carried the victim to the ditch of the north-bound lane.
3/3/2012	315925271	32	Yes	No	Other	Multiple	Other	Overhead moving and/or falling object action	Malfunction of procedure for lock-out tag-out		VICTIM WAS STRUCK BY A PLASTIC PIPE.: On or about March 3, 2012, at approximately 10:00 pm, the victim was performing maintenance in the area of the Line 1 Unitizing Rack. The "arms" that hold the plastic pipes from coming off the upper holding table unexpectedly lowered, allowing a pipe weighing approximately 396 pounds to drop on the victim.
3/5/2012	315935767	46	No	Yes	Electric shock	Body system	Electrical apparatus or wiring	Other	Malfunction of procedure for lock-out tag-out		ELECTRIC SHOCK: Emp # 1 was engaged in the remodel of a Wal Mart store as an electrician. Emp #1 went inside the building and raised a ladder to disconnect a light which had not been de-energized. He received an electrical shock during the process, and fell approximately 15 feet off of the ladder which resulted in serious injuries for which he was hospitalized.
3/5/2012	315665984	23	No	Yes	Fracture	Leg(s)	Materials handling equipment	Working surface or facility layout condition	Operational position not appropriate for task		FALL FROM ELEVATION: On or about March 5, 2012 at approximately 2:30 pm, the victim was in the process of retrieving a file box from a set of shelves approximately 16 feet high with a stock picker forklift. The victim did not use the harness and inertia reel provided and fitted to the equipment operating station. When he raised the platform to the desired height of approximately 12 feet, he walked out on the pallet attached to the forks of the lift. While he was searching for the desired file he walked off the end of the pallet, falling approximately 12 feet to the concrete floor below.
3/8/2012	315935924	29	No	Yes	Fracture	Multiple	Other	Materials handling equipment or method	Misjudgment of hazardous situation		STRUCK BY: At approximately 1 pm on March 8, 2012 two employees had just set chokers on two logs and sent them to the landing. The logs were landed on the landing and the chokers were released. After a short time, the logs slid back over the edge of the landing back down the hill. A warning was given by the yarder engineer. As the two logs slid back down the hill, one of the logs hit a stump and veered toward the two choker setters. The logs struck the employees injuring them.
3/8/2012	315935742	29	No	Yes	Dislocation	Leg(s)	Materials handling equipment	Flying object action	Misjudgment of hazardous situation		STRUCK BY: At approximately 7:00am on March 8, 2012 the choker setter was struck in the leg by a log that moved as a turn of logs were being yarded towards the landing area.
3/8/2012	315935924	29	No	Yes	Fracture	Multiple	Other	Materials handling equipment or method	Misjudgment of hazardous situation		STRUCK BY: At approximately 1 pm on March 8, 2012 two employees had just set chokers on two logs and sent them to the landing. The logs were landed on the landing and the chokers were released. After a short time, the logs slid back over the edge of the landing back down the hill. A warning was given by the yarder engineer. As the two logs slid back down the hill, one of the logs hit a stump and veered toward the two choker setters. The logs struck the employees injuring them.

## Oregon OSHA accident investigation data for inspections opened in 2012

Event Date	Insp Number	Age	Fatality?	Hospit- alized?	Nature	Part	Source	Environ- mental Factor	Human Factor	Fall Ht	Accident Description
3/13/2012	316421460	39	No	Yes	Fracture	Multiple	Ladder	Other	Other	8	EMPLOYEE FELL FROM PORTABLE STEP LADDER NEXT TO SCAFFOLDING.: An employee was ascending an 8 foot step ladder next to a supported scaffold while carrying a bucket of plaster. The employee somehow lost his balance and fell to the floor sustaining multiple fractures.
3/14/2012	316422542	30	No	Yes	Amputation	Foot, feet, toes or ankle(s)	Motor vehicle (industrial)	Materials handling equipment or method	Misjudgment of hazardous situation		STANDUP FORKLIFT CRUSHED EMPLOYEE'S FOOT.: An employee was using a standup forklift to move approximately 20 large crates from the loading dock to the inside of the warehouse. The employee noticed that he was very close to the edge of the loading dock, and removed his foot from the "deadman" pedal. The forklift stopped abruptly, causing him to lose his balance. His left foot came out of the operator's compartment and slid under the wheel of the lift.
3/20/2012	316422146	32	No	Yes	Fracture	Hip(s)	Machine	Materials handling equipment or method	Operational position not appropriate for task		EMPLOYEE FELL FROM CRANE CATWALK TO LOWER LEVEL: Employee preparing a crane for shipment moved live mast which caused crane to tip. Tipping motion resulted in employee falling off the crane catwalk. Employee fell approximately 12 feet to pavement. Serious injury resulted.
3/29/2012	316422666	30	No	No	Amputation	Finger(s)	Machine	Pinch point action	Operational position not appropriate for task		FINGERS AMPUTATED: The tips of the middle and ring fingers on the left hand of a press brake operator were amputated when the die closed on his hand while bending a small part. The machine had a Laser Based Hydraulic Press Brake Guarding system installed. The mute position setup on the laser system was adjusted too far from the die defeating the guarding function of the device.
4/1/2012	315666743	58	No	Yes	Fracture	Lower leg(s)	Person	Other	Other		PERSONAL ASSAULT RESULTED IN BROKEN TIBIA AND FIBULA: Worker was kicked in the right, lower leg by a client. This resulted in a broken leg.
4/6/2012	315901322	60	No	Yes	Fracture	Multiple	Vegetation	Flying object action			TIMBER FALLER STRUCK BY TREE TOP.: The victim was falling a second growth Douglas fir tree when the tree left the stump, hit a snag laying in the skid road catapulting it back up the hill where the victim was getting in the clear. A piece of the snag broke out and struck the victim in the back of the hard hat. The snag chunk drove the victim to the ground breaking his jaw and fracturing his neck. The victim walked to the landing where the logging crew administered first aid and transported the victim to River Bend hospital.
4/8/2012	316422757	25	No	Yes	Other	Multiple	Gases	Other	Other		EMPLOYEE INJURED FROM EXPLOSION IN AN OXYGEN FILL SYSTEM.: A vehicle service tech employee was filling an oxygen, compressed gas cylinder from a booster pump/manifold when an explosion of the fill line occurred. The employee received onsite care and was transported by the employer to Emanuel Hospital and listed in critical condition with a pulmonary contusion and second degree burns to his face/head.
4/9/2012	316425347	38	No	Yes	Amputation	Reproductive system	Air pressure	Overpressure or underpressure condition	Misjudgment of hazardous situation		On 04/09/12 at approximately 2:00 PM, an employee was struck by a 6-inch stainless steel end cap, after it had been cut with a sever master cutting tool. The line being worked on was being purged with N2 at the time of the cut, to prevent particulate back-streaming. The line also had a 1/2-inch purge port on it and the cap had been loosened to reduce pressure, but there was no regulator in-line, so employees did not know internal pressure of pipe. Employee suffered a fractured testicle from the stainless steel cap striking him in the groin area.
4/10/2012	315666768	12	No	Yes	Fracture	Back	Ladder	Other	Other	16	FALL FROM ELEVATION: One employee engaged in siding type work activity fell from an extension ladder while installing vapor barrier.
4/11/2012	316423102	48	No	Yes	Fracture	Leg(s)	Working surface	Working surface or facility layout condition	Misjudgment of hazardous situation	4	CARPENTER FELL THROUGH FLOOR OPENING: A carpenter was installing plywood as part of a new floor. The employee fell through an opening of the floor between the floor joists landing on the main floor below.
4/11/2012	316423136	53	No	Yes	Bruise, contusion, abrasion	Head	Glass	Overhead moving and/or falling object action	Procedure for handling materials not appropriate for task		STRUCK BY FALLING MATERIALS: A stack of bottles on a packaging conveyor fell over striking a worker on the head as he was bent over cleaning the floor next to the conveyor.
4/11/2012	315666727	36	Yes	No	Other	Body system	Other	Other	Other		UNKNOWN: Employee was working to restrain a patient, when he collapsed. He could not be revived.
4/16/2012	315667055	44	No	No	Bruise, contusion, abrasion	Body system	Buildings	Other	Safety devices removed or inoperative		VICTIM FELL OFF A 6.5 FT PLATFORM.: The victim was in process of emptying a pallet of 20 bags of 50 lb sacks of sugar into a 500 gallon mixer from a 6.5 foot platform when he suddenly lost his balance and fell to the cement floor below. The victim was transported by ambulance to Salem General Hospital where he was treated for contusions and possible concussion and released.
4/24/2012	315667030	32	No	Yes	Fracture	Arms(s) - multiple	Motor vehicle (industrial)	Overhead moving and/or falling object action	Misjudgment of hazardous situation		TRACTOR ROLL-OVER: On or about April 24 at approximately 2:45 pm, the victim was in the process of mowing a vineyard with a Lasdini 5860 tractor with a mowing attachment. He came up a 20 degree slope from the bottom of the field and tried to make a 180 degree at the top of the field. He found he did not have the room for the turn, so backed up to make more space. As he did so the tractor became unbalanced and slid down the 20 degree slope two feet before he rolled the tractor onto it's right side. It slid down the hill approximately 100 feet, ejecting the victim when the seatbelt popped open.
4/25/2012	316423797	30	No	Yes	Cut or laceration	Hand(s)	Machine	Catch point or puncture action	Misjudgment of hazardous situation		CAUGHT IN MACHINE: A machine operator's hand was caught in a machine with a rotating blade causing crushing and severe laceration injuries.

Oregon OSHA accident investigation data for inspections opened in 2012

Event Date	Insp Number	Age	Fatality?	Hospit- alized?	Nature	Part	Source	Environ- mental Factor	Human Factor	Fall Ht	Accident Description
4/26/2012	316424035	24	No	Yes	Fracture	Lower arm(s)	Machine	Catch point or puncture action	Safety devices removed or inoperative		EMPLOYEE CAUGHT HAND/ARM IN A ROTATING ROLL ON ROLLCASE: The victim reached into a drum at the shingle bundle outfeed belt resulting in the arm being caught in the drum and breaking the victims arm.
4/28/2012	315667378	35	No	Yes	Amputation	Finger(s)	Machine	Other	Procedure for handling materials not appropriate for task		AMPUTATION OF FINGERS: On or about April 28, 2012 at approximately 8:00 pm the accident victim was in the process of using a horizontal band saw to cut a piece of 3 inch diameter metal flex tubing. The accident victim had placed the tubing in the clamp of the band saw and turned the machine on. As the machine was running the accident victim then attempted to adjust the clamp to hold the flex tubing in place. During that time the accident victims gloved right hand was caught in the teeth of the running band saw blade resulting in four fingers on right hand being amputated.
5/4/2012	315901850	37	No	Yes	Fracture	Foot, feet, toes or ankle(s)	Ladder	Materials handling equipment or method	Misjudgment of hazardous situation	10	VICTIM FELL OFF A LADDER: Employees had installed a trench box specifically used to set manholes in a 10 feet deep excavation. Two employees, including the victim, accessed the inside of the trench box to rake gravel to create a base at proper grade for the installation of the concrete base of the manhole. When the two employees egressed out of the trench box, they repositioned the ladder to give as much room as possible to set the base. They leaned the ladder straight up against the side wall of the trench box. The base was installed using a mechanical hoe and when it was just above the bottom of the excavation, the victim got back on the ladder to access the excavation to guide the base to its proper location. Without resetting the ladder, the victim climbed on the ladder and it tipped backwards inside of the trench box. The victim jumped off the ladder striking the concrete base with his right foot breaking bones in his foot. After regaining composure, the victim egressed out of the trench box on his own and was helped to a place for him to rest.
5/7/2012	316424498	38	No	Yes	Burn or scald (heat)	Multiple	Fire or smoke	Flammable liquid or solid exposure	Misjudgment of hazardous situation		EMPLOYEE SUSTAINED BURNS FROM CHEMICAL FIRE: An employee was performing a non-routine task; using lacquer thinner (contains Methanol, Toluene, Acetone, MEK, Petroleum-Light aliphatic naphtha) to remove adhesive from a floor that had just been removed. It appears that the water heater's gas pilot light ignited the vapors during this non-routine task and the employee suffered burns on 30 percent of his body (legs, arms, neck and face).
5/7/2012	315926725	40	No	Yes	Fracture	Upper leg(s)	Motor vehicle (industrial)	Other	Malfunction of procedure for securing operation or warning of hazardous situation		VICTIM WAS STRUCK BY A FIELD SPRAYER BOOM.: The victim had parked the tractor after he finished spraying a field. When the victim exited the cab, the tractor started to roll forward down the slope. The victim was struck by the sprayer boom, sustaining a broken left femur.
5/9/2012	315937268	26	Yes	No	Fracture	Multiple	Vegetation	Flying object action	Misjudgment of hazardous situation		STRUCK BY: At approximately 6:00 am, the victim was setting chokers in a unit of tree length, 2nd growth timber on steep terrain. This was the 3rd or 4th turn of logs hooked that morning, and consisted of a single 15" diameter tree which measured 67' long to the broken top which was lodged under some logs and poked in the ground. The victim set the choker 47' from the big end and retreated to an area uphill from the turn. The rigging slinger gave the go ahead signal and when the lines came tight, the log swung forward and struck the victim in the chest and head. First aid and CPR were performed until EMS arrived and the victim was pronounced dead at the scene.
5/16/2012	315937607	58	No	Yes	Fracture	Chest	Machine	Materials handling equipment or method	Operational position not appropriate for task		EMPLOYEE FELL FROM QUAD SAW: An employee was performing maintenance on the Quad saw and when he passed over the saw floor opening he fell to the shaker conveyor below.
5/20/2012	316425263	39	Yes	No	Puncture	Chest	Person	Catch point or puncture action	Misjudgment of hazardous situation		HOMICIDE: A mental health worker was stabbed to death while making a visit to a client.
5/22/2012	315902262	28	No	Yes	Foreign body in eye	Eye(s)	Metal products	Flying object action	Insufficient or lack of protective wrok clothing and equipment		PEICE OF METAL STRUCK VICTIM IN THE LEFT EYE.: Two workers were removing an S Cam off the brake system on a truck trailer. The victim was holding onto the part while the other worker hit the part with a hammer. When the part was hit with the hammer a piece of metal broke off the S Cam and hit the victim in the left eye. Victim was transported to River Bend hospital and surgery was conducted to remove the metal shard. Victim was released the following day.
5/23/2012	315937656	47	No	Yes	Burn or scald (heat)	Back	Chemical (liquids or vapors)	Gas, vapor,mist, fume, dust, etc. condition	Misjudgment of hazardous situation		AN EMPLOYEE WAS BURNT BY FIRE WHEN TORCH CUTTING: An employee torch cutting a hay baler in a metal scrap yard was significantly burned when engulfed by a sudden burst of flame.

Oregon OSHA accident investigation data for inspections opened in 2012

Event Date	Insp Number	Age	Fatality?	Hospit- alized?	Nature	Part	Source	Environ- mental Factor	Human Factor	Fall Ht	Accident Description
5/30/2012	316425974	46	No	Yes	Burn (chemical)	Lung	Chemical (liquids or vapors)	Gas, vapor,mist, fume, dust, etc. condition	Malfunction of procedure for securing operation or warning of hazardous situation		CHLORINE GAS RELEASE: There was a large chlorine release due to pumping of acid into the wrong tank. This facility was recently converted to a milk packaging plant only - no ice cream. Consequently, they reduced their ammonia usage and are no longer a PSM covered process.
6/4/2012	315926840	50	No	Yes	Burn (chemical)	Body system	Chemical (liquids or vapors)	Chemical action/reacti on exposure	Malfunction of perception system with respect to task environment		WORKER DRANK EPOXY FROM A SECONDARY CONTAINER: The worker picked up a PowerAde bottle in a sub-contractors storage area, the worker drank out of the bottle thinking it was water. The bottle contained epoxy hardener, and was labeled with the words "Danger" "Epoxy" "Glenn" and a skull and cross bones icon. There were no witnesses.
6/11/2012	316426329	19	No	Yes	Amputation	Foot, feet, toes or ankle(s)	Machine	Other	Misjudgment of hazardous situation		FARM WORKER HAD 5 TOES AMPUTATED BY CONTACTING A PRUNING MAC: Farm worker was assisting with a pruning machine and contacted the blade with his right foot after a plant fell and he tried picking it up with his foot. In the process, the worker lost all 5 toes on his right foot.
6/11/2012	315902577	35	No	Yes	Fracture	Hand(s)	Machine	Working surface or facility layout condition	Other		VICTIMS HAND STRUCK BY RIGHT ANGLE GRINDER.: The employee was operating a right angle grinder on a rough surface weld on the inside of a pipe. The grinder caught the weld and struck the employee's hand against the inside of the pipe.
6/12/2012	315926949	37	No	Yes	Fracture	Upper leg(s)	Working surface	Working surface or facility layout condition	Insufficient or lack of protective wrok clothing and equipment	31	VICTIM FELL FROM THE ROOF OF A QUONSET HUT. On or about June 12, 2012, at approximately 5:45 pm, the victim was working on top of the "starter ring" of a new steel structure being constructed. The victim was placing tools and supplies when the structure panel he was standing on buckled, causing the victim to lose balance and fall approximately 31 feet.
6/12/2012	316426394	47	No	Yes	Amputation	Finger(s)	Machine	Other	Other		AMPUTATED FINGERS BY PANEL SAW: Employee was operating a panel saw cutting OSB when he had his fingers in the path of the blade.
6/15/2012	315938118	30	Yes	No	Fracture	Chest	Materials handling equipment	Flying object action	Misjudgment of hazardous situation		STRUCK BY: At approximately 8:30 am on June 15, 2012, the victim had sent a radio signal to the Bowman Carriage to pick-up on the drop line attached to choked logs. One of the choked logs broke and flew directly at the victim striking him. The victim was fatally injured.
6/21/2012	315668558	47	No	Yes	Fracture	Face	Air pressure	Flying object action	Other		STRUCK BY SPRINKLER PART: Employee was working to install and activate a large irrigation system. When the system was charged, the water did not flow and the worker attempted to tighten the latch by pushing on it. The PVC fitting broke and the hydrant head and air hit the worker, causing him to be lifted into the air and then falling to the ground. He received a broken nose and two teeth, as well as cuts to his face. The valve on the hydrant was not open, this caused the pressure to build up.
6/26/2012	316427244	27	No	Yes	Concussion	Head	Dust, particles, chips	Gas, vapor,mist, fume, dust, etc. condition	Equipment inuse not appropriate for operation or process		OVERCOME BY VAPORS FROM A FIRE IN THE KITCHEN TOWEL DRYER.: The incident occurred in the inmate kitchen. The cleaning towels and aprons from the kitchen are laundered by the inmates in a standard household washer/dryer set. Some of this cloth gets heavily saturated with grease. On the day of the incident, 6/26/12, the dryer was overloaded and left standing after the drying cycle was completed. The hot towels with residues of grease from the kitchen began to smolder. correction officers responded to the event. They removed the smoldering towels from the dryer and extinguished them. The towels were described as billowing with smoke and the COs inhaled a large amount of the smoke. After the event, the COs rested in the break room. One CO began to feel sick and passed out. She fell off the chair she was sitting on, and hit her head suffering a serious injury.
6/29/2012	315927293	40	No	Yes	Amputation	Finger(s)	Machine	Other	Safety devices removed or inoperative		AMPUTATION OF FINGERS: The employee was cutting a 5 inch wide by 3/4 inch thick board on a table saw. His left hand was holding the board behind the saw blade while he was performing the "plunge" cut. The saw kicked back the board and his left hand cutting off the pinky and the middle finger.
6/30/2012	315927319	53	No	Yes	Fracture	Chest	Materials handling equipment	Working surface or facility layout condition	Equipment inuse not appropriate for operation or process		ORCHARD TRACTOR WITH SPRAYER ROLLED OVER: The victim was operating a tractor with attached fogging sprayer in an orchard applying chemicals. The employee attempted to turn on a hillside at the end of a row. Tractor and sprayer unit rolled Over.The tractor rolled over the victim and continued down the hillside. The victim was found by a co-worker. The victim had already called for help. First aid was administered until paramedics arrived. The victim was then transported to a point in the orchard that he was picked up by Life Flight and transported to OSHU Portland.
7/5/2012	316427400	38	No	Yes	Fracture	Back	Ladder	Working surface or facility layout condition	Operational position not appropriate for task	18	EMPLOYEE FALL: A new employee working in the area alone was siding a house out of view from other crew members. The employee fell from either a ladder or scaffold striking the patio below.

Oregon OSHA accident investigation data for inspections opened in 2012

Event Date	Insp Number	Age	Fatality?	Hospit- alized?	Nature	Part	Source	Environ- mental Factor	Human Factor	Fall Ht	Accident Description
7/10/2012	315668780	22	No	Yes	Bruise, contusion, abrasion	Body system	Motor vehicle (highway)	Other	Other		MVA: On July 10, 2012 at approximately 2:15am a group of three vehicles was headed eastbound on Hwy 126E near mile post 12 west of Prineville. The second vehicle in that group a 2000 Chevrolet van was carrying 10 wildland fire fighters. It appears the driver of the van fell asleep while trying to negotiate a curve in the road and struck the left front side of a Freightliner truck headed west bound. As a result of the accident four of the wildland fire fighters were transported by ambulance to Pioneer Memorial Hospital in Prinville, three were transported to St.Charles Medical Center in Bend (two by ambulance and one by lifeflight), three were transported by ambulance to St.Charles Medical Center in Redmond. Nine of the accident victims were treated for minor injuries and released. One victim suffered broken ribs and was kept over night at St.Charles Medical Center in Bend.
7/10/2012	315668798	48	Yes	No	Other	Body system	Motor vehicle (highway)	Working surface or facility layout condition	Other		STRUCK BY: On or about July 11, 2012, at approximately 7:40 pm, the victim was in the process of setting a construction sign on the southbound side of a two-lane road at the fog line. An intoxicated private motorist traveling south on that stretch of highway, struck the victim.
7/10/2012	315668780	39	No	Yes	Fracture	Abdomen	Motor vehicle (highway)	Other	Other		MVA: On July 10, 2012 at approximately 2:15am a group of three vehicles was headed eastbound on Hwy 126E near mile post 12 west of Prineville. The second vehicle in that group a 2000 Chevrolet van was carrying 10 wildland fire fighters. It appears the driver of the van fell asleep while trying to negotiate a curve in the road and struck the left front side of a Freightliner truck headed west bound. As a result of the accident four of the wildland fire fighters were transported by ambulance to Pioneer Memorial Hospital in Prinville, three were transported to St.Charles Medical Center in Bend (two by ambulance and one by lifeflight), three were transported by ambulance to St.Charles Medical Center in Redmond. Nine of the accident victims were treated for minor injuries and released. One victim suffered broken ribs and was kept over night at St.Charles Medical Center in Bend.
7/10/2012	315668780	33	No	Yes	Bruise, contusion, abrasion	Body system	Motor vehicle (highway)	Other	Other		MVA: On July 10, 2012 at approximately 2:15am a group of three vehicles was headed eastbound on Hwy 126E near mile post 12 west of Prineville. The second vehicle in that group a 2000 Chevrolet van was carrying 10 wildland fire fighters. It appears the driver of the van fell asleep while trying to negotiate a curve in the road and struck the left front side of a Freightliner truck headed west bound. As a result of the accident four of the wildland fire fighters were transported by ambulance to Pioneer Memorial Hospital in Prinville, three were transported to St.Charles Medical Center in Bend (two by ambulance and one by lifeflight), Three were transported by ambulance to St.Charles Medical Center in Redmond. Nine of the accident victims were treated for minor injuries and released. One victim suffered broken ribs and was kept over night at St.Charles Medical Center in Bend.
7/10/2012	315668780	20	No	Yes	Bruise, contusion, abrasion	Body system	Motor vehicle (highway)	Other	Other		MVA: On July 10, 2012 at approximately 2:15am a group of three vehicles was headed eastbound on Hwy 126E near mile post 12 west of Prineville. The second vehicle in that group a 2000 Chevrolet van was carrying 10 wildland fire fighters. It appears the driver of the van fell asleep while trying to negotiate a curve in the road and struck the left front side of a Freightliner truck headed west bound. As a result of the accident four of the wildland fire fighters were transported by ambulance to Pioneer Memorial Hospital in Prinville, three were transported to St.Charles Medical Center in Bend (two by ambulance and one by lifeflight), Three were transported by ambulance to St.Charles Medical Center in Redmond. Nine of the accident victims were treated for minor injuries and released. One victim suffered broken ribs and was kept over night at St.Charles Medical Center in Bend.
7/10/2012	315668780	36	No	Yes	Bruise, contusion, abrasion	Body system	Motor vehicle (highway)	Other	Other		MVA: On July 10, 2012 at approximately 2:15am a group of three vehicles was headed eastbound on Hwy 126E near mile post 12 west of Prineville. The second vehicle in that group a 2000 Chevrolet van was carrying 10 wildland fire fighters. It appears the driver of the van fell asleep while trying to negotiate a curve in the road and struck the left front side of a Freightliner truck headed west bound. As a result of the accident four of the wildland fire fighters were transported by ambulance to Pioneer Memorial Hospital in Prinville, three were transported to St.Charles Medical Center in Bend (two by ambulance and one by lifeflight), Three were transported by ambulance to St.Charles Medical Center in Redmond. Nine of the accident victims were treated for minor injuries and released. One victim suffered broken ribs and was kept over night at St.Charles Medical Center in Bend.
7/10/2012	315668780	40	No	Yes	Bruise, contusion, abrasion	Body system	Motor vehicle (highway)	Other	Other		MVA: On July 10, 2012 at approximately 2:15am a group of three vehicles was headed eastbound on Hwy 126E near mile post 12 west of Prineville. The second vehicle in that group a 2000 Chevrolet van was carrying 10 wildland fire fighters. It appears the driver of the van fell asleep while trying to negotiate a curve in the road and struck the left front side of a Freightliner truck headed west bound. As a result of the accident four of the wildland fire fighters were transported by ambulance to Pioneer Memorial Hospital in Prinville, three were transported to St.Charles Medical Center in Bend (two by ambulance and one by lifeflight), Three were transported by ambulance to St.Charles Medical Center in Redmond. Nine of the accident victims were treated for minor injuries and released. One victim suffered broken ribs and was kept over night at St.Charles Medical Center in Bend.

Oregon OSHA accident investigation data for inspections opened in 2012

Event Date	Insp Number	Age	Fatality?	Hospit- alized?	Nature	Part	Source	Environ- mental Factor	Human Factor	Fall Ht	Accident Description
7/10/2012	315668780	37	No	Yes	Bruise, contusion, abrasion	Body system	Motor vehicle (highway)	Other	Other		MVA: On July 10, 2012 at approximately 2:15am a group of three vehicles was headed eastbound on Hwy 126E near mile post 12 west of Prineville. The second vehicle in that group a 2000 Chevrolet van was carrying 10 wildland fire fighters. It appears the driver of the van fell asleep while trying to negotiate a curve in the road and struck the left front side of a Freightliner truck headed west bound. As a result of the accident four of the wildland fire fighters were transported by ambulance to Pioneer Memorial Hospital in Prinville, three were transported to St.Charles Medical Center in Bend (two by ambulance and one by lifeflight), Three were transported by ambulance to St.Charles Medical Center in Redmond. Nine of the accident victims were treated for minor injuries and released. One victim suffered broken ribs and was kept over night at St.Charles Medical Center in Bend.
7/10/2012	315668780	38	No	Yes	Bruise, contusion, abrasion	Body system	Motor vehicle (highway)	Other	Other		MVA: On July 10, 2012 at approximately 2:15am a group of three vehicles was headed eastbound on Hwy 126E near mile post 12 west of Prineville. The second vehicle in that group a 2000 Chevrolet van was carrying 10 wildland fire fighters. It appears the driver of the van fell asleep while trying to negotiate a curve in the road and struck the left front side of a Freightliner truck headed west bound. As a result of the accident four of the wildland fire fighters were transported by ambulance to Pioneer Memorial Hospital in Prinville, three were transported to St.Charles Medical Center in Bend (two by ambulance and one by lifeflight), Three were transported by ambulance to St.Charles Medical Center in Redmond. Nine of the accident victims were treated for minor injuries and released. One victim suffered broken ribs and was kept over night at St.Charles Medical Center in Bend.
7/10/2012	315668780	29	No	Yes	Bruise, contusion, abrasion	Body system	Motor vehicle (highway)	Other	Other		MVA: On July 10, 2012 at approximately 2:15am a group of three vehicles was headed eastbound on Hwy 126E near mile post 12 west of Prineville. The second vehicle in that group a 2000 Chevrolet van was carrying 10 wildland fire fighters. It appears the driver of the van fell asleep while trying to negotiate a curve in the road and struck the left front side of a Freightliner truck headed west bound. As a result of the accident four of the wildland fire fighters were transported by ambulance to Pioneer Memorial Hospital in Prinville, three were transported to St.Charles Medical Center in Bend (two by ambulance and one by lifeflight), Three were transported by ambulance to St.Charles Medical Center in Redmond. Nine of the accident victims were treated for minor injuries and released. One victim suffered broken ribs and was kept over night at St.Charles Medical Center in Bend.
7/10/2012	315668780	35	No	Yes	Bruise, contusion, abrasion	Body system	Motor vehicle (highway)	Other	Other		MVA: On July 10, 2012 at approximately 2:15am a group of three vehicles was headed eastbound on Hwy 126E near mile post 12 west of Prineville. The second vehicle in that group a 2000 Chevrolet van was carrying 10 wildland fire fighters. It appears the driver of the van fell asleep while trying to negotiate a curve in the road and struck the left front side of a Freightliner truck headed west bound. As a result of the accident four of the wildland fire fighters were transported by ambulance to Pioneer Memorial Hospital in Prinville, three were transported to St.Charles Medical Center in Bend (two by ambulance and one by lifeflight), Three were transported by ambulance to St.Charles Medical Center in Redmond. Nine of the accident victims were treated for minor injuries and released. One victim suffered broken ribs and was kept over night at St.Charles Medical Center in Bend.
7/13/2012	315903187	28	No	Yes	Fracture	Head	Other	Other	Other		THE VICTIM WAS STRUCK IN THE HEAD.: The employees had climbed the metal overhead power line tower and the helicopter had delivered the first cart that attached to the power line. The employees were preparing tools and supplies in preparation to replace the spacers between power lines when they heard the victim yelling. The victim was in the cart and rolling down the line towards the spacer, as the victim came to the spacer he attempted to duck down under the spacer and was struck in the face and head area. The employees on the tower started rescue procedures and the victim was transported by the on site helicopter directly to the ambulance. The victim received a cut lower lip, multiple broken teeth and multiple damaged vertebrae in his neck area.
7/17/2012	316427962	51	No	Yes	Poisoning (systemic)	Lung	Gases	Gas, vapor,mist, fume, dust, etc. condition	Misjudgment of hazardous situation		CARBON MONOXIDE OVER EXPOSURE: On July 17, 2012 at approximately 4:00 AM the sanitation crew began to clean the floors in the Processing Room. Some of the processing machine operators were also in the room preparing for the day. The crew's second electric powered pressure washer was broken and so one of the teams (two workers – one spraying and one squeezegeeing) decided to bring a gas powered pressure washer into the room. The gas engine...
7/18/2012	316427921	49	No	Yes	Poisoning (systemic)	Body system	Gases	Gas, vapor,mist, fume, dust, etc. condition	Misjudgment of hazardous situation		Two employees were in a 14-foot pit, operating a chop saw to alter the location of the current manhole, when they were overcome by carbon monoxide. One employee lost consciousness and one employee experienced nausea, a headache, weakness, vomiting and confusion. The employee that lost consciousness was hospitalized and received hyperbaric chamber therapy and the other employee received oxygen and was later released. There was a third employee that entered the pit to rescue the other employees, he was also transported to the hospital, where he was later released.
7/19/2012	315669358	36	No	No	Cut or laceration	Hand(s)	Ladder	Shear point action	Misjudgment of hazardous situation	2	EMPLOYEE FELL FROM A 4 FOOT STEP LADDER.: On July 19, 2012 at approximately 11:30 am, the victim was using a 4-step step-ladder to drill trunk holes in the ceiling joists when all of a sudden the ladder collapsed. The victim tried to catch his balance as he was stumbling backwards he bumped up against some doors that were leaned up against a wall behind him. He instinctively grabbed one of the doors with his left hand (the door had a metal flange protruding out) and his hand slid down the flange cutting his ring finger and pinky finger on his left hand. The injuries the victim sustained required surgery.

Oregon OSHA accident investigation data for inspections opened in 2012

Event Date	Insp Number	Age	Fatality?	Hospit- alized?	Nature	Part	Source	Environ- mental Factor	Human Factor	Fall Ht	Accident Description
7/23/2012	315938969	38	No	Yes	Bruise, contusion, abrasion	Body system	Motor vehicle (highway)	Catch point or puncture action	Other		MVA: Employees transported as passengers in forestry van were injured when struck by civilian vehicle in intersection of city roadway.
7/23/2012	315938969	23	No	Yes	Bruise, contusion, abrasion	Body system	Motor vehicle (highway)	Catch point or puncture action	Other		MVA: Employees transported as passengers in forestry van were injured when struck by civilian vehicle in intersection of city roadway.
7/23/2012	315938969	21	No	Yes	Bruise, contusion, abrasion	Body system	Motor vehicle (highway)	Catch point or puncture action	Other		MVA: Employees transported as passengers in forestry van were injured when struck by civilian vehicle in intersection of city roadway.
7/23/2012	315938969	23	Yes	No	Bruise, contusion, abrasion	Body system	Motor vehicle (highway)	Catch point or puncture action	Other		MVA: Employees transported as passengers in forestry van were injured when struck by civilian vehicle in intersection of city roadway.
7/23/2012	316428416	33	No	Yes	Fracture	Back	Buildings	Working surface or facility layout condition	Misjudgment of hazardous situation	22	FALL THROUGH SKYLIGHT: A roofing worker fell approximately 22 feet to a concrete floor when he stepped on a fiberglass skylight panel that gave way while he was reroofing a metal building.
7/26/2012	315669275	43	No	Yes	Burn or scald (heat)	Multiple	Electrical apparatus or wiring	Other	Misjudgment of hazardous situation		EMPLOYEE BURNED FROM ARC FLASH: The victim was troubleshooting an electrical system for a water pump, at a client's site. He tested the infeed side of the power in the disconnect box. There was an arc flash, which resulted in serious burns to his left hand and arm.
7/30/2012	315939421	42	No	Yes	Fracture	Chest	Working surface	Other	Misjudgment of hazardous situation	8	FALL FROM LADDER: On 7/30/12, at approximately 9:30 am, Employee #1 was engaged in hanging continuous gutters on a garage structure. He was standing on the 3rd rung of a 10 foot orchard ladder and was about to place the gutter when the front leg of the ladder settled into the ground. The employee fell off the ladder and fractured six ribs and his scapula. He was hospitalized and released nearly a week later.
7/31/2012	315927822	45	No	Yes	Other	Lung	Chemical (liquids or vapors)	Chemical action/reaction on exposure	Misjudgment of hazardous situation		WORKER MIXED TWO INCOMPATIBLE CHEMICALS CAUSING ILLNESS: Worker dumped the remaining fluid from several 55-gallon drums of cleaning fluids into a drain. incompatible chemicals reacted into chlorine gas and sickened the worker. The worker was admitted to the hospital for 2 days. There were no witnesses, the worker did not follow established drum cleaning procedures.
8/11/2012	315903633	29	No	Yes	Other	Abdomen	Firearm	Other	Other		VICTIM SHOT MULTIPLE TIMES BY SUSPECT: Victim was shot multiple times by suspect trying to elude police officer.
8/13/2012	316429471	48	No	Yes	Electric shock	Body system	Machine	Other	Misjudgment of hazardous situation		SHOCK/FALL FROM LADDER: A service technician sustained serious injuries while servicing the control unit for an automatic overhead door. He was standing approximately 15 feet up on a fiberglass extension ladder attempting to adjust a positioning interlock switch inside of the control unit when he sustained a serious electrical shock and fell from the ladder.
8/13/2012	316429422	34	No	Yes	Other	Lung	Motor vehicle (industrial)	Other	Misjudgment of hazardous situation		WORKER PINNED BETWEEN FORKLIFT AND CEMENT BLOCKS ON A PALLET: Forklift operator drove the truck backwards and onto another worker who was nearby pinning him between pallets of concrete block and the back of the truck.
8/13/2012	316429521	0	No	No						0	AMMONIA LEAK: There was an ammonia leak in the mezzanine service corridor. No serious injuries. Three were sent to the hospital for precautionary purposes.
8/14/2012	315928085	19	Yes	No	Other	Multiple	Person	Other	Other		HOMICIDE: Victim was found deceased in a room of the motel. 911 was called and a police investigation is underway after cause of death was determined to be a possible homicide.
8/17/2012	316633858	53	No	Yes	Fracture	Hand(s)	Machine	Pinch point action	Operational position not appropriate for task		CAUGHT IN A MACHINE: On or about August 17, 2012 at approximately 8:57 pm the victim was in the process of cleaning a rotating set of three horizontal rollers on a stainless steel line. The victim was using a Milwaukee drill with a seven inch by two inch rough scotch brite wheel. While the victim was cleaning the surface of the approximate seven inch roller his gloved hand caught in the in-going nip point taking his left hand through the 3/8-inch opening. He suffered a crushed hand.
8/17/2012	316429612	57	No	Yes	Fracture	Multiple	Ladder	Other	Equipment in use not appropriate for operation or process	15	AN EMPLOYEE FELL FROM A LADDER THAT WAS ON TOP OF A SCAFFOLD: An employee was working on a step ladder that was used on top of a mobile scaffold. The employee was reaching out to the side when the scaffold moved and he fell to the ground approximately 7 feet.
8/20/2012	316429661	24	No	Yes	Cut or laceration	Neck	Glass	Flying object action	Operational position not appropriate for task		EMPLOYEE WAS STRUCK IN THE NECK BY A PIECE OF GLASS.: Two employees were attempting to lift a piece of glass off of a cutting table. The glass broke in their hands and a piece of glass struck an employee in the neck.
8/24/2012	316634039	21	No	Yes	Amputation	Finger(s)	Machine	Shear point action	Misjudgment of hazardous situation		FINGER AMPUTATION, CAUSED BY AUGER.: Employee was checking a screw auger to see if it was plugged, by putting his hand in the outfeed. His hand was caught by the auger, severing two of his fingers and crushing a third.



Oregon OSHA accident investigation data for inspections opened in 2012

Event Date	Insp Number	Age	Fatality?	Hospit- alized?	Nature	Part	Source	Environ- mental Factor	Human Factor	Fall Ht	Accident Description
8/31/2012	316634245	48	No	Yes	Fracture	Leg(s)	Materials handling equipment	Overhead moving and/or falling object action	Operational position not appropriate for task		STRUCK BY BLOCK: On or about August 31, 2012 at approximately 9:30 am, the victim was in the process of straightening logs approximately 8 feet long by 16 inch diameter on a stepper to the log chain at the mill. Part of the process is for the operator to eject (kick) logs that are of oversize lengths and diameter onto a conveyor to take them out of the system and eject them onto the ground. The line shut down because of a problem further in the mill. However, the log on the conveyor had not been ejected to the ground. The victim and operator where called into the mill to help with the problem. As the victim left his station, the log was automatically ejected and thrown into the victim. It struck the victim's left leg.
9/3/2012	316708585	48	No	Yes	Fracture	Head	Working surface	Working surface or facility layout condition	Misjudgment of hazardous situation	18	FALL FROM ROOF: A roofer fell approximately 18 feet from a 9/12 pich residential roof he was sheeting. He was not using fall protection equipment.
9/6/2012	316708882	63	No	Yes	Burn or scald (heat)	Foot, feet, toes or ankle(s)	Fire or smoke	Temperature above or below tolerance level	Misjudgment of hazardous situation		EMPLOYEE GOT BURN FROM GRASS FIRE WHILE CUTTING BOLT WITH A TORCH: The employee was using an oxygen-acetylene torch to cut off a bolt from a chassis located in the outdoor repair lot. The dry grass and brush nearby caught fire due to the sparks created by the cutting torch. The employee tried to put out the fire with water from the five gallon jug, and in the process he got 2nd and 3rd degree burn on his legs.
9/7/2012	315940288	31	No	Yes	Fracture	Back	Vegetation	Overhead moving and/or falling object action	Misjudgment of hazardous situation		STRUCK BY TREE: On 9/7/12, at approximately 10:00 am, Emp #1 was engaged in falling a small patch of trees in a right of way. He had placed a face cut in a 12"dbh fir tree and started the back cut when the tree set back and pinched the saw bar. He went to another tree about 40' behind to push the cut up tree over. At some point during the process, the cut up tree fell over and struck the victim. He received multiple spinal fractures and was hospitalized.
9/11/2012	315928499	48	No	Yes	Burn or scald (heat)	Arms(s) - multiple	Electrical apparatus or wiring	Other	Equipment inuse not appropriate for operation or process		ONE EMPLOYEE BURNED FROM ARC FLASH: One employee was working in a panel box changing a contactor for the pivot when the contactor failed causing an arc flash burning the employee on his left arm, face and neck.
9/12/2012	316634526	73	Yes	No	Other	Head	Machine	Other	Other		CRUSHED BY: On or about September 13, 2012 at approximately 12:30pm an employee was in the process of moving a DynaPac CA25 roller from one forest road to another road system. The accident victim had started down a steep section of the road and had traveled approximately 300 feet when the roller went off the upper side of the road and tipped over. The accident victim was thrown from the roller which then tipped over crushing the victim.
9/13/2012	316634674	22	No	Yes	Fracture	Body system	Motor vehicle (industrial)	Other	Equipment inuse not appropriate for operation or process		MOTOR VEHICLE ACCIDENT: On or about September 13, 2012 at approximately 10:15am the victim was in the process of operating an ATV. Prior to riding the ATV He noticed a broken tie rod. He made a quick fix with tie wire. He continued to ride the machine until the tie wire failed, sending him and the machine into a ditch and a power pole.
9/14/2012	316708965	23	No	Yes	Fracture	Lower leg(s)	Motor vehicle (industrial)	Materials handling equipment or method	Misjudgment of hazardous situation		ORCHARD WORKER FELL OFF OF LADDER WHEN IT WAS HIT BY TRACTOR: An orchard worker was standing on the third or fourth step of an orchard ladder when a tractor carrying a bin transporter drove by and hit the ladder causing the worker to fall and being run over by the two wheels of the transporter.
9/16/2012	316709187	49	No	Yes	Cut or laceration	Lower arm(s)	Machine	Pinch point action	Malfunction of procedure for lock-out tag-out		AN EMPLOYEE'S ARM WAS CAUGHT IN AN ICE MACHINE: An employees arm was caught in an ice machine
9/18/2012	316709229	21	No	Yes	Fracture	Back	Buildings	Other	Misjudgment of hazardous situation	5	ROOFING EMPLOYEE FELL FROM ROOF: The foreman of a roofing crew reached over to pull an air hose towards himself and ended up losing his balance causing him to fall to the driveway below.
9/20/2012	316709302	40	No	Yes	Fracture	Body system	Other	Flying object action	Misjudgment of hazardous situation		EMPLOYEE WAS STRUCK BY A TREE WHILE FALLING TIMBER.: One employee had just finished falling a fir tree, when another employee working above him was falling an Alder. The Alder went over sideways which landed on a downed wind fall braking the wind fall into several sections, with one of the sections striking the one employee in the upper body.
10/3/2012	316635143	46	No	Yes	Fracture	Finger(s)	Hand tool (powered)	Flying object action	Safety devices removed or inoperative		GRINDER WHEEL EXPLODED BREAKING VICTIMS LEFT PINKY FINGER.: The victim was using a "big" air grinder without a guard. The victim was smoothing out a welding bevel so that the flange would fit tight when all of a sudden the grinding wheel broke and pieces of the wheel struck the victim's left pinky finger. The victim was taken to the hospital and had surgery on his finger the next morning. The injury sustained was a dislocated knuckle and a bone that was broken in two places.
10/4/2012	316710185	69	Yes	No	Cut or laceration	Neck	Machine	Catch point or puncture action	Operational position not appropriate for task		TANGLED IN LATHE: Employee operating a lathe reached in to smooth out a bur with a rat tail file wrapped in emery cloth when he became entangled in the rotating part wrapping when his left arm around the rotating part pulling him into the machine where he was struck multiple times in the neck area causing fatal injuries.

Oregon OSHA accident investigation data for inspections opened in 2012

Event Date	Insp Number	Age	Fatality?	Hospit- alized?	Nature	Part	Source	Environ- mental Factor	Human Factor	Fall Ht	Accident Description
10/9/2012	315905141	45	No	Yes	Fracture	Face	Boxes, barrels, etc	Overhead moving and/or falling object action	Misjudgment of hazardous situation		A STACK OF PLYWOOD FELL AND STRUCK AN EMPLOYEE IN THE HEAD.: Employees were unloading used plywood from a dump box. The stack of plywood fell over and struck an employee in the head. The employee was pinned to the side and floor of the dump box by the plywood. A forklift was used to get the plywood off of the employee.
10/11/2012	315941146	60	No	Yes	Electric shock	Hand(s)	Electrical apparatus or wiring	Working surface or facility layout condition	Malfunction of procedure for lock-out tag-out		EMPLOYEE MADE CONTACT WITH ENERGIZED CONDUCTORS: An employee was performing maintenance on a HEPA fan unit and did not de-energize and LO/TO the unit. He made contact with the energized conductors and burned his hands.
10/12/2012	315928788	33	No	Yes	Fracture	Upper Arm(s)	Materials handling equipment	Other	Malfunction of procedure for lock-out tag-out		THE VICTIM'S ARM WAS CAUGHT IN A CONVEYOR BELT TAIL ROLL.: On or about October 12, 2012, at approximately 4:00 am, the victim was attempting to clean the tail roll area of a conveyor belt, with the help of a coworker. The coworker was turning the belt on and off to reposition it during the cleaning. The conveyor started up unexpectedly, and the victim's arm was caught in the pinch point of the belt and roll.
10/19/2012	316711332	51	No	Yes	Concussion	Head	Hoisting apparatus	Flying object action	Malfunction of procedure for securing operation or warning of hazardous situation		EMPLOYEE WAS STRUCK IN THE HEAD WHILE LIFTING A POTTED TREE.: Two employees were lifting and ornamental tree out of a pot when the strap broke, resulting in one of the employees being struck in the head.
10/19/2012	316710953	40	No	No	Fracture	Lower leg(s)	Working surface	Working surface or facility layout condition	Other		EMPLOYEE FELL FROM 3RD FLOOR BREEZEWAYAFTER RAILING FAILED.: Concrete pump operator leaned over railing on the 3rd floor breezeway to make sure that his boom did not hit the building and the railing failed. Employee sustained a fracture to his lower right leg.
10/22/2012	315905174	40	No	Yes	Amputation	Upper Arm(s)	Machine	Pinch point action	Malfunction of procedure for securing operation or warning of hazardous situation		AMPUTATION OF RIGHT ARM WHILE OPERATING A HULA SAW.: The victim was operating a hula saw when a jam up occurred. The victim shut the saws off and reached in front of the right saw. While reaching the victim activated the right saw which came out and severed the right arm. The saw blade was still turning when it came in contact with the arm.
10/25/2012	316711092	55	Yes	No	Fracture	Head	Ladder	Overhead moving and/or falling object action	Misjudgment of hazardous situation	16	FALL FROM LADDER: A worker installing siding on a residence under remodel fell from an extension ladder erected approximately 16 feet high while installing new siding.
10/26/2012	315928945	49	No	Yes	Bruise, contusion, abrasion	Abdomen	Working surface	Working surface or facility layout condition	Equipment inuse not appropriate for operation or process	2	EMPLOYEE STEPPED ON LOSE BOARD AND FELL TO SAME LEVEL.: The employee stepped out of the house to the front porch deck that was only joist framed with no subfloor sheeting. He step on the end of a board that was laying across the floor joist. The board flipped up vertical and the other end came in contact with his belly pole- vaulting him over on to the concrete steps in front of the porch. The employee received internal injuries to his abdomen.
10/30/2012	316635838	39	No	Yes	Fracture	Body system	Materials handling equipment	Working surface or facility layout condition	Defective equipment: Knowingly used	6	FALL FROM ELEVATION: On or about October 30, 2012 at approximately 11:00 am, the victim was in the process of climbing down off of a caterpillar 966 loader, when he fell. He fell approximately 6 feet to the ground below. He sustained a left fracture to his hip and pelvis plus a fractured left wrist.
10/30/2012	316711522	60	No	Yes	Bruise, contusion, abrasion	Head	Other	Other	Other		FAINTING - NONE WORK RELATED: On October 30, 2012 the victim, a printing machine operator, passed out and struck his head on the concrete floor in the shop. He was standing in an open area near the south operator's controls and did not contact any part of the printing machine. He came to work that day feeling ill. Members of his family had been suffering from influenza during the previous days before the accident. His injury came from the blow of his head with the floor. He returned to full work duty the next week. OR-OSHA conducted an air sampling evaluation for chemical vapors and found no significant concentrations. It was concluded that fainting episode was not work environment related.
10/30/2012	315905521	60	Yes	No	Concussion	Head	Buildings	Other	Other	2	FALL: The victim was installing trim around a ceiling opening of a new sky light fixture that had been installed in a residential home. The victim was working from a four foot ladder when he apparently stepped off the ladder and tripped hitting his head on a wood stove near the work area. The area where the victim was working measured 91 inch's from the floor. One would assume that the 6 foot tall victim could not have been more than one or two steps up the ladder to reach the work area.The victim was transported to River Bend Hospital where he later passed on due to the head injury.

Oregon OSHA accident investigation data for inspections opened in 2012

Event Date	Insp Number	Age	Fatality?	Hospit- alized?	Nature	Part	Source	Environ- mental Factor	Human Factor	Fall Ht	Accident Description
11/5/2012	315905638	55	No	Yes	Fracture	Multiple	Other	Other	Misjudgment of hazardous situation		THE VICTIM WAS STRUCK BY A LOG ON THE LANDING.: As the turn of logs was landed, a maple log laid up against part of the yarder. The victim decided to duck under the log to make his way over to the other logs in the turn, as he ducked under the log it slid off the yarder and landed on top of the victim. The victim received a broken leg, broken ribs and damage to one lung.
11/7/2012	316635796	29	No	Yes	Cut or laceration	Hand(s)	Machine	Other	Malfunction of procedure for securing operation or warning of hazardous situation		CAME IN CONTACT WITH TRIM SAW AND CUT RIGHT HAND.: While stacking pallet stock, production stopped and the victim's coworkers' were trying to figure out why it had stopped. The first step was to check the trim saw to make sure the vacuum pipes were not plugged. The trim saw was locked out prior to performing this task. The victim unhooked the vacuum hose and shook it and beat on the side of the hose just in case it was plugged. He then went to check out the clean-out chute (located just below the saw) to see if it was plugged. He raised the trap door and put his right hand inside (while the trim saw was still rotating) and the saw grabbed his glove and seriously cut his right hand and fingers. The injuries the victim sustained were a severed right thumb and a mangled ring and pinky fingers.
11/11/2012	316635754	28	No	Yes	Fracture	Finger(s)	Machine	Pinch point action	Insufficient or lack of engineering controls		CRUSHED FINGER: On or about November 11, 2012 at approximately 11:30 am an employee was working on a crew that was palletizing christmas trees. The accident victim was stationed across from the palletizer operator's station next to the band feeding switch. The accident victim had placed his right hand on part of the frame behind the compressor chamber and as the compressor chamber was being lowered the accident victim's right index finger was crushed between the frame and the compressor chamber.
11/12/2012	316711985	30	No	Yes	Fracture	Lower leg(s)	Working surface	Flying object action	Misjudgment of hazardous situation		THE CHASER WAS STRUCK BY A LOG ON THE LANDING.: The chaser was standing next to the yarder waiting to unbell chokers from the turn that was being sent in, when the process operator struck a log with another log he was working on, causing the log laying on the ground to swing sideways striking the employee in the leg.
11/15/2012	316789247	47	Yes	No	Fracture	Body system	Motor vehicle (highway)	Other	Misjudgment of hazardous situation		MVA: The employee was driving a loaded log truck down a steep grade on the Coos Bay Wagon Rd.As he entered a sharp corner he lost control and failed to negotiate the turn. The truck went over the embankment and rolled several times. The driver was ejected from the vehicle and was found dead at the scene.
11/17/2012	316635820	33	No	Yes	Fracture	Back	Working surface	Working surface or facility layout condition	Misjudgment of hazardous situation	11	FELL FROM ELEVATION: On or about November 17, 2012 at approximately 12:45 pm, the victim with three other employees were cleaning gutters on an approximately 25 bay green house. The gutters were in the valley's between each peaked roof. The roof were at an approximate pitch of 5:12 and constructed of a poly-carbonate material. The victim while walking through the approximate 10- inch wide gutter, mis-stepped onto the poly-carbonate. He fell through to the ground approximately 11 foot 3-inches below. He sustained a concussion and a fractured vertebrae.
12/6/2012	316636141	30	No	Yes	Amputation	Finger(s)	Machine	Squeeze point action	Other		THE VICTIM GOT HIS FINGERS SMASHED AT THE PACKAGER.: The victim was in process of sticking a label on a unit of lumber at the bander machine when his right hand got in between the unit of lumber and the squeezer. When the squeezer automatically began its normal cycle, the victims right hand was caught in between the unit of lumber and the squeezer. This caused serious injuries to the victim fingers. The injuries sustained were an amputated middle finger. The doctors were able to save his index and pinky fingers. His thumb was not injured.
12/12/2012	316636372	43	No	Yes	Fracture	Leg(s)	Machine	Other	Other		FALL TO GROUND: On or about December 12, 2012, the victim was operating a Gillison's tower pruner. The power mechanism on the machine malfunctioned and began to smoke. The controls to lower the bucket did not operate as they should have. The employee then attempted to lower himself to the ground using a rope. The victim fell to the ground and broke both legs.
12/18/2012	316714351	42	No	Yes	Fracture	Back	Working surface	Overhead moving and/or falling object action	Misjudgment of hazardous situation	25	FALL FROM UTILITY POLE: A journeyman lineman fell approximately 25 feet from a power pole he was working on.
12/19/2012	316714393	39	No	Yes	Fracture	Neck	Buildings	Overhead moving and/or falling object action	Misjudgment of hazardous situation	9	FALL FROM ROOF: A custodial worker fell approximately 9 feet from the roof of a maintenance building while he was on the roof cleaning roof drains.
12/20/2012	316636539	53	No	Yes	Fracture	Multiple	Machine	Flying object action	Procedure for handling materials not appropriate for task		A WORKER WAS STRUCK BY A LOG.: On or about December 20, 2012 at approximately 11:00 am, an employee was limbing and bucking logs on yoder landing site when the loader operator picked up a log that he was going to roll over so the chaser could finish limbing it. The log that was being lifted by the loader still had a second piece attached to it and as the loader operator started to swing the log the second piece broke off cause the section being lifted to swing in the direction of the chaser. the log struck the chaser resulting in a dislocated left shoulder and a broken right leg below the knee.