
# Safety and the Supervisor

An Introduction to five important supervisor safety responsibilities as detailed in OAR 437, Division 001, Rule 0760





Presented by the Public Education Section Oregon OSHA Department of Consumer and Business Services





# **Oregon OSHA Public Education Mission:**

We provide knowledge and tools to advance selfsufficiency in workplace safety and health

#### **Consultative Services:**

• Offers no-cost on-site assistance to help Oregon employers recognize and correct safety and health problems

#### **Enforcement:**

• Inspects places of employment for occupational safety and health rule violations and investigates complaints and accidents

#### **Public Education and Conferences:**

• Presents educational opportunities to employers and employees on a variety of safety and health topics throughout the state

#### **Standards and Technical Resources:**

- Develops, interprets, and provides technical advice on safety and health standards
- Publishes booklets, pamphlets, and other materials to assist in the implementation of safety and health rules


#### Questions? Call us:

#### **Field Offices:**

Portland	503-229-5910
Salem	503-378-3274
Eugene	541-686-7562
Medford	541-776-6030
Bend	541-388-6066
Pendleton	541-276-2353



### Salem Central Office: Toll Free number in English: 800-922-2689 Toll Free number in Spanish: 800-843-8086 Website: osha.oregon.gov





Welcome

Welcome class. Introduce yourself and others. Cover the workshop goal below.

The supervisor is the one person who can take immediate, direct action to make sure that his or her work area is safe and healthful for all employees. Russell DeReamer, author of <u>Modern Safety Practices</u>, considers the supervisor the only person who can control employees, machines, and working conditions on a daily, full-time basis.


In his text, <u>Occupational Safety and Health Management</u>, Thomas Anton relates that the supervisor bears the greatest responsibility and accountability for implementing the safety and health program because it is he or she who works most directly with the employee. It is important that the supervisor understand and apply successful management and leadership principles to safety and health to make sure employees enjoy an injury- and illness-free work environment.

This workshop introduces you to key elements of supervisor responsibility and accountability: *Complying with the law, providing resources and support, conducting safety training, overseeing the work, and enforcing safety rules.* 


Through team exercises and discussion, you will gain valuable insight into the role of the supervisor as a manager of safety and health programs and a leader in safety. Please participate fully and enjoy the class.


# Workshop Goal. Gain a greater awareness of five basic supervisor safety responsibilities to:

- Provide safety training
- Provide resources and support
- Enforce safety
- Oversee work
- Demonstrate safety leadership



*Please Note:* This material, or any other material used to inform employers of compliance requirements of Oregon OSHA standards through simplification of the regulations should not be considered a substitute for any provisions of the Oregon Safe Employment Act or for any standards issued by Oregon OSHA. The information in this workbook is intended for classroom use only.





Discuss the rule. The intent of the rule is that employees need to be adequately educated and trained.


# Provide Effective Safety Training

The supervisor's first responsibility to the employer and obligation to each

**437-001-0760(1)(a)** The employer shall see that workers are properly instructed and supervised in the safe operation of any machinery, tools, equipment, process, or practice which they are authorized to use or apply...

# Safety Education and Training

# What is safety "education?"



- Generally, the "why" in safety describes the consequences of performance.
- Natural consequences = explains the resulting hurt/health that occurs automatically as a result of our actions.
- System consequences = explains the organizational punishment/reward that may or may not occur as a result of our actions.

# Why is it important to always discuss the natural and system consequences of employee behavior?

The number one reason employees do not follow rules in general is that they don't know why doing so is important. Employees will be much more likely to follow safety rules if they know what the natural and system consequences are.

# What is safety "training?"


- The "how" in safety performing safe behaviors, practices, procedures.
- Primarily increases specific knowledge and improves skills.

# Why should supervisors be involved in training?


Supervisors need to acquire adequate knowledge and skills about the hazards in their area of responsibility. Training helps them do this efficiently.

# How do you know safety training is effective ?

The most direct indicator is that employees are behaving properly.



Adapted from Robert F. Mager Diagram



Briefly discuss the steps in the OJT process. Emphasize "Permission" in Step 4 to keep people safe.

**Step 1. Introduction.** Tell the learner what you're going to train. Emphasize the importance of the procedure to the success of the production/service goals. Invite questions. Emphasize natural and system consequences.

**Step 2. Trainer show and tell.** The trainer demonstrates the process. The trainer first explains and demonstrates safe work procedures associated with the task. In this step the learner becomes familiar with each work practice and why it is important.



Trainer: **EXPLAINS** a step and then **PERFORMS** a step.

Learner: **<u>OBSERVES</u>** each step and **<u>QUESTIONS</u>** the trainer.

**Step 3. Trainer ask and show.** The learner explains the procedure to the trainer, while the trainer does it. This gives the trainer an opportunity to discover whether there were any misunderstandings in the previous step. This step also protects the learner because the trainer still performs the procedure. The learner also responds to trainer questions.



Learner: **<u>EXPLAINS</u>** each step and <u>**RESPONDS**</u> to questions.

Trainer: **<u>PERFORMS</u>** each step and **<u>QUESTIONS</u>** the trainee.

**Step 4. Trainee tell and show.** The trainer has the trainee do it. The learner carries out the procedure but remains protected because the learner explains the process before proceeding to do it




Learner: **<u>EXPLAINS</u>**, gets **<u>PERMISSION</u>** and then <u>**PERFORMS**</u> each step.

Trainer: Gives **PERMISSION**, **OBSERVES** each step and **QUESTIONS** the trainee.

**Step 5. Conclusion.** Recognize accomplishment. Reemphasize the importance of the procedure. How it fits into the overall process. Tie the training again to accountability.

**Step 6.** Document. Effective documentation is more than an attendance sheet. Make sure you "certify" adequate knowledge and skills have been achieved. (see example)



**Make sure documentation is sufficient.** Most safety training teaches employees how to perform a procedure or practice. As a result, employees must demonstrate adequate knowledge and skills in the learning environment before exposure to hazards. Test should be a written exam and skills demonstration. It's also a good idea to evaluate performance in the actual work environment some time after training has been completed.

This is just an example. Change it to meet your organization's needs.			
Fraining Subject	Date	Location	

**Trainee certification.** I have received on-the-job training on those subject procedures to determine and correct skill deficiencies. I understand that performing these procedures/practices safely is a condition of employment. I fully intend to comply with all safety and operational requirements discussed. I understand that failure to comply with these requirements may result in progressive discipline (or corrective actions) up to and including termination.

Employee Name	Signature	Date

**Trainee certification.** I have conducted orientation/on-the-job training to the employee(s) listed above. I have explained related procedures, practice and policies. Employees were each given opportunity to ask questions and practice procedures taught under my supervision. Based on each student's performance, I have determined that each employee trained has adequate knowledge and skills to safely perform these procedures/practices.

Trainer Name

Signature

Date

<u>**Training Validation.**</u> On \_\_\_\_\_\_ (date) I have observed the above employee(s) successfully applying the knowledge and skills learned during the training.

Supervisor Name

Signature

Date

## (Page 2 of certification) Sample Hazard Communication Training Outline

#### The following information was discussed with students:

Overview of the hazard communication program – purpose of the program

- Primary, secondary, portable, and stationary process container labeling requirements
- Discussion of the various sections of the MSDS and their location
- \_\_\_\_ Emergency and Spill procedures
- \_\_\_\_ Discussion of the hazards of the following chemicals to which students will be exposed
- \_\_\_\_ Symptoms and overexposure
- \_\_\_\_\_ Use/care of required personal protective equipment used with the above chemicals
- \_\_\_\_ Employee accountability

#### The following procedures were practiced:


- Chemical application procedure
- \_\_\_\_ Chemical spill procedures
- \_\_\_\_ Personal protective equipment use
- \_\_\_\_ Emergency first aid procedure

Most safety training is "hands-on-how-to" that requires the employee to prove they have adequate knowledge and skills to perform to standard. They need to be certified that they adequate knowledge and skills.

#### The following (oral/written) test was administered.

(You may want to keep these tests as attachments to the safety training plan and merely reference it here to keep this document on one sheet of paper. OSHA recommends at least 25 questions for technically complex training.)

- 1. What are the labeling requirements of a secondary container? (name of chem. And hazard warning)
- 2. When does a container change from a portable to secondary container? (when employee loses control)
- 3. What are the symptoms of overexposure to \_\_\_\_\_? (stinging eyes)
- 4. Where is the "Right to Know" station (or MSDS station) located? (in the production plant)
- 5. What PPE is required when exposed to \_\_\_\_\_? (short answer)



The second primary responsibility. Management must provide adequate resources so that employees can meet performance standards.

# Provide Resources and Support

The supervisor's second responsibility to the employer and obligation to each employee.

#### ORS 654.010 Employers to furnish safe place of employment.

#### Every employer shall...

- furnish <u>employment</u> and a <u>place of employment</u> which are <u>safe</u> and <u>healthful</u> for employees therein, and...
- shall do every other thing <u>reasonably necessary</u> to protect the life, safety and health of such employees.

Give examples for each of the questions below.

#### Let's take a closer look at some concepts:

What does employment mean? work, occupation

What's the place of employment? The premises, facilities, worksite

 What does safe mean?
 Free from the risk of hazards that can cause an injury to an

employee.

*What does healthful mean?* Free from the risk of hazards that affects the physical and psychological health of an employee.

#### What does reasonably necessary mean?

Fair, just, sensible, not excessive. What a reasonable person would consider necessary and appropriate to provide adequate protection to employees. Usually considered common practice within an industry.

# Providing a safe and healthful work environment



What is the supervisor obligated to do to make sure the physical environment is safe?


The supervisor can identify and correct hazards before people get hurt. Make sure training has been conducted. Require compliance with mandatory safety rules and encourage compliance with voluntary guidelines. Conduct JHA. Act on any suggestions. Be sure tools, equipment, machinery, etc. are in proper working condition.



What can the supervisor do to make sure the psychological environment is healthful?



The supervisor can make sure working relationships are healthful. Reduce "distress" in the workplace. Distress occurs when employee do not believe they have the ability to achieve standards of performance for some reason. They will try to "gain control" by displaying fight or flight response (fleeing the problem or fighting the problem.) Make sure workloads and schedules are reasonable. Watch for behaviors that indicate the employee may be distracted. Any form of distraction transforms the employee into a "walking hazardous condition." If employee behaviors indicate they need some kind of help. Give it to them. Ensure employees who need it, get help through an Employee Assistance Program (EAP). Do not tolerate harassment or any form of verbal/physical violence.



This material is for training use only Discuss the rule below. "Require" and "compliance" infer enforcing safety rules and holding employee accountable.

# Enforce Safety Policies and Rules

The supervisor's third responsibility to the employer and obligation to each employee.

# A supervisor's DUTY is to ENFORCE company SAFETY POLICY and RULES!

# 437-001-0760 Rules for all Workplaces.

When a rule uses the term, "shall," it is a "must" and required. May be cited by Oregon OSHA.

- (1) Employers' Responsibilities... (b) The employer shall take all reasonable means to <u>require</u> employees to...
- (A) To work and act in a safe and healthful manner;
- (B) To conduct their work in **compliance** with all applicable safety and health rules;
- (C) To use all **means** and **methods**, including but not limited to, ladders, scaffolds, guardrails, machines guards, safety belts and lifelines, that are necessary to safely accomplish all work where employees are **exposed to a hazard**; and
- (D) Not to remove, displace, damage, destroy or carry off any safety device, guard, notice or warning provided for use in any employment or place of employment while such use is required by applicable safety and health rules.
- (2) Employees' Responsibilities
- (a) Employees shall conduct their work in compliance with the safety rules contained in this code.
- (b) All **injuries shall be reported immediately** to the person in charge or the other responsible representative of the employer.



# Accountability = Performance + Evaluation Consequences

# The "Chain of Accountability"

The employer is accountable to \_\_\_\_\_ the law\_\_\_\_\_ and obligated to

\_\_\_\_\_employees\_\_\_\_\_\_to carry out their safety responsibilities.

The employee is accountable to the <u>employer</u> and obligated to all employees to carry out their safety responsibilities.

	This material is for training use only	
	Discipline must be fair, justified, based on facts	
Y. ST	Emphasize discipline must be based on facts. Root cause analysis should occur before discipline is considered.	
AL.	What's the difference between a rule and a guideline?	
Rules are	mandatory They <i>must</i> be followed. We have no option.	
Guidelines are _	voluntary They <i>may</i> be followed. We have options.	

# What happens to employer liability when a supervisor allows employees to "get away with it?"

The supervisor may legally transform a mandatory rule into a discretionary guideline and is not, therefore, justified in disciplining an employee.


Once the supervisor determines discipline is justified, it becomes a matter of leadership to discipline in a way that is perceived as factual and fair. When carried out appropriately, discipline results in the desired outcomes:

- 1. To be effective, employee behavior must change as desired, and
- 2. The working relationship between the employee and supervisor improves.

# Keys to appropriate, discipline is ...

- for misbehavior, not having an accident
- based on fact, not feeling
- consistent throughout the organization: top to bottom and laterally
- applied only after it's determined management has met obligations to employee
- appropriate to the severity of the infraction and impact on the organization

For discipline to be justified, those in control should fulfill their obligations to the employee first. To make sure obligations are fulfilled, conduct a self-evaluation.



This is the main point of the entire workshop. The supervisor is obligated to fulfill these responsibilities to their employees.

What five basic questions need to be answered by the supervisor before administering discipline?

- 1. Have I provided adequate safety \_\_\_\_\_Trained\_\_\_\_?
- 2. Have I provided adequate \_\_\_\_\_Resources\_\_\_\_\_?
- 3. Have I effectively \_\_\_\_\_Enforced\_\_\_\_\_safety rules?
- 4. Have I provided adequate safety \_\_\_\_\_Supervision\_\_\_\_?
- 5. Have I personally demonstrated safety \_Leadership (by example)\_\_?

If you can honestly answer <u>yes</u> to all five questions, it's a good chance discipline is justified, but you may want to also check with the safety manager or other qualified person first, just to make sure.

# What are the two appropriate responses when the supervisor observes a worker violating safety rules?

- **1** Leadership demands discipline if all responsibilities have been fulfilled.
- 2 Leadership demands apology if all responsibilities have not been fulfilled. This is important and will result in an improvement in working relationships.

**Motivation is key to effective discipline.** The supervisor's motivation can make the difference between success and failure when disciplining. If the motivation reflects a tough-controlling or, worse yet, a tough-coercive leadership style, discipline is not likely

to be successful.

The supervisor should never say or do anything that conveys the idea that they are disciplining to protect their own backside.

# Which statement below reflects tough-caring approach that is more likely perceived as leadership by the employee?

If you don't know the correct answer here, don't teach the class!

- "I'm disciplining you because I have to ... it's policy. If I don't I might get in trouble."
  - *"I'm disciplining you because I don't want you to get hurt. I want to make sure you understand I insist on safe performance."*



Briefly discuss the rule below. Emphasize the Oregon OSHA definition below.

# Provide Adequate Supervision

The supervisor's fourth responsibility to the employer and obligation to each employee.

Discuss the definition of 'adequate' supervision.

**437-001-0760(1)(a)** The employer shall see that workers are properly instructed and **<u>supervised</u>** in the safe operation of any machinery, tools, equipment, process, or practice which they are authorized to use or apply...

(c) Every employer shall be responsible for providing the **health hazard control measures** necessary to protect the employees' health from harmful or hazardous conditions and for maintaining such control measures in good working order and in use.

(d) Every employer shall inform the employees regarding the known health hazards to which they are exposed, the measures which have been taken for the prevention and control of such hazards, and the proper methods for utilizing such control measures.

*The Key to safety supervision is super...vision* 

The supervisor must	Identify	v and C	Correct	hazards before

They cause I \_\_\_\_Injury\_\_\_\_ or I \_\_\_\_IIIness\_\_\_\_ to an employee.



What does the supervisor do to make sure he or she can meet the requirements discussed above?

Inspect, write work orders, warn employees, enforce safety rules, etc.

# Four important procedures supervisors can use to identify and

correct hazards

Briefly discuss the rule.

**437-001-0760(7)(a)** All places of employment shall be <u>inspected</u> by a qualified person or persons as often as the type of operation or the character of the equipment requires. Defective equipment or unsafe conditions found by these inspections shall be replaced or repaired or remedied promptly.



# 1. The Safety Inspection

The safety inspection is an important activity that helps supervisors discover hazardous conditions in the workplace. The more qualified people involved in the safety inspection, the better. When accomplished regularly by trained supervisors, employees and safety committees, inspections can go far to make sure hazardous conditions are identified and corrected before they cause an injury or illness. However, there is one major weakness inherent in the inspection process: it doesn't identify the causes of most accidents!

## How do we make inspections effective and useful?

Employers must involve employees in the process, get feedback, look beyond just the conditions and identify the cause of the condition.



# 2. Observation – continual surveillance

Supervisors can overcome the weaknesses of the walkaround inspection by regularly observing employee performance. Informal observation provides an effective method to identify and correct hazardous conditions <u>and</u> unsafe behaviors before they result in an accident.

- Informal observation is conducted continually by employees and supervisors.
- Formal observation processes can be developed as an analysis tool to assist safety staff in determining safety related trends. A safety committee observation process and Job hazard analysis are forms of formal observation.

## Why is daily observation more effective in reducing accidents?

It identifies the causes of the conditions.



# 3. Job Hazard Analysis (JHA)

Briefly discuss the process. It's not required by Oregon OSHA, but is a great way to write safe job procedures.

A Job Hazard Analysis, also called a job safety analysis, is an organized approach that involves the worker and supervisor observing a task, breaking it down into steps, analyzing each step for safety and operational needs, and providing recommendations for procedures that will meet those needs. Effective use of JHAs will do the following:

- Provide the supervisor with a clear understanding of what the employee does and does not know about the task.
- Recognize needed changes in the equipment or procedures.
- Provide a way to increase employee involvement.

#### SAMPLE JOB HAZARD ANALYSIS WORKSHEET

Basic Job Step	Hazards Present	Safe Job Procedure
1.Ensure that trailer is correctly spotted.	1. Worker could be caught between backing trailer and dock Worker could fall from the dock.	1. Stay clear of the doorway while the trailer is being backed onto the dock. Keep others away from the area. Remove awareness chain or bar from the front of the dock door once the trailer is properly spotted.
<ul><li>2. Chock wheels;</li><li>place jacks under trailer nose.</li><li>.</li></ul>	2. Worker could fall on stairs going to dock well. Head could be struck against trailer. Worker could slip on ice or snow.	2. If the truck driver has not chocked the wheels, go down tile ramp/stairs to the dock well and chock the wheels. Use caution when walking on snow or ice. Hold onto hand rails; use ice-melt chemical if needed. When placing the chock, avoid bumping the head on the underside of the trailer. Place jacks under the nose of the trailer. If the dock is equipped with an automatic trailer restraint, push the button to activate the device.

#### Job Description: Loading an empty trailer with pallets of product.

# Why is it smart business for the supervisor to conduct a JHA with his or her workers?

Ownership! It's always smart business to involve employees so that they believe they "own" the procedures. Employees will use their "own" procedures when not being supervised.

Sample JHA from: Job Hazard Analysis, by George Swartz, CSP, Government Institutes Pub.

This material is for training use only Briefly discuss the rule

4. Incident/Accident Analysis

Accident investigation



is **fact-finding** not fault-finding

#### 437-01-0760(3) Investigation of Injuries

(a) Each employer shall <u>investigate</u> or cause to be investigated <u>every lost-time injury</u> that workers suffer in connection with their employment, to <u>determine the means</u> that should be taken to prevent recurrence. The employer shall promptly install any safeguard to take any <u>corrective measure</u> indicated or found advisable.

# What is the purpose of a proactive incident/accident analysis?

Although the rule above uses the term, "investigation," it may be important for you to promote the idea that this process is an "analysis," not an investigation. In an effective incident/accident analysis, the analyst will determine what happened to primarily uncover the root causes (system failures) contributing to hazardous conditions and unsafe behaviors. For the process to work, discipline should be considered and occur only after it can be demonstrated (proven) that root causes did not somehow contribute to the hazardous conditions and/or unsafe behaviors that directly caused the incident/accident. There are so many variables (thousands) inherent in any safety management system, it's safe to assume the system somehow contributed to an incident or accident.

# What is the primary purpose of investigation process?

Fault-finding. If you're conducting accident investigations primarily to determine:

- 1. what happened This will not improve the safety culture in the workplace.
- 2. if the employer violated safety rules

**Fact-finding.** Accident investigation is far more helpful when the employer performs an accident analysis primarily to determine:

- 1. what happened This is the reason the organization should "analyze" accidents.
- 2. if safety management system design or performance factors contributed to the conditions/behaviors that directly caused the accident.

# What should be the primary assumption when conducting the accident investigation?

The system has failed. There are thousands of variables in a safety management system. It's far more likely that the system contributed to the behavior/condition that caused the accident. Do NOT consider discipline until the accident analysis is completed and it's a FACT that the system did not contribute to the accident.

# What do accidents cost?

# 2004 Average Cost For The Top Ten Disabling Claims By Event or Exposure

Event or Exposure Leading to Injury (Partial list)		CLAIMS CLOSED	AVERAGE COST(\$)	
1. 2. 3. 4. 5. 6. 7. 8. 9. <u>10.</u>	Lifting objects Bodily reaction, other Fall to floor, walkway <u>Repetitive motion</u> <u>Overexertion</u> , all other <u>Pulling, pushing objects</u> Caught in equipment or objects Struck by falling object <u>Holding, carrying, wielding</u> <u>objects</u> Loss of balance	The top 10 total 699 of all closed disabling claims. Ergonomics injuries total 45% of all closed disabling claims!	2,611 2,307 2,190 2,178 1,235 1,107 961 810 667 607	12,697 11,638 12,545 15,658 13,913 13,728 14,347 13,481 16,515 13,269
Briefly discuss the stats here. 22,627 total claim		<u>l claim</u>		

Why is it smart to analyze incidents as well as accidents?

Non-injury incidents are considered 'freebies" because there are no accident costs! If you can solve the cause of an incident, you're not going to realize accident costs later. This is very smart business!


# What are the benefits to the employer when employees report incidents and injuries immediately?

Less hurt for the employee and less expense for the employer. This is a "win-win" for the employer.

Employees should ALWAYS be thanked for reporting hazards and injuries immediately...besides it's the law!

# Why is it important to thank employees who report injuries immediately?

Employees must feel comfortable reporting hazards and injuries. They need to trust that the supervisor will not, somehow, respond negatively. Employees should NEVER get punished for having an accident.



# Surface Causes of the Accident

- Specific/unique hazardous conditions and/or unsafe actions
- Directly produce or indirectly contribute to the accident
- Exist/occur at any time and at any place in the organization
- Involve the actions of the victim and/or others

# Root Causes of the Accident

- Failure to effectively design or perform safety policies, programs, plans, processes, procedures, practices
- Created and exist prior to surface causes
- Result in common or repeated hazards
- Under control of management
- Failure can occur anytime, anywhere

**Step 1 - Secure the scene**. It's important to secure the accident scene to make sure material evidence is not moved or lost. If Oregon OSHA inspects the accident scene it must be secured and all material evidence must be marked or tagged.

**Step 2 - Collect facts about what happened**. Some of the techniques used to collect facts include:

- photographs initial statements
- sketches
  personal observations

information

• measurements • videotaping

# Analyze the facts

**Step 3 - Develop the sequence of events.** With the information gathered, develop the events that precede and include the injury event. You may also want to include events occurring immediately after the injury event to evaluate the employer's response to a serious accident.

**Step 4 - Determine the surface and root causes for the accident**. What were the (1) direct surface causes, (2) contributing surface causes, (3) design root causes, and (4) performance root causes? (see the next page)

# **Develop solutions**

## Step 5 - Recommend corrective actions and management solutions.

Recommend corrective actions to eliminate or at least reduce specific unsafe conditions and behaviors. Recommend changes to improve the design and performance of your safety management system.

**Step 6 - Write the report.** Include background information, a description of the accident (not a one-liner), your findings describing surface and root causes, recommendations, those responsible for taking action, and review/approval.

Take Course 102 to learn more about this process. Supervisors should not consider this training in conducting accident investigation...it's just an overview of the six steps.

This material is for training use only

# Controlling the hazards you identify

Briefly discuss the rule

**437-001-0760(6)** Extraordinary Hazards. When conditions arise that cause unusual or extraordinary hazards to workers, additional means and precautions shall be taken to protect workers or to control hazardous exposure. If the operation cannot be made reasonably safe, regular work shall be discontinued while such abnormal conditions exist, or until adequate safety of workers is ensured.



Briefly discuss each of the engineering control strategies. Give an example and ask students what they would do to "engineer the hazard out."

# 1.Engineering Controls - eliminate or reduce the hazard

These controls focus on the source of the hazard, unlike other types of controls that generally focus on the employee exposed to the hazard. The basic concept behind engineering controls is that, to the extent feasible, the work environment and the job itself should be designed to eliminate hazards or reduce exposure to hazards.

# Engineering controls are based on the following broad principles:

**Design.** If feasible, design the facility, equipment, or process to remove the hazard and/or substitute something that is not hazardous or is less hazardous.

- Redesigning, changing, or substituting equipment to remove the source of excessive temperatures, noise, or pressure;
- Redesigning a process to use less toxic chemicals;
- Redesigning a work station to relieve physical stress and remove ergonomic hazards; or
- Designing general ventilation with sufficient fresh outdoor air to improve indoor air quality and generally to provide a safe, healthful atmosphere.

**Enclosure.** If removal is not feasible, enclose the hazard to prevent exposure in normal operations.

- Complete enclosure of moving parts of machinery;
- Complete containment of toxic liquids or gases;
- Glove box operations to enclose work with dangerous microorganisms, radioisotopes, or toxic substances; and
- Complete containment of noise, heat, or pressure-producing processes.

**Barriers.** Where complete enclosure is not feasible, establish barriers reduce exposure to the hazard in normal operations. Examples include:

- Machine guarding, including electronic barriers;
- Isolation of a process in an area away from workers, except for maintenance work;
- Baffles used as noise-absorbing barriers.

**Ventilation.** Local ventilation to reduce exposure to the hazard in normal operations.

- Ventilation hoods in laboratory work;
- Fans and blowers.

Ask what engineering controls students might use to reduce or eliminate the hazards below.

#### What might be a suitable engineering control for the following?

120 dBA noise level	
Slippery floor	
Toxic chemical	



# 2. Management Controls - eliminate or reduce exposure

Briefly discuss each of the control strategies below. Give examples.

By following established safe work practices for accomplishing a task safely (and using PPE in many cases), your employees can further reduce their exposure to hazard. Management controls attempt to change surface and root cause behaviors.

**Work practices.** Some of these general practices are very general in their applicability. They include housekeeping activities such as:

- Removal of tripping, blocking, and slipping hazards;
- Removal of accumulated toxic dust on surfaces; and
- Wetting down surfaces to keep toxic dust out of the air.

**Procedures.** Other safe work practices apply to specific jobs in the workplace and involve specific procedures for accomplishing a job. To develop these procedures, you conduct a job hazard analysis.

**Schedules.** While controlling work practices and procedures can help reduce exposure to hazards, other measures such as changing work schedules can also be quite effective. Such measures include:

- Lengthened rest breaks,
- Additional relief workers,
- Exercise breaks to vary body motions, and
- Rotation of workers through different jobs

This control strategy is also called "administrative" or "work practice" controls in other literature. Oregon OSHA lumps these strategies together into management controls because they each attempt to limit exposure rather than reducing or eliminating the hazard itself.

## What might be a suitable management control for the following?

120 dBA noise level

Slippery floor

Highly Toxic chemical



# 3. Personal Protective Equipment (PPE)

When exposure to hazards cannot be engineered completely out of normal operations or maintenance work, and when other management controls cannot provide sufficient additional protection from exposure, personal protective clothing and/or equipment may be required. Examples of PPE include:

respirators	ear plugs	face shields
gloves	boots	helmets
separated out as a cont	er form of management co rol strategy.	nuor out it's usually

# 🖖 4. Interim Measures

When a hazard is recognized, the preferred correction or control cannot always be accomplished immediately. However, <u>in virtually all situations, temporary measures</u> <u>can be taken to eliminate or reduce worker risk</u>. These can range from taping down wires that pose a tripping hazard to actually shutting down an operation temporarily.

Interim measures are only temporary fixes. Oregon OSHA's belief is that there is an interim measure for virtually all hazards in the workplace.

The intent of the Oregon OSHA rule requires the employer to first attempt engineering controls. Why are engineering controls considered superior to management controls?

Simple: If you can get rid of the hazard, you don't have to manage exposure.



Just another day at work

 Read the following OR-OSHA accident synopsis and answer the questions:

 If you have time, conduct this exercise.

# Accident Synopsis

This is an after-the-fact narrative of the facts and circumstances as they relate to the serious injury John Smith received on 6/24/04 while employed as a machine attendant for XYZ of Portland, Oregon 97232.

# Specific overall work being done:

The lead worker, machine operator, and victim were involved in the process of grading, sorting, cutting, packaging, wrapping, and inventorying poultry products.

# Specific work being done by the victim:

At the time of the accident, the victim was attending to the #2 processing machine on the economy tray pack production line. His job was to ensure that if there was a problem with the machine he was to fix it. Also, if the machine was to plug up with poultry, the victim was to shut off the line, lockout/tagout the machine and unplug and then return it to service.

# Description of the accident:

The lead worker for the work area had just stopped the production line to see if there was a problem with the product. The operator and lead worker had initiated their safety plan, line of sight communications, and all machinery was shut off. At this point the victim immediately stepped over the railing, went to the front of the machine, and began the usual procedure of cleaning out the machine that was beginning to plug up with poultry parts. The victim could not be seen by the machine operator while he was in front cleaning out the machine. The lead worker, upon finding no problem and using the line of sight communications, gave the hand signal to the machine operator that everything was clear and to start the machine and production line again.

The machine operator stepped forward and started the machine and production line, unaware that the victim had his arm in the machine unplugging it. As the machine started, the cutting blades severed the victim's little finger and ring finger at the palm of his hand, at which point he began to scream to shut the machine off.

#### This material is for training use only

## Post-accident activity:

The machine was immediately shut off and the victim removed his hand. The victim was then given first aid and 911 was called. The first responders then ordered the victim to be transported to Sacred Heart Hospital where the victim was attended to, spent a few days recuperating and then was released.

# What conditions and/or behaviors directly caused the accident?

Have students describe specifics. Not vague or general observations. They should not address attitudes, but observable behaviors.

# What supervisor/employer actions are appropriate to make sure this accident does not happen again?

Hint: The system has failed so discipline is NOT justified. Fix procedures, processes, training, write rules, policies, etc. Some students may believe "someone's head has got to role."



Briefly discuss the rule below.

# Demonstrate Safety Leadership

The supervisor's fifth responsibility to the employer and obligation to each employee.

**ORS 654.022** Duty to comply with safety and health orders, decisions and rules. Every employer, owner, employee and other person shall...

- obey and <u>comply</u> with every requirement of every order, decision, direction, standard, rule or regulation ...
- do everything necessary or proper in order to <u>secure compliance</u> with and observance of every such order, decision, direction, standard, rule or regulation.

#### What is the employer's primary responsibility stated above?

#### Compliance

### What does "secure compliance" mean in the rule?

Enforce safety rules

#### Why does the employer have greater responsibility than the employee?

Management has more control. They control the workplace. The more control (authority) a person has,

the more accountable they are.

**OAR 437-001-0760(1)(e)** Any supervisors or persons in charge of work are held to be the agents of the employer in the discharge of their authorized duties, and are at all times responsible for:

- (A) The execution in a safe manner of the work under their supervision; and
- (B) The safe conduct of their crew while under their supervision; and
- (C) The safety of all workers under their supervision.

Since the supervisor is an "agent of the employer," what's the legal impact if a supervisor violates a safety rule or ignores employees when they violate safety rules?

They change the rule to a guideline. They jeopardize the employee. Makes the employer more vulnerable to claims of negligence – litigation.



## The nature of leadership

To figure out what leadership is, let's first discuss what it is not.

Briefly discuss the concepts on these two pages.

#### Leadership is not power -

- The capacity to bring about desired outcomes and prevent those not desired. (Gardner)
- Derived from status, position, money, expertise, charisma, ability to harm, access to media, control of assets, communications skills, physical strength.
- Leaders always have power, but the powerful are not always leaders.
- Thug who sticks a gun in your back has "power" but not leadership.
- Is self-centered, ethically neutral (can be used for good or bad), amoral.

#### Leadership is not status -

- Status or position may enhance the opportunity for leadership (and accountability).
- Some may have status or position, yet haven't a clue how to lead.
- Position is assigned from above...leadership is conferred from below.

#### Leadership is not authority -

- Person may have subordinates, but not followers.
- People will follow...confer leadership... only if person acts like a leader.

## Leadership is not management -

- Management is the process of controlling systems through planning, organizing, and supervising.
- Managers organize system inputs processes, policies, plans, procedures, programs.
- Managing is a planned activity. Leadership is more spontaneous than planned.
- Managers do things right. Leaders do the right things.

We know what leadership isn't, now let's talk about what it is



Think of a supervisor (or someone else) who you have considered a leader and discuss the attributes they have displayed.

List the attributes you and others in the group discussed.

Have the class or groups discuss and list attributes of leadership. How can each be applied or demonstrated as a safety leadership attribute?

*The people are fashioned according to the example of their king; and edicts are of less power than the life (example) of the ruler. C*laudian, c. 365. Egyptian epic poet.



This material is for training use only Leadership Styles: Some Work, Some Don't

"As we near the end of the twentieth century, we are beginning to see that traditional autocratic and hierarchical modes of leadership are slowly yielding to a newer model – one that attempts to simultaneously enhance the personal growth of workers and improve the quality and caring of our many institutions through a combination of teamwork and community, personal involvement in decision making, and ethical and caring behavior. This emerging approach to leadership and service is called *servant-leadership*." (Larry Spears - The Robert K. Greenleaf Center for Servant-Leadership)



Briefly discuss the two leadership models below.

# Are you a Tough - Caring Leader?

- You're tough (insist on safety) because you care about your employees.
- Your approach is that of a "servant leader:" You support and serve those whom you lead.
- Relationships are horizontal: Every employee is important and has inherent value.
- You view employees as internal customers. You are the supplier.
- You're interested in every employee's success.
- You exhibit high trust and give the credit to your "team."
- You're confident and exhibit high self-esteem.

Notice the difference in motive. Motive is everything. The leader supports.

# Are you a Tough -Controlling Leader?

- You're tough (insist on safety) to keep yourself out of trouble with the boss.
- Your approach is to control and to be served. It's all about you.
- You're concerned more about your own success than that of your "subordinates."
- Relationships are vertical: Superior-subordinate, value is not inherent, but depends on position and performance. (see graphic for example)
- Because lack trust and take all the credit for any team success.
- You lack confidence and are fearful. That's why you must control everything.

# **Critical Decision Point:** *Understanding the impact of a decision*

**You** are a busy first line supervisor. On Monday morning, John Smith, a worker in the packaging department, walks into your office with a concerned look on his face. He tells you that his lower back is experiencing pain every time he lifts a box. You're busy and must quickly decide how to handle the situation:

You thank John and tell him to get back to work; you will

handle the problem as soon as you can. After he leaves you just shake your head and get back to the things you think "you get paid to do."

Tuesday afternoon, John suffers a severe injury to his back and must be admitted to the hospital for possible surgery. It is determined that he has sustained a permanent partial disability to his lower back which results in continual pain, and very limited range of motion.

John Smith John's Family* *Wife & three kids	Physical and emotional distress. May be depressed, "take it out" on the family. The family may have to make many changes. Could ultimately result in the family breakup or divorce.
John's	Employees may be quite negative about management's inability to prevent an
Co-workers	accident and their lack of concern. Messages of incompetence (the management message) and lack of concern (the leadership message) will be sent even if not true
You, the	
supervisor	This is the tricky part. In this culture, you, the supervisor, are led to believe you're not a "baby sitter" and that safety is not your job. Management may actually support that belief by "blaming" John for the accident. In fact, you're off the hook.
The	
Company	Hard to quantify this. Less productivity, decreased morale, higher workers' compensation, etc.

# What are these people thinking and feeling about themselves and you as a result of the accident?



Conduct the exercise if you have time.



Briefly discuss this concept.

# Leaders Understand Cause and Effect

**Every effect has a cause.** The effective leader understands that everything he or she says and does affects what employees think and do. What the leader says and does represents the direct or contributing cause of employee performance. The wise leader thinks carefully about what might be the cause of substandard employee performance and is not quick to judge, accuse or blame the employee.

**You cannot** *not* **teach.** Everything a leader says or does in the workplace teaches employees something about the leader. It also creates a story that someone may talk about. It's true that we cannot not teach and that we are all teachers and learners at the same time.

**What you give, you get**. The leader naturally sets the tone of the safety culture and that has a direct effect on morale and performance. Whatever the leader gives to the group will be given back. For example:

- If a leader wants employees who care about their work, he or she must demonstrate care for employees.
- If a leader desires honest and fair employee behavior, he or she must treat employees with honesty and fairness.

# Exercise: What's the Cause?

Discuss what might be the cause for each of the following "effects" in the workplace.

Effect: Employees regularly bypass lockout/tagout procedures.

## Possible cause: \_\_\_\_\_

What causes the employee to think he/she can bypass lockout/tagout?

**Effect:** Employees frequently submit suggestions directly to their supervisor.

#### Possible cause: \_\_\_\_\_

**Effect:** A supervisor constantly pressures employees to work faster.

#### Possible cause: \_\_\_



Best Practice: Recognize Good Performance

A very important supervisor leadership responsibility.

Briefly discuss the concepts below

If you make it a point to regularly recognize and reward employees whenever they impress you, you'll rarely have to reprimand because employees will want to do the right thing.

## The 5 "secrets" of effective recognition:

- **It occurs <u>soon</u>** immediately after the performance occurs so that the employee more firmly "links" the performance with the recognition .
- **The employee is <u>sure</u>** Employees must know you will recognize them... it's not a game. They must also know the exact behavior for which they are being recognized.
- Recognition is perceived as **significant** Recognition must be important. This is defined by those that receive the recognition/reward.
- Recognition should be **<u>simple</u>** Informal recognition is usually more effective
- Must be <u>sincere</u> You really mean it. Done for the right reasons: To keep people safe, not just because it's policy. It's heart-driven, not just policy-driven.

#### What are appropriate safety behaviors to recognize?

All the proactive behaviors. Complying, reporting hazards and injuries, making suggestions, etc.

#### What's the most common safety behavior actually rewarded?

Withholding injury reports. Reactive incentive/recognition programs reward employees if they "don't have any accidents." These programs actually reward withholding reports of injury.

## Remember the "5-R Principle"

<u>Regularly</u> <u>Recognize and</u> <u>Reward and you'll</u> <u>Rarely have to</u> <u>Reprimand</u>!



# Let's review

- 1. What are the five key safety responsibilities of the supervisor?
  - 1. Make sure all employees are <u>trained</u> before exposed to hazards
  - 2. Provide adequate <u>resources</u>
  - 3. Ensure compliance by <u>enforce</u> safety rules
  - 4. Supervise by <u>identify</u> and <u>Correct</u> hazards before the cause an injury
  - 5. Demonstrate leadership by <u>Example</u> with policies and rules.
- 2. When does the <u>real</u> safety "education" occur?
  - a. during training
  - Xb. after training has been completed
- 3. All of the following are a "must do" when training hazardous procedures and practices, <u>except</u>?
  - a. test employee knowledge
  - b. test employee skills
  - Xc. document with an attendance roster
  - d. conduct training before exposure
- 4. Before disciplining an employee, the supervisor should <u>always</u>:
  - a. retrain the employee
  - b. review disciplinary policy
  - Xc. evaluate own performance
  - d. discipline the same day

- 5. According to the text, management is an organizational skill and leadership is a
  - skill:
  - a. scheduling
  - b. attitudinal
  - c. administrative
  - d relationship
- 6. The most effective leader ultimately wants to develop \_\_\_\_\_.
  - a. clones
  - b. followers
  - self-leaders
  - d. Subordinates
- 7. Indicate the leadership style being demonstrated below:
  - 1. Tough-caring
  - 2. Tough-controlling

- \_\_1\_\_ a. Involves employees in planning
  - <u>2</u> b. Plays one employee against another
- \_\_\_\_\_\_ c. Disciplines regularly, praises rarely
- \_\_\_\_\_ d. Insists on safety to protect employees
- 8. All of the following behaviors demonstrate leadership, except?
  - a. Insisting employees comply with safety rules
  - b. Disciplining employees for violating safety rules
  - c. Ignoring employees who take short cuts to make production goals
  - d. Recognizing employees when they meet expectations
- 9. In the "servant-leader" model of leadership, we <u>serve</u> those we lead.

This material is for training use only

# REFERENCE MATERIALS

This material is for training use only

# Leadership Traits

Over the past several years, one of the most important contributions psychology has made to the field of business has been in determining the key traits of acknowledged leaders. Psychological tests have been used to determine what characteristics are most commonly noted among successful leaders. This list of characteristics can be used for developmental purposes to help managers gain insight and develop their leadership skills.

The increasing rate of change in the business environment is a major factor in this new emphasis on leadership. Whereas in the past, managers were expected to maintain the status quo in order to move ahead, new forces in the marketplace have made it necessary to expand this narrow focus. The new leaders of tomorrow are visionary. They are both learners and teachers. Not only do they foresee paradigm changes in society, but they also have a strong sense of ethics and work to build integrity in their organizations.

Raymond Cattell, a pioneer in the field of personality assessment, developed the Leadership Potential equation in 1954. This equation, which was based on a study of military leaders, is used today to determine the traits which characterize an effective leader. The traits of an effective leader include the following:

- 1. Emotional stability. Good leaders must be able to tolerate frustration and stress. Overall, they must be well-adjusted and have the psychological maturity to deal with anything they are required to face.
- 2. Dominance. Leaders are often times competitive and decisive and usually enjoy overcoming obstacles. Overall, they are assertive in their thinking style as well as their attitude in dealing with others.
- 3. Enthusiasm. Leaders are usually seen as active, expressive, and energetic. They are often very optimistic and open to change. Overall, they are generally quick and alert and tend to be uninhibited.
- 4. Conscientiousness. Leaders are often dominated by a sense of duty and tend to be very exacting in character. They usually have a very high standard of excellence and an inward desire to do one's best. They also have a need for order and tend to be very self-disciplined.
- 5. Social boldness. Leaders tend to be spontaneous risk-takers. They are usually socially aggressive and generally thick-skinned. Overall, they are responsive to others and tend to be high in emotional stamina.
- 6. Tough-mindedness. Good leaders are practical, logical, and to-the-point. They tend to be low in sentimental attachments and comfortable with criticism. They are usually insensitive to hardship and overall, are very poised.
- 7. Self-assurance. Self-confidence and resiliency are common traits among leaders. They tend to be free of guilt and have little or no need for approval. They are generally secure and free from guilt and are usually unaffected by prior mistakes or failures.
- 8. Compulsiveness. Leaders were found to be controlled and very precise in their social interactions. Overall, they were very protective of their integrity and reputation and consequently tended to be socially aware and careful, abundant in foresight, and very careful when making decisions or determining specific actions.

#### This material is for training use only

Beyond these basic traits, leaders of today must also possess traits which will help them motivate others and lead them in new directions. Leaders of the future must be able to envision the future and convince others that their vision is worth following. To do this, they must have the following personality traits:

High energy. Long hours and some travel are usually a prerequisite for leadership positions, especially as your company grows. Remaining alert and staying focused are two of the greatest obstacles you will have to face as a leader.

Intuitiveness. Rapid changes in the world today combined with information overload result in an inability to "know" everything. In other words, reasoning and logic will not get you through all situations. In fact, more and more leaders are learning to the value of using their intuition and trusting their "gut" when making decisions.

- 1. Maturity. To be a good leader, personal power and recognition must be secondary to the development of your employees. In other words, maturity is based on recognizing that more can be accomplished by empowering others than can be by ruling others.
- 2. Team orientation. Business leaders today put a strong emphasis on team work. Instead of promoting an adult/child relationship with their employees, leaders create an adult/adult relationship which fosters team cohesiveness.
- 3. Empathy. Being able to "put yourself in the other person's shoes" is a key trait of leaders today. Without empathy, you can't build trust. And without trust, you will never be able to get the best effort from your employees.
- 4. Charisma. People usually perceive leaders as larger than life. Charisma plays a large part in this perception. Leaders who have charisma are able to arouse strong emotions in their employees by defining a vision which unites and captivates them. Using this vision, leaders motivate employees to reach toward a future goal by tying the goal to substantial personal rewards and values.
- 5. Overall, leaders are larger than life in many ways. Personal traits play a major role in determining who will and who will not be comfortable leading others. However, it's important to remember that people are forever learning and changing.

Leaders are rarely (if ever) born. Circumstances and persistence are major components in the developmental process of any leader. So, if your goal is to become a leader, work on developing those areas of your personality that you feel are not "up to par". For instance, if you have all of the basic traits but do not consider yourself very much of a "people" person, try taking classes or reading books on empathy. On the other end, if relating to others has always come naturally to you, but you have trouble making logical decisions, try learning about tough-mindedness and how to develop more psychological resistance. Just remember, anyone can do anything they set their mind to...

SOURCE: Small Business Administration



In Compliance with the Americans with Disabilities Act (ADA), this publication is available in alternative formats by calling the Oregon OSHA Public Relations Manager at (503) 378-3272 (V/TTY).